scitation.org/journal/apc

Volume 2542

The 4th International Conference on Science and Science Education (IConSSE 2021)

Integrating Rapid Technology and Whole Person Education in Science and Science Education to Encounter the New Normal Era

Salatiga, Indonesia • 7-8 September 2021

Editors • Didit Budi Nugroho, Andreas Setiawan, Nur Aji Wibowo, Cucun Alep Riyanto and November Rianto Aminu



November 2022

Publishing

THE 4TH INTERNATIONAL CONFERENCE ON SCIENCE AND SCIENCE EDUCATION (IConSSE 2021): Integrating Rapid Technology and Whole Person Education in Science



ACCOUNT

SEARCH

ANNOUNCEMENTS

II	S	F	Ð
- U	o		ĸ

_	
Username	
Password	
C Remen	nber me
Log In	

CONFERENCE
INFORMATION

Important Dates





2 414 5











STEERING COMMITTEE:

HOME

ORGANIZING COMMITTEE

ABOUT

LOG IN

Dr. Adi Setiawan, M.Sc. (Dean of Faculty of Science and Mathematics) Dr. Suryasatriya Trihandaru, M.Sc.nat (Vice Rector V, UKSW) Prof. Ferdy Semuel Rondonuwu, Ph.D. (Chairman of Faculty Senate)

ORGANIZING COMMITTEE:

Chairman : Dr. Adita Sutresno, S.Si., M.Sc.

Home > Organizing Committee

Secretary : Prima Warta Santhalia, S.Pd., M.Pd.

Treasurer : Debora Natalia Sudjito, S.Pd., M.Ps.Ed.

Scientific Program Division : Dr. Yohanes Martono, M.Sc. Dr. Wahyu Hari Kristiyanto, M.Pd. Dr. Bambang Susanto, M.S.

Dr. Hanna Arini Parhusip, M.Sc.nat

Conference Materials, Abstract, and Proceeding Division :

Didit Budi Nugroho, D.Sc. Prof. Ferdy Semuel Rondonuwu, Ph.D. Dr. Adi Setiawan, M.Sc. Ir. Sri Hartini, M.Sc. Dr. Andreas Setiawan, S.Si., M.T.

Secretarial :

Giner Maslebu, S.Pd., S.Si., M.Si. Leopoldus Ricky Sasongko, M.Si. Patrichia Nuke Prameswari, S.Pd. Sigit Sulistiyanto Tri Sunarno

Logistic, Floor Management, and Transportation Division :

November Rianto Aminu, S.Si., M.Sc. St. Agung Wicaksono, A.Md. Lutiyono, S.Si. Slamet Widodo, S.P. Sukisno Kabul Sanyoto Agus Sukardi Agus Kristiyono

Meal and Snack Division : Dra. Hartati Soetjipto, M.Sc.

Dra. Marmi Sudarmi, M.Si. Sudaryanti, A.Md.

Publication, Decoration, and Documentation Division :

Cucun Alep Riyanto, S.Pd., M.Sc. Tundjung Mahatma, S.Pd., M.Kom. Friska Yohana Waigama Tafip Haryanto

Sponsorship and Health Division :

Asido Saragih, S.Pd., M.Sc. dr. Jodelin Muninggar, M.Sc. Ni Ketut Lipurhati, S.Pd.



Faculty of Science and Mathematics Universitas Kristen Satya Wacana Jalan Diponegoro 52-60 Salatiga, Central Java, Indonesia Telp. 0298-321212 (hunt), iconsse@uksw.edu



NC





Volume number: 2542

Published: Nov 10, 2022

DISPLAY: 20 50 100 all



PRELIMINARY

No Access . November 2022

Preface: Proceedings of the 4th International Conference of Science and Education Science (IConSSE 2021)

AIP Conference Proceedings 2542, 010001 (2022); https://doi.org/10.1063/12.0011949

CHEMISTRY

No Access . November 2022

Online project-based learning with integration of STEAM in chemistry: Challenges and opportunities to create 21st century skills

Corrienna Abdul Talib, Nora Ramin, Shamini Thanga Rajan, Faruku Aliyu, Johari Surif, Nor Hasniza Ibrahim and Chuzairy Hanri

AIP Conference Proceedings **2542**, 020001 (2022); https://doi.org/10.1063/5.0103311

SHOW ABSTRACT

Dub Chem Vid module for chemistry topic abstract nature

Muhammad K. A. Ahamad, Nor H. Ibrahim, Johari Surif, Wimbi A. Nursiwan, Chuzairy Hanri, Syarifah Osman, Nina D. Nawi and Corrienna A. Talib

AIP Conference Proceedings 2542, 020002 (2022); https://doi.org/10.1063/5.0104297

SHOW ABSTRACT

🔒 No Access . November 2022

Identification of chemical composition and antibacterial potential of yellow watermelon seed oil (*Citrullus lanatus* L.)

Sri Hartini, Sekar Nurani Saptaningtyas and Hartati Soetjipto

AIP Conference Proceedings 2542, 020003 (2022); https://doi.org/10.1063/5.0103223

SHOW ABSTRACT

No Access . November 2022

Fingerprint analysis of solvent utilized in *Curcuma longa* and *Curcuma xanthorrhiza* extraction using UV-VIS spectroscopy combined with chemometric

Yohanes Martono and Jodelin Muninggar

AIP Conference Proceedings 2542, 020004 (2022); https://doi.org/10.1063/5.0103210

SHOW ABSTRACT

:

Surface analysis of activated carbon from rice husk based on carbonization and activation method

Cucun A. Riyanto, Alvama Pattiserlihun, Ezra Kurniawan, Blessy Y. Andiani and Fahmi P. Perdani

AIP Conference Proceedings **2542**, 020005 (2022); https://doi.org/10.1063/5.0103325

SHOW ABSTRACT

:

No Access . November 2022

Chemical composition and profile characterisation of wax gourd (*Benincasa hispida* (Thun.) Cogn.) seed oil

Hartati Soetjipto

AIP Conference Proceedings **2542**, 020006 (2022); https://doi.org/10.1063/5.0103258

SHOW ABSTRACT

:

COMPUTER SCIENCE AND TECHNOLOGY

No Access . November 2022

User models of students social interaction in e-learning based

BROWSE VOLUMES

Norazrena Abu Samah, Noraffandy Yahaya, Norasykin Mohd Zaid and Noor Dayana Abd Halim

AIP Conference Proceedings **2542**, 030001 (2022); https://doi.org/10.1063/5.0103693

No Access . November 2022

A simple synthetic human mobility model during COVID-19 lockdown

Vittalis Ayu and Clara Rumondang

AIP Conference Proceedings 2542, 030002 (2022); https://doi.org/10.1063/5.0103185

SHOW ABSTRACT

No Access . November 2022

Comic assisted by augmented reality: Its use to empower students' critical thinking skill

Insar Damopolii, Fridolin F. Paiki and Jan H. Nunaki

AIP Conference Proceedings **2542**, 030003 (2022); https://doi.org/10.1063/5.0104082

SHOW ABSTRACT

:

Data transmission system of LPG leakage using telegram

Kasih Rudi Halawa and Damar Widjaja

AIP Conference Proceedings 2542, 030004 (2022); https://doi.org/10.1063/5.0103810

SHOW ABSTRACT

No Access . November 2022

The development of educational research statistics teaching materials using the ADDIE model

Tanti Listiani

AIP Conference Proceedings 2542, 030005 (2022); https://doi.org/10.1063/5.0103201

SHOW ABSTRACT

No Access . November 2022

Different strategies and stages in blended learning based on the diversity of higher education students

Clara Hetty Primasari and Yohanes Priadi Wibisono

AIP Conference Proceedings **2542**, 030006 (2022); https://doi.org/10.1063/5.0104058

SHOW ABSTRACT

:

Determination of optimal weights of SimBet's routing metrics using entropy weight method

Bambang Soelistijanto

AIP Conference Proceedings **2542**, 030007 (2022); https://doi.org/10.1063/5.0103188

SHOW ABSTRACT

:

No Access . November 2022

Student perceptions and achievements of online learning: Machine learning approaches

Hari Suparwito

AIP Conference Proceedings **2542**, 030008 (2022); https://doi.org/10.1063/5.0103688

SHOW ABSTRACT

:

No Access . November 2022

Recognition of Balinese letters with convolutional neural

network

Kadek Adi Sukma Wijaya and Wiwien Widyastuti

AIP Conference Proceedings 2542, 030009 (2022); https://doi.org/10.1063/5.0103942

MATHEMATICS

No Access . November 2022

The analysis concept of integers counting operations in traditional Toraja games *Si Goal* and *Si Patte'*

Suri Toding Lembang, Anastasia Baan, Resnita Dewi and Fidelia Bunga Palipangan

AIP Conference Proceedings 2542, 040001 (2022); https://doi.org/10.1063/5.0104500

SHOW ABSTRACT

No Access . November 2022

Modeling the volatility of FTSE100 index returns using realized GARCH model with jumps

Glenn R. A. Listyan, Didit B. Nugroho and Tundjung Mahatma

AIP Conference Proceedings 2542, 040002 (2022); https://doi.org/10.1063/5.0103190

SHOW ABSTRACT

:

:

No Access . November 2022

Development of "ARuang" augmented reality learning media about geometry using unity 3D

Helti L. Mampouw, Wahyu H. Kristiyanto and Yericho P. Pradana

AIP Conference Proceedings 2542, 040003 (2022); https://doi.org/10.1063/5.0103264

SHOW ABSTRACT

:

No Access . November 2022

Analysis of students' mathematical problem solving ability: Arithmetic operation cases at Filial Baduro elementary school Timor Leste

Jerito Pereira, Jianlan Tang, Tan Shiwei, Tommy Tanu Wijaya, Maximus Tamur and Hermita Neni

AIP Conference Proceedings **2542**, 040004 (2022); https://doi.org/10.1063/5.0103492

SHOW ABSTRACT

No Access . November 2022

Optimizing WLAN access point placement using geospatial technique

Agustinus Bayu Primawan

AIP Conference Proceedings 2542, 040005 (2022); https://doi.org/10.1063/5.0103208

Determination of region area in two UTM zone using shoelace formula based on the GADM database

Adi Setiawan and Eko Sediyono

AIP Conference Proceedings **2542**, 040006 (2022); https://doi.org/10.1063/5.0103178

SHOW ABSTRACT

No Access . November 2022

Investigating of sine curve in polar coordinates using GeoGebra

Djoko Untoro Suwarno

AIP Conference Proceedings **2542**, 040007 (2022); https://doi.org/10.1063/5.0104182

SHOW ABSTRACT

:

No Access . November 2022

Pre-service mathematics teachers' perception on digital task design in online learning

Kimura Patar Tamba

:

SHOW ABSTRACT

:

GENERAL PHYSICS

No Access . November 2022

Evaluation of image resize and thresholding binary on Covid-19 detection using convolutional neural network

Rizki Wulan Agustin, Farah Noviandini, Bunga Mastiti Darmawan and Endarko

AIP Conference Proceedings 2542, 050001 (2022); https://doi.org/10.1063/5.0103183

SHOW ABSTRACT

No Access . November 2022

STEM-DRR: Potential strategy for increasing awareness of disaster risks

Mita Anggaryani, Tjipto Prastowo, Nadi Suprapto, Jonatan Lassa, Madlazim, Alifia Agusty Ilwi and Nurita Apridiana Lestari

AIP Conference Proceedings **2542**, 050002 (2022); https://doi.org/10.1063/5.0103203

Controlling multi servo with single chip FPGA

Effendi D. Arisandi

AIP Conference Proceedings **2542**, 050003 (2022); https://doi.org/10.1063/5.0105126

SHOW ABSTRACT

:

:

No Access . November 2022

Non-small cell lung cancer (NSCLC) classification using convolutional neural network (CNN)

Bunga Mastiti Darmawan, Rizki Wulan Agustin, Farah Noviandini and Endarko

AIP Conference Proceedings 2542, 050004 (2022); https://doi.org/10.1063/5.0103184

SHOW ABSTRACT

No Access . November 2022

Tensile behavior of austenitic stainless steel 316L(N) at high temperatures: A preliminary study

I. Made Wicaksana Ekaputra

AIP Conference Proceedings **2542**, 050005 (2022); https://doi.org/10.1063/5.0103550

The effect of multiple changes in motor parameter values simultaneously on the PMSM speed sensorless control system Bernadeta Wuri Harini

AIP Conference Proceedings 2542, 050006 (2022); https://doi.org/10.1063/5.0103207

SHOW ABSTRACT

No Access . November 2022

Evaluation of TLD position in eye lens dosimeter Hp(3) using 3D printed head phantom

Amalia A. Inayah, Betty Rahayuningsih, Kardianto, Fakhrusy R. Ramadhan, Anthonia W. Pitaloka and Endarko

AIP Conference Proceedings 2542, 050007 (2022); https://doi.org/10.1063/5.0103193

SHOW ABSTRACT

:

No Access . November 2022

Development of measuring quality to Buffalo's meat in Toraja

Wilson Jefriyanto, Benyamin Salu, Ishak Pawarangan and Welsiliana

BROWSE VOLUMES

:

SHOW ABSTRACT

No Access . November 2022

Feasibility study of Samarium-153 production by secondary fast neutron bombardment

Imam Kambali and Isdandy R. Febrianto

AIP Conference Proceedings 2542, 050009 (2022); https://doi.org/10.1063/5.0104756

SHOW ABSTRACT

No Access . November 2022

Measurement of gravitational acceleration using Arduino and rotating fluid

Kostan D. F. Mataubenu, Infianto Boimau, Videntus Benu and Dens E. S. I. Asbanu

AIP Conference Proceedings 2542, 050010 (2022); https://doi.org/10.1063/5.0109941

SHOW ABSTRACT

:

:

:

No Access . November 2022

Determination of insecticide vector distribution on local production filter paper non-gradient

Debora Meilyanawati, Adita Sutresno, Made Ray Suci Shanti, Andreas Setiawan and Riyani Setiyaningsih

AIP Conference Proceedings **2542**, 050011 (2022); https://doi.org/10.1063/5.0103278

SHOW ABSTRACT

:

:

No Access . November 2022

Breast cancer malignancy classification based on breast histopathology images using convolutional neural network

Farah Noviandini, Bunga Mastiti Darmawan, Rizki Wulan Agustin and Endarko

AIP Conference Proceedings 2542, 050012 (2022); https://doi.org/10.1063/5.0103186

SHOW ABSTRACT

No Access . November 2022

Sound beats experiment using single and double smartphone with tone generator application and audacity

Eko Nursulistiyo

AIP Conference Proceedings 2542, 050013 (2022); https://doi.org/10.1063/5.0103179

Spent coffee grounds and its potential applications for electronic devices: A review

Ishak Pawarangan, Fajar P. Pongsapan, Wilson Jefriyanto, Martina Pineng, Dwi P. Tana and Saiful A. Anum

AIP Conference Proceedings 2542, 050014 (2022); https://doi.org/10.1063/5.0103206

SHOW ABSTRACT

No Access . November 2022

Preliminary research of effect of pentaerythritol on build-up pattern of mechanical properties of HTPB-based polyurethane

AIP Conference Proceedings **2542**, 050015 (2022); https://doi.org/10.1063/5.0104773

SHOW ABSTRACT

:

:

No Access . November 2022

Coating of stainless steel 304 surface with apatite compound using the electrophoretic deposition method

M. Sari, Ishak Pawarangan, D. U. Khasanah, F. Y. Syafaat, V. J. Mawuntu, Y. Rizkayanti, A. Kusumaatmadja and Y. Yusuf

SHOW ABSTRACT

No Access . November 2022

Analysis of radiation distribution pattern source ¹³⁷Cs in irradiator room BPFK Surabaya

Ika Suryaningsih, Betty Rahayuningsih, Kardianto, Arie Chintya Martania and Endarko

AIP Conference Proceedings 2542, 050017 (2022); https://doi.org/10.1063/5.0103202

SHOW ABSTRACT

PHYSICS EDUCATION

No Access . November 2022

The implementation of guided inquiry as scientific method on video analysis of straight motion to improve higher-order thinking skill (HOTS)

Dens E. S. I. Asbanu, Vivie R. Husin, Landiana Laos and Tri Buce Banu

AIP Conference Proceedings 2542, 060001 (2022); https://doi.org/10.1063/5.0104676

:

A simple pendulum studied using Hall effect sensor and Arduino

Infianto Boimau, Kostan D. F. Mataubenu, Dens E. S. I. Asbanu and Tri B. J. Banu

AIP Conference Proceedings 2542, 060002 (2022); https://doi.org/10.1063/5.0103214

SHOW ABSTRACT

:

No Access . November 2022

Development of experiment module using physics virtual labs application in optics subject studies for secondary high school students

Geri Haidar Fikri, Eka Ervina and Eko Nursulistiyo

AIP Conference Proceedings 2542, 060003 (2022); https://doi.org/10.1063/5.0103217

SHOW ABSTRACT

:

No Access . November 2022

Developing physics teaching material Newton's law based on local wisdom: Plait

Vivi E. R. Husin, Landiana Etni Laos and Heidy Wulandari

AIP Conference Proceedings 2542, 060004 (2022); https://doi.org/10.1063/5.0129795

Study of students group dynamics in online learning on science teaching practice

Wahyu Hari Kristiyanto

AIP Conference Proceedings 2542, 060005 (2022); https://doi.org/10.1063/5.0103263

SHOW ABSTRACT

No Access . November 2022

Development of tree-tier type diagnostic test instruments to identify misconceptions in mechanics and static fluids

Demeryati Langtang, Ruth N. K. Mellu and Yabes Olbata

AIP Conference Proceedings 2542, 060006 (2022); https://doi.org/10.1063/5.0103912

SHOW ABSTRACT

:

No Access . November 2022

Developing physics learning tools based on the local community traditionabout global warming to improve student's understanding

BROWSE VOLUMES

:

SHOW ABSTRACT

No Access . November 2022

Identification of misconceptions causes of misconceptions of prospective physics teacher candidate using a three-tier diagnostic test with CRI on kinematics of motion static fluids

Ruth N. K. Mellu, Demeryati Langtang, Yabes Olbata and Landiana E. Laos

AIP Conference Proceedings 2542, 060008 (2022); https://doi.org/10.1063/5.0104453

SHOW ABSTRACT

:

:

No Access . November 2022

Maintaining the quality of the Master's degree programme in physics education at Universiti Teknologi Malaysia

Nina Diana Nawi, Fatin Aliah Phang, Nor Farahwahidah Abd Rahman and Noorzana Khamis

AIP Conference Proceedings 2542, 060009 (2022); https://doi.org/10.1063/5.0104229

SHOW ABSTRACT

Does your institution contribute to socie impact? Use Scopus to analyze SDG rese

Resources

AUTHOR

LIBRARIAN

ADVERTISER

General Information

ABOUT

CONTACT

HELP

PRIVACY POLICY

TERMS OF USE

FOLLOW AIP PUBLISHING:



Website © 2023 AIP Publishing LLC. Article copyright remains as

Scitation

BROWSE VOLUMES

BROWSE VOLUMES

Faculty of Science and Mathematics Universitas Kristen Satya Wacana



Award to:

<u>Bambang Soelistijanto, S.T., M.Sc., Ph.D.</u>

as Presenter

at the 4th International Conference on Science and Science Education (IConSSE) 2021 organized by Faculty of Science and Mathematics-Universitas Kristen Satya Wacana

Salatiga, September 7-8, 2021

JNITED BOARD

Dr. Adi Setiawan, M.Sc.





Dr. Adita Sutresno, M.Sc. Chairman-The 4th IConSSE 2021

Determination of optimal weights of SimBet's routing metrics using entropy weight method

Cite as: AIP Conference Proceedings **2542**, 030007 (2022); https://doi.org/10.1063/5.0103188 Published Online: 10 November 2022

Bambang Soelistijanto







AIP Conference Proceedings 2542, 030007 (2022); https://doi.org/10.1063/5.0103188

Determination of Optimal Weights of SimBet's Routing Metrics Using Entropy Weight Method

Bambang Soelistijanto^{a)}

Department of Informatics, Universitas Sanata Dharma, Yogyakarta, Indonesia

a)Corresponding author: b.soelistijanto@usd.ac.id

Abstract. Opportunistic Mobile Networks (OMNs) are an extension of MANETs where the end-to-end transfer delays in these networks are much larger than conventional networks, such as Internet. Consequently, routing algorithms in OMNs only rely on nodes' locally available information when making routing decisions. To improve the delivery performances, most of the OMN routing schemes exploit more than one routing metrics. For instance, SimBet routing considers two social properties of the peer nodes, namely social similarity and betweenness centrality, when selecting better relay nodes. Typically, the algorithm assigns the same weight to both the metrics when making routing decisions. However, our investigation shows that this assignment may lead to the suboptimal performance of the algorithm in real-life OMNs. Therefore, we propose the entropy weight method (EWM) that dynamically assigns the weights of the SimBet's routing metrics for the given node mobility scenario. Finally, simulation results show that the proposed method is able to improve the delivery performances of SimBet routing, in terms of delivery ratio, average delay, and overhead ratio, in several real human movement cases.

INTRODUCTION

Nowadays, opportunistic mobile networks (OMNs) [1] have attracted researchers in mobile communication networks since they offer several advantages over conventional mobile ad-hoc networks (MANETs). For example, an OMN source node can transfer information data to the destination in absence of end-to-end paths between the end nodes. In OMNs, when messages are sent then the routes are dynamically built. Messages are forwarded hop-by-hop from sources to destinations opportunistically when node contacts occur. This message delivery paradigm is known as *store-carry-forward*, and node mobility in OMNs creates chances for message transfers; however, in MANETs node movement is considered as a potential communication disconnection. Moreover, message transfers in OMNs are naturally delay-tolerant, since node contacts occur opportunistically as node mobility is effectively random. The rapid development of mobile devices, such as gadgets, smart phones, and laptops, paves the way for a multitude of opportunities for device encounters. Some possible realizations of OMNs include vehicular networks [2], mobile social networks [3], and animal wildlife monitoring networks [4].

Multi-hop message routing over OMNs possesses substantial challenges: the rapid changes of the networks' topology, the long delay to learn the network state, and the high cost of flooding the global state data, indicate that the conventional MANETs routing strategies requiring global information are costly and suboptimal, since they may depend on obsolete information. As a consequence, most of OMN routing schemes are intuitive heuristics that choose the best message carriers based on nodes' local information. In [5], routing issues in OMNs are formulated as an optimization problem over the time varying graph.

Typically, routing decisions in OMNs are based on node contact statistics. Earlier OMN routing algorithms generally take into account a single routing metric when selecting suitable relay nodes; for example, Label routing [6] uses node community to choose optimal message carriers to the destination. Despite its simplicity, however, considering only one routing metric may fail to accurately estimate the contact probability between a pair of nodes. As a consequence, a number of recent routing algorithms exploit more than one routing metrics to comprehensively describe node relationship; for instance, SimBet routing [7] considers both social similarity and betweenness centrality

The 4th International Conference on Science and Science Education (IConSSE 2021) AIP Conf. Proc. 2542, 030007-1–030007-6; https://doi.org/10.1063/5.0103188 Published by AIP Publishing. 978-0-7354-4259-7/\$30.00 of the peer nodes to select the best relays in the network. Initially, the authors of SimBet assigned the same weight value to both the metrics when calculating node utility. However, our investigation shows that this assignment may lead to the suboptimal performance of SimBet in some realistic mobility scenarios, such as Reality [8], Sassy [9], and Haggle [10]. Based on this issue, we propose the entropy weight method (EWM) [11] to determine optimal weights of the SimBet's routing metrics for a given mobility scenario. Using simulation driven by real node mobility scenarios, we show that the proposed method is able to improve the performance of SimBet, in terms of delivery ratio, average latency and overhead cost.

The rest of the paper is structured as follows. The second section gives an overview of SimBet routing. The third section discusses the entropy weight method used to optimally assign the weights of the SimBet's routing metrics. The performance improvement of SimBet when it applying EWM in real-life OMNs is presented in the fourth section. Finally, the paper is concluded in the last section.

SIMBET ROUTING

As a class of social-aware routing algorithms in OMNs, SimBet routing [7] exploits social properties of nodes when selecting optimal relay nodes in the network. In this algorithm, routing decisions are made based on two social network properties, namely social similarity and betweenness centrality. Theoretically, calculation of both similarity and betweenness centrality needs global knowledge of the social network. However, due to the long transfer delay in OMNs, instantaneous global knowledge of the network is often unavailable to all the network nodes. While the calculation of social similarity can be done based on an ego-centric view, the calculation of betweenness centrality needs global network information. However, the authors of SimBet argued that the computation of ego-centric betweenness is still important to fit a socio-centric betweenness centrality.

Basically, a node forwards messages to the peer having a higher similarity to the destination; however, if both the nodes have no idea about the destination, the messages will be sent to the peer with a higher betweenness centrality. The social similarity contributes more significantly when the messages are already near the destination, while the betweenness centrality gives significant impacts when the sending node is far from the destination. According to SimBet, the social similarity between node u and v is defined as the number of common encountered nodes between them as follows

$$Sim_u(v) = |N_1(u) \cap N_1(v)| \tag{1}$$

The definition of the socio (global) betweenness centrality of node u is the number of geodesic paths between any pair of nodes in the network given as follows

$$C_B(u) = \sum_{\substack{v \neq w \neq u \\ v, w \in nodes}} \frac{g_{v,w}(u)}{g_{v,w}}$$
(2)

However, the authors of SimBet defines betweenness centrality in an ego-network view by taking node v and w only from the neighborhood of node u as follows

$$Bet(u) = \sum_{\substack{v \neq w \neq u \\ v, w \in N_1(u)}} \frac{g_{v,w}(u)}{g_{v,w}}$$
(3)

Finally, the SimBet utility metric of node u for the destination node v is given by combining the similarity of u and v (Eq. 1) and the betweenness of node u (Eq. 3) as follows

$$SimBet_u(v) = \alpha * Sim_u(v) + \beta * Bet(u)$$
(4)

where $\alpha + \beta = 1$, and α and β are tunable parameters enabling the adjustment of the relative importance of the two metrics. Originally, the authors of SimBet did not discuss thoroughly about the impact of selection of these parameters' values on SimBet's overall delivery performances. Typically, both α and β are assigned to be the same weight value, that is 0.5. However, our experiment shows that this assignment may result in suboptimal performance of SimBet in real-life OMNs, such as Reality [8], Sassy [9], and Haggle [10] contact data traces. Thus, it needs sufficient knowledge in order to set optimal values of α and β for the given mobility scenario. Our approach, however, enables a node to autonomously determine the weight values of SimBet's routing metrics based on the node's locally available information. Furthermore, we apply the entropy weight method (EWM) for determination of weights of the SimBet's routing metrics, and in the following section we discuss the theory of EWM that is applied in SimBet routing.

ENTROPY WEIGHT METHOD

The entropy weight method discussed here is based on the assessment method of Qui *et. al.* [12] with some improvements to suit our case of SimBet. Suppose there are *m* evaluating indicators that evaluate *n* objects. Therefore, an indicator value matrix $X = (x_{ij})_{m \times n}$ is formed as

$$X = \begin{bmatrix} x_{11} & x_{12} & \dots & x_{1n} \\ x_{21} & x_{22} & \dots & x_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ x_{m1} & x_{m2} & \dots & x_{mn} \end{bmatrix}$$
(5)

In this case, x_{ij} represents the value of routing metric *j*-th of the *i*-th node. Normalization this matrix to get a new matrix $R = (r_{ij})_{m \times n}$, where r_{ij} is the contribution degree of the *j*-th routing metric of the *i*-th node, and is calculated as follows

$$r_{ij} = \frac{x_{ij}}{\sum_{i=1}^{m} x_{ij}} \tag{6}$$

Subsequently, the entropy of *j*-th routing metric is defined as

$$H_{j} = -k \sum_{i=1}^{m} r_{ij} \ln r_{ij}$$
(7)

where $k = 1/\ln m$, and $0 \le H_j \le 1$. Further, the entropy of the given routing metric *j* can be used to determine the weight of the metric as follows. We define d_j as the degree of the contribution of each node *i* at the *j*-th routing metric, and it can be shown as $d_j = 1 - H_j$. Eventually, the weight of each routing metric *j* can be calculated as follows

$$w_j = \frac{d_j}{\sum_{j=1}^n d_j} \tag{8}$$

Lastly, we now discuss the implementation of the entropy weight method in the SimBet's forwarding strategy. When a node contact occurs between a current node u and its peer v, for each message m with the destination d in the node u's buffer, node u develops an indicator matrix X containing the similarity and betweenness centrality values of all the previous contacted nodes with respect to the message destination d. For example, in (9) we show the matrix X_u of node u for the message m with the destination d, when node u has previous contacts with node a, b, c, e, f, and g, and therefore it has the similarity and betweenness centrality values of the contacted nodes with respect to destination d. Moreover, if for instance node f has not met the destination d yet, then $Sim_f(d) = 0$.

$$X_{u}(d) = \begin{bmatrix} Sim_{a}(d) & Bet(a) \\ Sim_{b}(d) & Bet(b) \\ Sim_{c}(d) & Bet(c) \\ Sim_{e}(d) & Bet(e) \\ Sim_{f}(d) & Bet(f) \\ Sim_{g}(d) & Bet(g) \end{bmatrix}$$
(9)

Afterwards, node *u* calculates the values of α and β using equations (6) – (8), and finally determines $SimBet_v(d)$, which is the SimBet's utility value of the peer *v* for the destination *d*. When $SimBet_v(d) > SimBet_u(d)$, then node *u* forwards the message to the peer node *v*. Thus, our method determines the weight values of similarity and betweenness centrality per message in the buffer of the forwarding node *u*. Since in the case of SimBet, matrix *X*

certainly only has a two-column size, but the row size depending on the number of nodes already encountered, then we can argue that the computation of α and β for each message in the node buffers is still sensible for mobile nodes with limited computing power and resources, e.g., memory and battery.

PERFORMANCE EVALUATION

We now discuss the performance analysis of SimBet with entropy weight method (hereafter, we call it *SimBet*-*EWM*) compared with the conventional SimBet (we just call it *SimBet*, hereafter). In SimBet, the values of α and β are initially defined before the simulation runs; whereas, in SimBet-EWM the values of both parameters are calculated per message using the entropy weight method when node contacts occur. In this investigation, we use the ONE simulator [13] driven by realistic mobility datasets, namely Haggle [10], Sassy [9], and Reality [8] contact traces. Haggle trace captured the mobility of 41 participants during IEEE Infocomm 2005 at Grand Hyatt Hotel in Miami, USA and lasted for 3 days. Sassy trace, on the other hand, was taken using a mobile sensor network with 27 T-Mote devices carried by people from the University of St. Andrews. The experiment was conducted for 74 days. Finally, Reality trace recorded the activities of 97 students and staffs during 10 months in the MIT campus. For metric evaluations, we consider delivery ratio, delivery latency, and overhead ratio.



FIGURE 1. Delivery ratio of SimBet vs. SimBet-EWM in three different human mobility scenarios.

In Fig. 1, we depict the delivery success ratio of SimBet-EWM compared with SimBet in three mobility scenarios. For SimBet, we consider various α values in the range of [0.1,1], and $\beta = 1 - \alpha$. From the figure, we can easily see that SimBet-EWM can outperform SimBet in term of delivery success rate in all the given mobility scenarios. In addition, the increase of α (i.e., the forwarding decisions consider more on the social similarity metric) in SimBet gives various impacts in the different mobility scenarios. For example, the increase of α indeed gives a more impact on the delivery ratio in Reality. This is because the social graph of Reality mobility is more clustered than those of Haggle and Sassy, as the students and staffs of MIT typically gathered in certain locations, e.g., laboratories, classroom, and etc., in a relatively long time.

Next, we discuss the performance comparison of SimBet-EWM and SimBet in terms of average delivery latency. We show the delivery delay of SimBet-EWM and SimBet in Haggle, Sassy, and Reality, in Fig. 2. We again notice that SimBet-EWM can significantly reduce the delivery latency of SimBet in Sassy and Reality. However, SimBet-EWM slightly increases the average delay beyond that of SimBet for all values of α . Moreover, in the case of Haggle the increase of α gives a slight impact on the delivery latency. This is because Haggle represents the node mobility scenario in a closed, relatively small area, where all the nodes almost have the same neighbors (thus, having a high similarity).



FIGURE 2. Delivery latency of SimBet vs. SimBet-EWM in three different human mobility scenarios.

Lastly, we now consider overhead ratio performances of SimBet-EWM and SimBet in the aforementioned mobility scenarios. The evaluation metric represents the delivery cost of the routing algorithm, defined as the ratio of total message copies over total messages successfully delivered. We illustrate the delivery cost of SimBet-EWM and SimBet in Haggle, Sassy, and Reality in Fig. 3. It is obvious that SimBet-EWM drastically decreases the delivery cost of SimBet in Reality. This means that the entropy weight method in SimBet-EWM effectively reduces the total message copies in the network, while maintaining the delivery success rate as high as SimBet in Reality. However, in the other mobility scenarios, namely Haggle and Sassy, the performance of SimBet-EWM in terms of delivery cost is roughly similar with that of SimBet for all values of α .

CONCLUSION

In this paper, we improved the performance of SimBet routing by applying the entropy weight method (EWM) to determine the optimal weight values of the two SimBet routing metrics, i.e., social similarity and betweenness centrality. Originally, the weights of both the routing metrics were assigned equally when SimBet made routing decisions. However, we showed that this assignment may result in the suboptimal performance of SimBet in real-life OMNs. Consequently, we proposed the EWM to adaptively calculate the weights of the SimBet's routing metrics for different mobility scenarios. Finally, using simulation driven by real human contact traces, we showed that SimBet-EWM can outperform SimBet, in terms of delivery ratio, average delay, and overhead ratio.



FIGURE 3. Overhead ratio of SimBet vs. SimBet-EWM in three different human mobility scenarios.

ACKNOWLEDGMENTS

This research was partially supported by Sanata Dharma University. We would also like to thank our student, Yustina Lyvita Violita, who provided the Java codes of SimBet-EWM for the ONE simulator.

REFERENCES

- 1. Z. Liao, L. Liu, and Y. Chen, IEEE Access 8, 16236–16247 (2020).
- 2. X. Zhu, Y. Li, D. Jin, and J. Lu, IEEE Trans. Vehicl. Tech. 66, 7384–7399 (2017).
- 3. B. Soelistijanto, "Impact of social-aware forwarding on traffic distribution in social opportunistic networks," in Proceedings of the IEEE Region 10 Symposium (IEEE, 2016), pp. 13–18.
- E. D. Ayele, N. Meratnia, and P.J.M. Havinga, "Towards a new opportunistic IoT network architecture for wildlife monitoring system," in Proceedings of the 9th IFIP International Conference on New Technologies, Mobility, and Security (IEEE, 2018), pp. 1–5.
- 5. J. Wu, Y. Guo, H. Zhou, L. Shen, and L. Liu, IEEE Access 8, 18727–18740 (2020).
- 6. P. Hui, J. Crowcroft, and E. Yoneki, IEEE Trans. Mobile Comp. 10, 1576–1589 (2011).
- 7. E. M. Daly and M. Haahr, IEEE Trans. Mobile Comp. 8, 606–621 (2009).
- 8. N. Eagle and A. Pentland, Personal and Ubiquitous Comp. 10, 255–268 (2006).
- 9. G. Bigwood, D. Rehunathan, M. Bateman, T. Henderson, and S. Bhatti, CRAWDAD dataset st_andrew/sassy (2013), available at http://crawdad.org/st_andrew/sassy.
- 10. J. Scott, R. Gass, J. Crowcroft, P. Hui, C. Diot, and A. Chaintreau, "CRAWDAD dataset Cambridge/Haggle/Infocom (2009)," available at
- http://crawdad.cs.dartmouth.edu/cambridge/haggle/ imote/ infocom.
- 11. L. Liu, J. Zhou, X. An, Y. Zhang, and L. Yang, Expert Syst. App. 37, 2517–2521 (2010).
- 12. W. H. Qiu, Management Decision and Applied Entropy Theory (China Machine Press, Beijing, 2001).
- 13. A. Keranen, J. Ott, and T. Karkkainen, "The ONE simulator for DTN protocol evaluation," in Proceedings of the 2nd International Conference on Simulation Tools and Techniques (ICST, 2009), pp. 1–10.