

PAPER • OPEN ACCESS

## International Conference on Information System, Computer Science and Engineering

To cite this article: 2019 *J. Phys.: Conf. Ser.* **1196** 011001

View the [article online](#) for updates and enhancements.

### You may also like

- [Influence of weight heterogeneity on random walks in scale-free networks](#)  
Ling Li, Jihong Guan and Zhaohui Qi
- [Preface 1<sup>st</sup> International Conference on Industrial Agriculture \(ICONIA 2020\)](#)
- [Data Entities and Information System Matrix for Integrated Agriculture Information System \(IAIS\)](#)  
Halim Budi Santoso and Rosa Delima



**IOP | ebooks™**

Bringing together innovative digital publishing with leading authors from the global scientific community.

Start exploring the collection—download the first chapter of every title for free.

# **International Conference on Information System Computer Science and Engineering ICONISCSE 2018**



**(ICONISCSE 2018)**

**NOV 26-27, 2018 — PALEMBANG, INDONESIA**

Accepted, peer reviewed papers from ICONISCSE 2018

Edited by

ICONISCSE Committee  
Palembang – Indonesia

2018



## **ORGANIZING COMMITTEE**

### **Advisory Committee**

Hiroyuki Iida, Japan Advanced Institute of Science and Technology, Japan  
Abdul Samad Ismail, Universiti Teknologi Malaysia  
Anton Satria Prabuwono, King Abdulaziz University, Saudi Arabia  
Mohammad Hossein Anisi, University of Essex, UK  
Saparudin, Universitas Sriwijaya, Indonesia

### **Steering Committee**

Zainuddin Nawawi, Universitas Sriwijaya, Indonesia  
Siti Nurmaini, Universitas Sriwijaya, Indonesia  
Jaidan Jauhari, Universitas Sriwijaya, Indonesia

### **General Chair**

Sukemi, Universitas Sriwijaya

### **General co-Chairs**

Rahmat Budiarto, Al-baha University, Saudi Arabia  
Ab Razak Che Hussin, Universiti Teknologi Malaysia  
Samsuryadi, Universitas Sriwijaya  
Mohd. Riduan Ahmad, Universiti Teknikal Malaysia Melaka, Malaysia

### **Publication Chairs**

Tole Sutikno, Universitas Ahmad Dahlan, Yogyakarta, Indonesia  
Deris Stiawan, Universitas Sriwijaya  
Hadipurnawan Satria, Universitas Sriwijaya, Indonesia

### **Finance Chairs & Treasurer**

Masagus Afriyan Firdaus, Universitas Sriwijaya, Indonesia  
Hardini Novianti, Universitas Sriwijaya, Indonesia

**Public Relation Chairs**

Ermatita, Universitas Sriwijaya, Indonesia  
Irfan Syamsuddin, Politeknik Negeri Ujung Pandang, Indonesia  
Muhammad Syafrullah, Universitas Budi Luhur, Jakarta, Indonesia  
Anton Yudhana, Universitas Ahmad Dahlan, Yogyakarta, Indonesia  
Zulfatman, Universitas Muhammadiyah Malang, Malang, Indonesia  
Mochammad Facta, Universitas Diponegoro, Semarang, Indonesia  
Imam Much Ibnu Subroto, Universitas Islam Sultan Agung, Semarang, Indonesia  
Uuf Brajawidagda, Politeknik Negeri Batam, Indonesia

**Technical Program Chairs**

Reza Firsandaya Malik, Universitas Sriwijaya, Indonesia  
Munawar A. Riyadi, Universitas Diponegoro, Semarang, Indonesia  
M. Fachrurrozi, Universitas Sriwijaya, Indonesia  
Firdaus, Universitas Sriwijaya, Indonesia  
Erwin, Universitas Sriwijaya, Indonesia  
Bambang Tutuko, Universitas Sriwijaya, Indonesia

**International Scientific Committee**

Brian Kurkoski, Japan Advanced Institute of Science and Technology, Japan  
Ahmad Hoirul Basori, King Abdulaziz University, Saudi Arabia  
Mohd. Yazid Idris, Universiti Teknologi Malaysia  
Rudi Heriansyah, Umm Al-Qura University, Saudi Arabia  
Tahir Cetin Akinci, Kirklareli University, Turkey  
Siti Zaiton Mohd Hashim, Universiti Teknologi Malaysia, Malaysia  
Mohamad Zoinol Abidin, Universiti Teknikal Malaysia Melaka, Malaysia

**Local Chairs**

Ali Ibrahim, Universitas Sriwijaya, Indonesia  
Rossi Passarella, Universitas Sriwijaya, Indonesia  
Endang Lestari, Universitas Sriwijaya, Indonesia  
Sutarno, Universitas Sriwijaya, Indonesia  
Rahmat Izwan Heroza, Universitas Sriwijaya, Indonesia  
Rifkie Primartha, Universitas Sriwijaya, Indonesia  
Rido Zulfahmi, Universitas Sriwijaya, Indonesia

# Table of contents

Volume 1196

**March 2019**

◀ Previous issue      Next issue ▶

**International Conference on Information System, Computer Science and Engineering 26–27  
November 2018, Palembang, Indonesia**

Accepted papers received: 22 February 2019

Published online: 16 April 2019

Open all abstracts

## Preface

**OPEN ACCESS** 011001

International Conference on Information System, Computer Science and Engineering

+ Open abstract       View article       PDF

**OPEN ACCESS** 011002

Peer review statement

+ Open abstract       View article       PDF

## Papers

**OPEN ACCESS** 012001

Social Media Element for Persuasive B2c E-Commerce

Shaffiah Ali, Ab Razak Che Hussin, Samsuryadi and Jamilah Mahmood

+ Open abstract       View article       PDF

**OPEN ACCESS** 012002

Follower's Quality Factor in Social Commerce

Humaira Hairudin, Halina Mohamed Dahlan, Md Hafiz Selamat and Ab Razak Che Hussin

+ Open abstract       View article       PDF

**OPEN ACCESS** 012003

Implementation of Fire Image Processing for Land Fire Detection Using Color  
Filtering Method

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,  
see our Privacy and Cookies policy.



[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012004

Item Clustering as An Input for Skin Care Product Recommended System using Content Based Filtering

Villia Putriany, Jaidan Jauhari and Rahmat Izwan Heroza

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012005

The Implementation of Supply Chain Management and Big Data to Accelerate Stock Order in Mega Drug Store

Ali Ibrahim, Erdo Irawan, Narwastu Kartika Dewi, Nurani, Ratih Filaresy and Yusmaniarti

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012006

Antecedents of Internet of Things Adoption in Oil and Gas Industry

Shamsul Bahri Abdul Satar, Ab Razak Che Hussin, Yusuf Sahabi Ali and Samsuryadi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012007

English – Indonesian Phrase Translation Using Recurrent Neural Network and ADJ Technique

Wenty Octoviani, Muhammad Fachrurrozi, Novi Yusliani, Mukhlis Febriady and Afriyan Firdaus

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012008

Automatic Toll Road Payment System Security Using Radio Frequency Identification (RFID) with the Blowfish method

Ahmad Fali Oklilas, Fitriyani and Ahmad Zarkasi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012009

Facial Recognition Technique with Combination Method of Local Binary Pattern Histogram and Image Euclidean Distance

Erwin, Saparudin, M. Fachrurrozi, Alvin Tamaarsa and Andy Zhang

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012010

A Study about Principle Component Analysis and Eigenface for Facial Extraction

Erwin, M Azriansyah, N Hartuti, Muhammad Fachrurrozi and Bayu Adhi Tama

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

[+ Open abstract](#) [View article](#) [PDF](#)



**OPEN ACCESS**

012011

**Partitioning Itemset on Transactional Data of Configurable Items for Association Rules Mining**

Faiz Muhammad, Rifkie Primartha, Adi Wijaya and Muhammad Ihsan Jambak

**+** Open abstract

View article



PDF

**OPEN ACCESS**

012012

**Comparative Analysis of Classification Method for Wart Treatment Method**

Genda Ananta Rahmat, Rifkie Primartha, Sukemi and Adi Wijaya

**+** Open abstract

View article



PDF

**OPEN ACCESS**

012013

**The Combination of Logistic Regression and Gradient Boost Tree for Email Spam Detection**

Arafah Anggraina, Rifkie Primartha and Adi Wijaya

**+** Open abstract

View article



PDF

**OPEN ACCESS**

012014

**Capturing Visitor Characteristics for Requirement Engineering for Museum Tour Guide Application**

Riri Yunita, Jaidan Jauhari and Rahmat Izwan Heroza

**+** Open abstract

View article



PDF

**OPEN ACCESS**

012015

**Extracting factors of Physical Activity Tracking Technology using Wordcloud and Relevancy Ranking**

Nittee Wanichavorapong, Ab Razak Che Hussin, Ahmad Fadhil Yusof and Samsuryadi

**+** Open abstract

View article



PDF

**OPEN ACCESS**

012016

**The Comparison of Iris Detection Using Histogram Equalization and Adaptive Histogram Equalization Methods**

Fathan Mustaghfirin, Erwin, Hadrians Kesuma Putra, Umi Yanti and Rahma Ricadonna

**+** Open abstract

View article



PDF

**OPEN ACCESS**

012017

**Faster R-CNN with Inception V2 for Fingertip Detection in Homogenous Background Image**

Derry Alamsyah and Muhammad Fachrurrozi

**+** Open abstract

View article



PDF

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



**OPEN ACCESS**

012018

## Decision tree combined with PSO-based feature selection for sentiment analysis

Rifkie Primartha, Bayu Adhi Tama, Azhary Arliansyah and Kanda Januar Miraswan

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012019

## Olfactory Arm Mobile Robot for Object Inspection Based on Fuzzy Logic and Support Vector Machine

Rendyansyah, Muhammad Rivai and Djoko Purwanto

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012020

## Very Small Image Face Recognition Using Deep Convolution Neural Networks

Julian Supardi and Shi-Jinn Horng

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012021

## Attribute Selection Using Information Gain and Naïve Bayes for Traffic Classification

Ahmad Fali Oklilas, Tasmi, Sri Desy Siswanti, Mira Afrina and Herri Setiawan

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012022

## Predictive Analytic for Estimating Electric Consumption of Smart Grid Platform in Residential Single-Family Building using Support Vector Regression Approach

A B Pangaribuan, Andhika Octa, IWW Pradnyana and Sarika Afrizal

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012023

## Determination of Fertilizer Doses of Plants Utilizing the Results of Aerial Photographs Using Fuzzy Tsukamoto

Huda Ubaya, Sukemi and Dian Oktavian

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012024

## New Model of Vegetation Monitoring Using Flying NIR Cameras with NDVI Parameters and C-means

Huda Ubaya, Sukemi and Ayu Purnama Sari

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012025

## Comparative Study of Tiger Identification Using Template Matching Approach based

See our Privacy and Cookies policy.





## on Edge Patterns

E Hariyanto, M Iqbal, A P U Siahaan, K S Saragih and S Batubara

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012026

## The Implementation Of Customer Relationship Management (CRM) With Service Oriented Architecture (SOA) to Improve Customers' Loyalty

Ali Ibrahim, Annisa Turrahma and Endang Lestari Ruskan

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012027

## Enhancing Learning Engagement on Minangkabau Traditional Food through Gamified Mobile Quiz

Tri Ramadani Arjo, Rina Yulius and Muchammad Fajri Amirul Nasrullah

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012028

## Knowledge Mapping System Features for Supporting Researcher Mobility into Industries and SME from e-Government Perspective

Shidiq Al Hakim, Dana Indra Sensuse and Lukman

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012029

## Modelling Reliability of Transportation Systems to Reduce Traffic Congestion

E Suryani, R A Hendrawan, P F EAdipraja, A Wibisono and L P Dewi

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012030

## A General S-bend Approximation by Cascading Multiple Sections of Uniformly Curved Waveguides

Ary Syahriar, Nabil Rayhan Syahriar, Jusman Syafii Djamal and Randy Rahmat Saleh

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012031

## Imperceptible Improvement of Secure Image Steganography based on Wavelet Transform and OTP Encryption using PN Generator

Andik Setyono and De Rosal Ignatius Moses Setiadi

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012032

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



Sitairesmi Wahyu Handani, Dhanar Intan Surya Saputra, Hasirun, Rizky Mega Arino and  
Gita Fiza Asyrofi Ramadhan

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012033

Security Audit on Loan Debit Network Corporation System Using Cobit 5 and ISO  
27001: 2013

Fathoni, Novita Simbolon and Dinna Yunika Hardiyanti

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012034

Grasping and Attached Mode in Human-Computer Interaction in the Study of Mouse  
Substitution

R B Widodo, R M Quita, S Amrizal, R S Gunawan, C Wada, A Ardiansyah, I Sutrisno, M B Rahmat,  
A Z Arfianto, C R Handoko *et al*

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012035

Performance Comparison of Linear Congruent Method and Fisher-Yates Shuffle for  
Data Randomization

Fransiskus Panca Juniawan, Harrizki Arie Pradana, Laurentinus and Dwi Yuny Sylfania

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012036

The Concept of Wheeled-Legged Robot Transformation

Nuryanto, Andi Widiyanto, Oesman Raliby, Rochim Widaryanto and Mochammad Ariyanto

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012037

Converting Image into Bas Reliefs Using Image Processing Techniques

Nanik Suciati, Maserati Teja Baihaqi, Handayani Tjandrasa, Agus Zainal Arifin, Chastine Fatichah,  
Anny Yuniarti, Dini Adni Navastara, Arya Yudhi Wijaya, Wijayanti Nurul Khotimah and  
Henning Titi Ciptaningtyas

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012038

Cloud Computing-Based E-Learning System Architecture in Education 4.0

P Hendradi, M Khanapi and S N Mahfuzah

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,  
see our [Privacy and Cookies policy](#).

**OPEN ACCESS**



## Securing and Hiding Secret Message in Image using XOR Transposition Encryption and LSB Method 012039

Andik Setyono and De Rosal Ignatius Moses Setiadi

[+ Open abstract](#) [View article](#) [PDF](#)

## OPEN ACCESS 012040

### Implementation of Learning Vector Quantization (LVQ) Algorithm for Durian Fruit Classification Using Gray Level Co-occurrence Matrix (GLCM) Parameters

Sutarno and Sara Putri Fauliah

[+ Open abstract](#) [View article](#) [PDF](#)

## OPEN ACCESS 012041

### Identify Abusive and Offensive Language in Indonesian Twitter using Deep Learning Approach

Muhammad Okky Ibrohim, Erryan Sazany and Indra Budi

[+ Open abstract](#) [View article](#) [PDF](#)

## OPEN ACCESS 012042

### Prototype of NFC Reader as a Attendance Sign at The Presence System

Andi Widiyanto and Nuryanto

[+ Open abstract](#) [View article](#) [PDF](#)

## OPEN ACCESS 012043

### Implementation of RAM Based Neural Networks on Maze Mapping Algorithms for Wall Follower Robot

Ahmad Zarkasi, Huda Ubaya, Cora Deri Amanda and Reza Firsandaya

[+ Open abstract](#) [View article](#) [PDF](#)

## OPEN ACCESS 012044

### Appropriate CNN Architecture and Optimizer for Vehicle Type Classification System on the Toll Road

Windra Swastika, Martien Febriant Ariyanto, Hendry Setiawan and Paulus Lucky Tirma Irawan

[+ Open abstract](#) [View article](#) [PDF](#)

## OPEN ACCESS 012045

### The Enhancement of Fingerprint Images using Gabor Filter

Erwin, Nina Nuria Br. Karo, Asti Yulia Sari, Nur Aziza and Hadrians Kesuma Putra

[+ Open abstract](#) [View article](#) [PDF](#)

## OPEN ACCESS 012046

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



## Algorithms in Opportunistic Mobile Networks

B Soelistijanto and R C Kelen

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012047

## Content Validation of an Enterprise Architecture (EA) Readiness Assessment Instrument

Surya Sumarni Hussein, Mohd Naz'ri Mahrin, Nurazeen Maarop and Nur Azaliah Abu Bakar

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012048

## Implementation of Backpropagation Neural Network and Extreme Learning Machine of pH Neutralization Prototype

Imam Sutrisno, Muhammad Firmansyah, Romy Budhi Widodo, Ardiansyah Ardiansyah,  
 Mohammad Basuki Rahmat, Achmad Syahid, Catur Rakhmad Handoko, Agus Dwi Santoso,  
 Ari Wibawa Budi Santosa, Riries Rulaningtyas *et al*

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012049

## Performance Analysis of 256-bit AES Encryption Algorithm on Android Smartphone

Nur Rachmat and Samsuryadi

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012050

## Visualization of Road Accident Data In Jabodetabek Area Year 2014-2017

Johan Setiawan and Sudecanto

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012051

## K-Means and Apriori Algorithm for Pharmaceutical Care Medicine (Case Study: Eye Hospital of South Sumatera Province)

Luthfiah and Ken Ditha Tania

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012052

## Knowledge Management Readiness for Private University: A Conceptual Model

Faradillah and Aprinaldi

[+ Open abstract](#)[View article](#)[PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

## Implementation of Case-Based Reasoning and Nearest Neighbor Similarity for Peanut

012053

## Disease Diagnosis

Minarni, Indra Warman and Yuhendra

[+ Open abstract](#)[View article](#)[PDF](#)

## OPEN ACCESS

012054

## The Mapping of Water Quality Prediction using Adaptive Neuro-Fuzzy Inference System

M M Santoni, H N Irmanda and R Astriratma

[+ Open abstract](#)[View article](#)[PDF](#)

## OPEN ACCESS

012055

## Hybrid Soft System Methodology (SSM) and Becerra Approach for Modeling Knowledge Management System

Santun Irawan and Samsuryadi

[+ Open abstract](#)[View article](#)[PDF](#)

## OPEN ACCESS

012056

## Guided Game Based Learning to Motivate Students in Study Natural Science Subject

Sukirman, A P Tirtamayasandi, Sujalwo, L Mangifera, A Setiawan and M F J Syah

[+ Open abstract](#)[View article](#)[PDF](#)

## OPEN ACCESS

012057

## Electronic Document and Records Management System (EDRMS) Adoption in Public Sector – Instrument's Content Validation Using Content Validation Ratio (CVR)

Azlina Ab Aziz, Zawiyah M. Yusof and Umi A. Mokhtar

[+ Open abstract](#)[View article](#)[PDF](#)

## OPEN ACCESS

012058

## Mobile Application Menu Design for Elderly in Indonesia with Cognitive Consideration

Restyandito, E Kurniawan and T M Widagdo

[+ Open abstract](#)[View article](#)[PDF](#)

## OPEN ACCESS

012059

## Image Analysis for Smart Machine of Nutmeg Sorting

E Paulus and M Suryani

[+ Open abstract](#)[View article](#)[PDF](#)

## OPEN ACCESS

012060

## Boundary Value Analysis Testing on Augmented Reality of Indonesian Fruit

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



R Dewi Agushinta, Hustinawaty, Ihsan Jatnika and Henny Medyawati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012061

## Developing Tree Height Calculation by Using Aerial Photographs for Monitoring Results of Revegetation Ex-mining Land Based on Government Regulation in Indonesia

Huda Ubaya, Rossi Passarella, M. Imam Suganda, Kemahyanto Exaudi, F.M. Reza and Harumi Veny

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012062

## Simple Verification of Low-resolution Fingerprint Using Non-Minutiae Feature

Sri Suwarno and P. Insap Santosa

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012063

## Implementation feature selection method for detection packet data on *Fasilkom Unsri* computer network

Ahmad Fali Oklilas, Vieronica Varbi Sununianti and Tasmi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012064

## Analysis WhatsApp Forensic and Visualization in Android Smartphone with Support Vector Machine (SVM) Method

Ubaidillah, D Stiawan, T W Septian, R F Malik, Fepiliana, A Heriyanto and R Budiarto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012065

## Initial Machine Learning Framework Development of Agriculture Cyber Physical Systems

Gregorius Airlangga and Alan Liu

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012066

## Comparison of Feature Weighting in SVM Performance for Sentiment Analysis of Jakarta BRT

Widyawan, Nourma Reizky Damayanti, Teguh Bharata Adji and Guntur Dharma Putra

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012067

## Water Contaminant Measurement Using Pollution Indexing in Case of ground water

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012068

### Correlation analysis to identify DNA methylation and miRNA regulation toward IQGAP genes family

David Agustriawan, Arli Aditya Parikesit and Rizky Nurdiansyah

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012069

### Measuring Performance of N-Gram and Jaccard-Similarity Metrics in Document Plagiarism Application

Nova Eka Diana and Ikrima Hanana Ulfa

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012070

### The combination of Viola-Jones and Eigen faces Algorithm for Account Identification for Diploma

T M Effendi, H B Seta and T Wati

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012071

### Optimizing Accuracy of the Variety Bitspaces for Weather Forecasting for Early Flight Safety

Sukemi, Rianto, BS. Bambang and Yogi Saputra

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012072

### Tongue Image Segmentation using Hybrid Multilevel Otsu Thresholding and Harmony Search Algorithm

Muhammad Fachrurrozi, Erwin, Saparudin, Nur Rahma Dela, Yenita Mahyudin and Hardians Kesuma Putra

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012073

### Time Series Forecasting for Electricity Consumption using Kernel Principal Component Analysis (kPCA) and Support Vector Machine (SVM)

Verlly Puspita and Ermatita

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012074

### The Critical Study of Mutual Coherence Properties on Compressive Sensing Frameworks for Sparse Reconstruction Performance Comparison of Measurement System

see our Privacy and Cookies policy.  
Nur Afny C. Andryani, Kadek Dwi Pradnyana and Dadang Gunawan



[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012075

**Dual-Channel LoRa Gateway using Channel Assignment on Raspberry Pi**

Reza Firsandaya Malik, Andhika Rizky Perdana, Rido Zulfahmi and Huda Ubaya

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012076

**Detection of Frauds for Debit Card Transactions at Automated Teller Machine in Indonesia Using Neural Network**

Ermatita and Indrajani Sutedja

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012077

**Particle Swarm Optimization – Based on Decision Tree of C4.5 Algorithm for Upper Respiratory Tract Infections (URTI) Prediction**

Dwi Meylitasari Br. Tarigan, Dian Palupi Rini and Sukemi

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012078

**Digital Marketing Strategy for Laboratories Marketplace**

A Safanta, M R Shihab, N F A Budi, F F Hastiadi and I Budi

[+ Open abstract](#)[View article](#)[PDF](#)**JOURNAL LINKS**[Journal home](#)[Journal Scope](#)[Information for organizers](#)[Information for authors](#)[Contact us](#)[Reprint services from Curran Associates](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).







# ICONISCSE2018

## INTERNATIONAL CONFERENCE

ON INFORMATION SYSTEM COMPUTER SCIENCE AND ENGINEERING

November 26<sup>th</sup> - 27<sup>th</sup>, 2018  
PALEMBANG, INDONESIA

## CERTIFICATE OF APPRECIATION

present to

***Bambang Soelistijanto***

in recognition and appreciation of your contribution as

# PRESENTER



**Prof. Dr. Ir. H. Anis Saggaff, MSCE.**

Rector Universitas Sriwijaya

**Dr. Ir. Sukemi, M.T.**

General Chair

ICONISCSE  
2018  
INTERNATIONAL CONFERENCE  
ON INFORMATION SYSTEM  
COMPUTER SCIENCE AND  
ENGINEERING



**IOP** Publishing **Scopus** **IET** Inspec **E** Engineering Village

Compendex on  
Engineering Village

PAPER • OPEN ACCESS

## Performance Comparison of Deterministic and Stochastic Utility Ascent Routing Algorithms in Opportunistic Mobile Networks

To cite this article: B Soelistijanto and R C Kelen 2019 *J. Phys.: Conf. Ser.* **1196** 012046

View the [article online](#) for updates and enhancements.



**IOP | ebooks™**

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research.

Start exploring the [collection](#) - download the first chapter of every title for free.

# Performance Comparison of Deterministic and Stochastic Utility Ascent Routing Algorithms in Opportunistic Mobile Networks

**B Soelistijanto and R C Kelen**

Department of Informatics, Sanata Dharma University, Yogyakarta, Indonesia

Email: b.soelistijanto@usd.ac.id, rafelino@outlook.com

**Abstract.** Opportunistic mobile networks (OMNs) are a class of MANETs where complete end-to-end paths rarely exist between sources and destinations; consequently, the end-to-end delays in these networks are much greater than typical MANETs. In this harsh environment networking algorithm actions and decisions are inherently local; the algorithms are mostly greedy, choosing the best solution among the locally ones. In this paper, we study the delivery performance of two classes of gradient utility ascent routing algorithms, deterministic (greedy) and stochastic utility ascent ones, in OMNs. We furthermore discuss the impact of these algorithms on traffic load distribution fairness among the network nodes, since this issue is critical in mobile networking whose nodes typically possess limited resources, e.g. power and storage capacity. Using simulation, driven by real human mobility traces, we investigate the performance of greedy ascent algorithms, Hill Climbing (HC) and Delegation Forwarding (DF), compared with that of stochastic ascent algorithms, Simulated Annealing (SA). The results under the scenario show an advantage of SA over HC and DF in terms of total delivered messages, average delivery delay, and traffic distribution fairness; however, SA negatively impacts the delivery cost performance, i.e. increasing the total message copies beyond those of HC and DF.

## 1. Introduction

In recent years opportunistic mobile networks (OMNs) have gained popularity in research and industry as a natural evolution from mobile ad-hoc networks (MANETs). OMNs maintain the MANET's basic features of cost-efficiency and self-organization, as nodes still self-organize in order to build multi-hop message transfers without requiring any pre-existing infrastructure. However, they completely redesign the characteristics of networking protocols proposed in MANETs, making them able to support communications between pairs of nodes, despite the lack of end-to-end paths. By introducing redundancy, e.g. message replication [1] and node contact prediction algorithms [2], messages can be delivered over a sequence of node contacts. Multi-hop message routing over these frequently disconnected networks however poses significant challenges: the volatile nature of these networks, the long transfer delay to learn the state of all nodes in the network, and the cost of flooding node state data over the network imply that conventional routing algorithms requiring global network state are costly and suboptimal, as they may rely on obsolete data. Consequently, the majority of routing algorithms proposed for OMNs are intuitive heuristics or greedy strategies that select optimal relays based on locally available knowledge.



Routing problems in OMNs can be formulated as an optimization problem over the connectivity graph [3]. In traditional optimization problems, local search methods define a neighborhood of solutions around the current solution, evaluate all the neighbors, and finally “move” towards the best one therein. In the context of opportunistic networking optimization, however, optimization algorithms should be distributed among the network nodes and the solution space traversal over the network is dictated by node mobility; as a result, the “local” neighborhood of every node state constantly changes over time. In this paper, we discuss two classes of gradient ascent optimization algorithms, namely *deterministic (greedy)* and *stochastic* utility ascent algorithms, as optimal relay selection strategies in OMNs. In the greedy ascent algorithms, when a node contact occurs the algorithm moves a (copy) message to the peers whose utility is higher than that of the forwarding node. Unlike the greedy algorithms, in contrast, the stochastic ascent algorithms allow moves to lower utility nodes but calibrate the probability of such moves as to provably converge to an optimal solution (i.e. messages arrive at the highest utility nodes).

The authors in [3] developed a mathematical model to study the performance of greedy and stochastic utility ascent algorithms in OMNs, evaluated in terms of convergence probability and delay. In this paper, on the other hand, we use computer simulation to investigate the delivery performance of greedy utility ascent forwarding algorithms, Hill Climbing (HC) and Delegation Forwarding (DF), compared with that of stochastic utility ascent algorithms, Simulated Annealing (SA), in terms of total delivered messages, average transfer delay, and delivery cost. In addition, we also discuss the impact of these algorithms on traffic load distribution fairness among the network nodes, since this issue is critical in the context of mobile networking whose nodes typically possess limited resources, e.g. battery and storage capacity.

The rest of the paper is structured as follows. Section 2 gives an overview of gradient utility ascent routing algorithms. Section 3 describes the simulation setup for evaluating the performance of these algorithms in real-life OMNs. A performance comparison of the greedy utility ascent (HC and DF) and stochastic utility ascent (SA) algorithms is reported in Section 4. Finally, Section 5 concludes the paper.

## 2. Gradient Utility Ascent Routing Algorithms

### 2.1. Deterministic (greedy) utility ascent algorithms


Greedy utility ascent algorithms in OMNs locally try to increase the utility of the current configuration at each opportunistic node contact until the (message) copies arrive at the highest utility nodes or no further improvement is possible. For these algorithms, we consider two variants: Hill Climbing (HC) and Delegation Forwarding (DF).

HC is a simple forwarding algorithm in that it greedily moves a (copy) message to a higher utility node at every node contact. For example, as depicted in figure 1, when a node contact occurs, S transfer its (copy) message M1 to the peer whose utility is higher than S’s (in this case, A and G). The peer subsequently forwards the message to the neighbors with a higher utility, and this continues until the message arrives at the highest utility node. However, as we can see from figure 1 HC may fail to reach an optimal relay node (node E) due to the existence of local maxima. In the optimization theory, local maxima are states whose utilities are higher than any other state in its local neighborhood. Moreover, the convergence probability to an optimal solution of gradient ascent algorithms in OMNs has been thoroughly studied in [3].


The second variant of the greedy ascent algorithms is Delegation Forwarding (DF) [4], a forwarding strategy that applies the optimal stopping theorem from the probability theory. The algorithm works as follows: as shown in figure 2, S initially creates a new message M1 with the message utility value is set to “0” and next meets G during its mobility (we define “message utility” as the highest node utility of all the nodes seen by the message so far). Since G’s utility is higher than S’s, S then updates M1’s utility with G’s utility value and forwards a M1 copy to G afterwards. In the subsequent contact, S encounters A who has a utility value higher than S’s, but S now will not transfer the message to A since A’s utility is lower than the message’s utility. However, when S subsequently meets K who has a utility value higher than both S’s and M1’s, S then updates the M1’s utility and promptly sends the message copy to



K. Obviously, DF is able to decrease HC's delivery cost by reducing the total message copies traversed in the network.



**Figure 1.** Hill Climbing (HC) algorithm



**Figure 2.** Delegation Forwarding (DF) algorithm

## 2.2. Stochastic utility ascent algorithms

Unlike the greedy utility ascent algorithms, a stochastic utility ascent routing algorithm allows a forwarding node to transfer its message to a lower utility node. By introducing randomization, the algorithm is able to escape local maxima and to explore additional configurations; this however would not guarantee convergence. Consequently, the algorithm calibrates the probability of such moves so as to provably converge to an optimal solution (i.e. the message arrives at the highest utility node): when node A is in contact with B, the probability of A forwards its message to B is then given as

$$P_{AB} = \min\left(1, \exp\left(\frac{U_B - U_A}{T}\right)\right) \quad (1)$$

where  $U_A$  and  $U_B$  are utility of node A and B, respectively, and  $T$  is a system parameter. For a small  $T$ , the algorithm surely converges to an optimal solution, but the convergence time increases. On the other hand, for larger value of  $T$  the algorithm will escape local maxima easier but less optimal configurations will have a higher probability to appear. To address these difficulties, a simulated annealing (SA) [5] strategy is used, where in the beginning temperature  $T$  is a relatively high but gradually cools down. Moreover, theoretical results showed that appropriate cooling schedules (e.g. logarithmic) guarantee to find a global optimum [6].

## 3. Simulation Setup for Evaluating Gradient Utility Ascent Algorithms in OMNs

We now discuss the choice of simulation scenarios, evaluation metrics, and node utility calculation used in this study. We implement all the routing algorithms using the ONE simulator [7], an event-driven simulator for mobile opportunistic networks. In our simulations, the number of nodes and the length of simulation time vary depending on the node mobility scenarios. The node buffer size and the message size are set to 20 MB and 4 kB, respectively. The simulations were run 10 times for all the algorithms with different random number seeds.

For the simulation's node mobility scenario, we use real human contact traces, namely Infocomm [8] and Reality [9] datasets. In Infocomm, 41 iMote Bluetooth-enabled devices were distributed to attendees at the IEEE Infocomm conference in Miami in 2005. These devices recorded the human contacts occurred during the 3-day seminar. In Reality, on the other hand, 100 smart phones were deployed among the students and staffs of MIT over period of 9 months. These phones were running software that logged contacts with other phones, capturing academic activities in the campus over an academic year.

For performance analysis, we consider several evaluation metrics as follows: (i) *total delivered messages*, which is the number of messages received by the destinations; (ii) *total message copies*, which quantifies the number of message copies created during the simulation time; (iii) *average delivery*


*latency*, which is the mean delivery time of messages to arrive at the destinations; and (iv) *traffic load distribution fairness*, which describes the distribution of traffic processed by each node in the network.

To calculate node utility (i.e. node quality as a potential message carrier), we consider SimBet [10] algorithm. SimBet uses both betweenness centrality (calculated in an ego network) and neighbor similarity (i.e. the number of common neighbors between nodes in the network) to identify optimal relays for message transfers. Nodes with high betweenness centralities are those that can act as bridges for message transfers, while nodes with high similarities with the destination are most likely to find a common neighbor with the destination that can act as a carrier. Finally, node A computes its SimBet utility as a weighted combination of the betweenness and similarity utilities, with a tuneable parameter  $\alpha$  that adjusts the relative importance of the two utilities as follows:


$$SimBet\_Util_A = \alpha * Bet\_Util_A + (1 - \alpha) * Sim\_Util_A, \quad \text{for } 0 \leq \alpha \leq 1 \quad (2)$$

#### 4. Simulation Results

In this section, we present the simulation results that compare the performance of the greedy utility ascent algorithms (HC and DF) with that of the stochastic utility ascent algorithm (SA) in real-life OMNs based on the four considered evaluation metrics.




**Figure 3.** Total delivered messages by different algorithms




**Figure 4.** Total created copies by different algorithms

Figure 3 compares the number of messages successfully delivered to the destinations by all the algorithms with respect to total number of node contacts in Infocomm and Reality. Clearly, SA outperforms both HC and DF in total delivered message performance, with the performance difference is more obvious in Reality. However, as shown in figure 4 the SA's high delivery success rate comes at a price as it increases delivery cost (measured in total created message copies) beyond those of HC and DF in both datasets. As we noted, SA allows a forwarding node to send its (copy) message to lower utility nodes, leading to the increase of total message copies traversed in the network; this in turn

improves the probability of the message to arrive at the destination. In contrast, DF is able to keep the total message copies significantly low throughout the simulation time, but it produces the lowest delivery success rate among the other algorithms. Thus, we see a trade-off between delivery success rate and delivery cost performance.




**Figure 5.** Mean delivery time by different algorithms



**Figure 6.** Traffic load distribution fairness among nodes in Reality

In delivery latency performance, on the other hand, we see in figure 5 that SA is able to deliver messages to the destinations in a relatively shorter delay than the greedy ascent algorithms (HC and DF) in both contact datasets. The explanation of this is similar to that given in SA's delivery success rate performance: since SA produces total message copies higher than those of HC and DF, this eventually increases the probability of a message to encounter the destination in a short delay.

Finally, figure 6 depicts the traffic load distribution fairness among nodes in Reality (due to space limitations, we omit the figure for Infocomm). It is clear that both HC and DF are likely to overburden higher utility nodes with relay messages, and DF performs poorer as it loads a few nodes with bulk of network traffic. Furthermore, we show in figure 7 the distribution of total direct message forwards to the destinations by nodes in Reality. In the case of HC and DF, obviously, a few nodes perform a large number of direct forwards. In contrast, the direct forwards is distributed more evenly in SA, meaning that more relay nodes, including possibly lower utility nodes, have an opportunity to forward the (relay) messages directly to the destinations.



**Figure 7.** The distribution of total direct forwards to the destinations by nodes in Reality

## 5. Conclusion

We have discussed the delivery performance of gradient utility ascent routing algorithms in real-life OMNs. We categorized these algorithms into deterministic (HC and DF) and stochastic utility ascent (SA) ones. We showed that SA can outperform both HC and DF in terms of total delivered messages, average delivery latency, and traffic distribution fairness. In addition, SA can also improve the probability of low utility nodes to directly forward the messages to the destinations. However, SA negatively impacts the delivery cost, i.e. increasing the total message copies beyond those of HC and DF.

## References

- [1] Bulut E, Wang Z, and Szymanski B K 2010 Cost-Effective Multiperiod Spraying for Routing in Delay-Tolerant Networks *IEEE/ACM Trans. Networking* vol. 18 no. 5 (New Jersey: IEEE) pp 1530-1543
- [2] Musolesi M and Mascolo C 2009 CAR: Context-Aware Adaptive Routing for Delay-Tolerant Mobile Networks *IEEE Trans. Mobile Computing* vol. 8 no. 2 (New Jersey: IEEE) pp 246-260
- [3] Picu A and Spyropoulos T 2010 Distributed Optimization in DTNs: Towards Understanding Greedy and Stochastic Algorithms *TIK Report No. 326 ETH* (Zurich: ETH)
- [4] Erramilli V, Crovella M, Chaintreau A, and Diot C 2008 Delegation Forwarding *Proc. Int. Symp. on Mobile Ad Hoc Net. and Comp.* (Hong Kong: ACM) pp 251-260
- [5] Kirkpatrick S, Gelatt Jr C D, and Vecchi M P 1983 Optimization by Simulated Annealing *Science* vol. 220 no. 4598 pp 671-680
- [6] Geman S and Geman D 1993 Stochastic Relaxation, Gibbs Distributions and the Bayesian Restoration of Images *IEEE Trans. Pattern Analysis and Machine Intelligence* vol. 6 no. 6 (New Jersey: IEEE) pp 721-741
- [7] Keranen A, Ott J, and Karkkainen T 2009 The ONE Simulator for DTN Protocol Evaluation *Proc. Int. Conf. Simulation Tools and Techniques* (Rome: IEEE) pp 1-10
- [8] Scott J, Gass R, Crowcroft J, Hui P, Diot C, and Chaintreau A 2009 *CRAWDAD Dataset Cambridge/Haggle/Infocom* (online: <http://crawdad.cs.dartmouth.edu/cambridge/haggle/imote/infocom>)
- [9] Eagle N and Pentland A 2006 Reality Mining: Sensing Complex Social Systems *J. Personal and Ubiquitous Computing* vol 10 no 4 (London: Springer-Verlag) pp 255-268
- [10] Daly E M and Haahr M 2009 Social Network Analysis for Information Flow in Disconnected Delay-Tolerant MANETs *IEEE Trans. Mobile Comp.* vol. 8 no. 5 (New Jersey: IEEE) pp 606-621