



1 of 1

[Download](#) [Print](#) [Save to PDF](#) [Save to list](#) [More...](#)

Journal of Physics: Conference Series • [Open Access](#) • Volume 909, Issue 1 • 27 November 2017 • Article number 012038 • International Conference on Science and Applied Science 2017, ICSAS 2017 • Surakarta • 29 July 2017 • Code 132300

Document typeConference Paper • [Bronze Open Access](#)**Source type**

Conference Proceedings

ISSN

17426588

DOI

10.1088/1742-6596/909/1/012038

[View more](#)

A simple but accurate explicit finite difference method for the advection-diffusion equation

Sanjaya, Febi^a ; Mungkasi, Sudi^b

[Save all to author list](#)

^a Department of Mathematics Education, Faculty of Teacher Training and Education, Sanata Dharma University, Mrican, Tromol Pos 29, Yogyakarta, 55002, Indonesia

^b Department of Mathematics, Faculty of Science and Technology, Sanata Dharma University, Mrican, Tromol Pos 29, Yogyakarta, 55002, Indonesia

14^{93th} percentile
Citations in Scopus

2.98
FWCI

32
Views count

[View all metrics](#)
[View PDF](#) [Full text options](#) [Export](#)
[Abstract](#)[Indexed keywords](#)[SciVal Topics](#)[Metrics](#)[Funding details](#)**Abstract**

We consider the advection-diffusion equation in one dimension. The equation is solved using an explicit finite difference method. As the method is explicit, it is simple to implement. We investigate the performance of the method. We obtain that the method is indeed accurate. © Published under licence by IOP Publishing Ltd.

Cited by 14 documents

Testing Some Different Implementations of Heat Convection and Radiation in the Leapfrog-Hopscotch Algorithm

Askar, A.H. , Omle, I. , Kovács, E. (2022) *Algorithms*

Comparison of Old and New Stable Explicit Methods for Heat Conduction, Convection, and Radiation in an Insulated Wall with Thermal Bridging

Jalghaf, H.K. , Kovács, E. , Bolló, B. (2022) *Buildings*

New Analytical Results and Comparison of 14 Numerical Schemes for the Diffusion Equation with Space-Dependent Diffusion Coefficient

Saleh, M. , Kovács, E. , Barna, I.F. (2022) *Mathematics*

[View all 14 citing documents](#)

Inform me when this document is cited in Scopus:

[Set citation alert](#) **Related documents**

Gaussian radial basis functions method for linear and nonlinear convection-diffusion models in physical phenomena

Wang, F. , Zheng, K. , Ahmad, I. (2021) *Open Physics*

Numerical solution of advection-diffusion equation using a sixth-order compact finite difference method

Gurarslan, G. , Karahan, H. , Alkaya, D. (2013) *Mathematical Problems in Engineering*

Novel Cubic Trigonometric B-Spline Approach Based on the Hermite Formula for Solving the Convection-Diffusion Equation

Yousaf, A. , Abdeljawad, T. , Yaseen, M. (2020) *Mathematical Problems in Engineering*

[View all related documents based on references](#)

Find more related documents in Scopus based on:

References (15)

[View in search results format >](#)☐ All

RIS export ▼

 Print E-mail Save to PDF

Create bibliography

-
- ☐ 1 Chen-Charpentier, B.M., Kojouharov, H.V.
An unconditionally positivity preserving scheme for advection-diffusion reaction equations ([Open Access](#))

(2013) *Mathematical and Computer Modelling*, 57 (9-10), pp. 2177-2185. Cited 58 times.
doi: 10.1016/j.mcm.2011.05.005

[View at Publisher](#)
-
- ☐ 2 Company, R., Ponsoda, E., Romero, J.-V., Roselló, M.-D.
A second order numerical method for solving advection-diffusion models ([Open Access](#))

(2009) *Mathematical and Computer Modelling*, 50 (5-6), pp. 806-811. Cited 5 times.
doi: 10.1016/j.mcm.2009.05.009

[View at Publisher](#)
-
- ☐ 3 Karahan, H.
A third-order upwind scheme for the advection-diffusion equation using spreadsheets

(2007) *Advances in Engineering Software*, 38 (10), pp. 688-697. Cited 18 times.
<http://www.journals.elsevier.com/advances-in-engineering-software/>
doi: 10.1016/j.advengsoft.2006.10.006

[View at Publisher](#)
-
- ☐ 4 Karahan, H.
Unconditional stable explicit finite difference technique for the advection-diffusion equation using spreadsheets

(2007) *Advances in Engineering Software*, 38 (2), pp. 80-86. Cited 37 times.
<http://www.journals.elsevier.com/advances-in-engineering-software/>
doi: 10.1016/j.advengsoft.2006.08.001

[View at Publisher](#)
-
- ☐ 5 Mohebbi, A., Dehghan, M.
High-order compact solution of the one-dimensional heat and advection-diffusion equations ([Open Access](#))

(2010) *Applied Mathematical Modelling*, 34 (10), pp. 3071-3084. Cited 123 times.
doi: 10.1016/j.apm.2010.01.013

[View at Publisher](#)
-

-
- ☐ 6 Mojtabi, A., Deville, M.O.
One-dimensional linear advection-diffusion equation:
Analytical and finite element solutions ([Open Access](#))

(2015) *Computers and Fluids*, 107, pp. 189-195. Cited 44 times.
doi: 10.1016/j.compfluid.2014.11.006

[View at Publisher](#)
-
- ☐ 7 Nazir, T., Abbas, M., Ismail, A.I.M., Majid, A.A., Rashid, A.
The numerical solution of advection-diffusion problems using
new cubic trigonometric B-splines approach ([Open Access](#))

(2016) *Applied Mathematical Modelling*, 40 (7-8), pp. 4586-4611. Cited 55
times.
www.elsevier.com/locate/apm
doi: 10.1016/j.apm.2015.11.041

[View at Publisher](#)
-
- ☐ 8 Nishikawa, H.
First, second, and third order finite-volume schemes for
advection-diffusion

(2014) *Journal of Computational Physics*, 273, pp. 287-309. Cited 52 times.
<http://www.journals.elsevier.com/journal-of-computational-physics/>
doi: 10.1016/j.jcp.2014.05.021

[View at Publisher](#)
-
- ☐ 9 Prieto, F.U., Benito Muñoz, J.J., Corvinos, L.G.
Application of the generalized finite difference method to
solve the advectiondiffusion equation ([Open Access](#))

(2011) *Journal of Computational and Applied Mathematics*, 235 (7), pp. 1849-
1855. Cited 80 times.
<https://www.journals.elsevier.com/journal-of-computational-and-applied-mathematics>
doi: 10.1016/j.cam.2010.05.026

[View at Publisher](#)
-
- ☐ 10 Ricchiuto, M., Villedieu, N., Abgrall, R., Deconinck, H.
On uniformly high-order accurate residual distribution
schemes for advection-diffusion ([Open Access](#))

(2008) *Journal of Computational and Applied Mathematics*, 215 (2), pp. 547-
556. Cited 33 times.
doi: 10.1016/j.cam.2006.03.059

[View at Publisher](#)
-
- ☐ 11 Sankaranarayanan, S., Shankar, N.J., Cheong, H.F.
Three-dimensional finite difference model for transport of
conservative pollutants

(1998) *Ocean Engineering*, 25 (6), pp. 425-442. Cited 31 times.
<http://www.journals.elsevier.com/ocean-engineering/>
doi: 10.1016/S0029-8018(97)00008-5

[View at Publisher](#)
-
- ☐ 12 Saul'Yev, V.K.
(1964) *Integration of Equations of Parabolic Type by the Method of
Nets*. Cited 200 times.
(Oxford: Pergamon Press)
-

-
- 13 Savović, S., Djordjević, A.
Finite difference solution of the one-dimensional advection-diffusion equation with variable coefficients in semi-infinite media

(2012) *International Journal of Heat and Mass Transfer*, 55 (15-16), pp. 4291-4294. Cited 51 times.
doi: 10.1016/j.ijheatmasstransfer.2012.03.073

[View at Publisher](#)
-

- 14 Sousa, E.
Finite difference approximations for a fractional advection diffusion problem ([Open Access](#))

(2009) *Journal of Computational Physics*, 228 (11), pp. 4038-4054. Cited 133 times.
<http://www.journals.elsevier.com/journal-of-computational-physics/>
doi: 10.1016/j.jcp.2009.02.011

[View at Publisher](#)
-

- 15 Witek, M.L., Teixeira, J., Flatau, P.J.
On stable and explicit numerical methods for the advection-diffusion equation

(2008) *Mathematics and Computers in Simulation*, 79 (3), pp. 561-570. Cited 9 times.
doi: 10.1016/j.matcom.2008.03.001

[View at Publisher](#)
-

© Copyright 2018 Elsevier B.V., All rights reserved.

Complexity Research Papers

High Quality Open Access Original Research In Complexity. Publish Your Research With Us

Hindawi

Open


Journal of Physics: Conference Series

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
United Kingdom	Physics and Astronomy Physics and Astronomy (miscellaneous)	IOP Publishing Ltd.	85
 Universities and research institutions in United Kingdom			
 Media Ranking in United Kingdom			
PUBLICATION TYPE	ISSN	COVERAGE	INFORMATION
Conferences and Proceedings	17426588, 17426596	2005-2021	Homepage How to publish in this journal jpcs@ioppublishing.org

SCOPE

The open access Journal of Physics: Conference Series (JPCS) provides a fast, versatile and cost-effective proceedings publication service.

 Join the conversation about this journal



ISSN 1742-6596

Journal of Physics

Conference Series

The 11th Biennial Conference on
Classical and Quantum Relativistic
Dynamics of Particles and Fields

1239

VOLUME 1239 – 2019

4–7 June 2018
Mérida, Yucatán, Mexico

EDITOR
Martin Land

The open access journal for conference proceedings
iopscience.org/jpc

IOP Publishing

Organizer of International Conference on Science and Applied Science 2017 (ICSAS 2017)

Organizer

Graduate Program, Physics Department, Sebelas Maret University, Indonesia
Jl. Ir. Sutami 36A Kentingan Jebres Surakarta 57126, Indonesia
Phone/fax : (0271) 632450 psw 308
Email : icsas@mail.uns.ac.id

Chairman

1. Prof. Suparmi, M.A., Ph.D, Sebelas Maret University, Indonesia
2. Dr. Fuad Anwar, S.Si., M.Si, Sebelas Maret University, Indonesia

Organizing Committee

1. Prof. Cari, M.A., M.Sc., PhD, Sebelas Maret University, Indonesia
2. Ahmad Marzuki, S.Si., Ph.D., Sebelas Maret University, Indonesia
3. Dr. Eng Budi Purnama, S.Si, M.Si., Sebelas Maret University, Indonesia
4. Dr. Fahru Nurosyid, S.Si., M.Si., Sebelas Maret University, Indonesia
5. Drs. Harjana, M.Si. M.Sc., Ph.D, Sebelas Maret University, Indonesia
6. Dr. Agus Supriyanto, S.Si, M.Si. Sebelas Maret University, Indonesia
7. Dr. Yofentina Iriani, S.Si., M.Si., Sebelas Maret University, Indonesia
8. Dr.Eng. Risa Suryana, S.Si, M.Si., Sebelas Maret University, Indonesia
9. Khairuddin, S.Si., M.Phil, Ph.D., Sebelas Maret University, Indonesia
10. Drs. Iwan Yahya, M.Si., Sebelas Maret University, Indonesia
11. Mohtar Yuniarto, S.Si, M.Si., Sebelas Maret University, Indonesia
12. Nuryani, S.Si, M.Si, Ph.D., Sebelas Maret University, Indonesia
13. Beta Nur Pratiwi, S.Si., M.Si., Sebelas Maret University, Indonesia
14. Dewanta Arya Nugraha, S.Pd., M.Pd., M.Si., Sebelas Maret University, Indonesia

ICSAS²⁰¹⁷

*International Conference on Science
and Applied Science 2017*



UNS
SEBELAS MARET
UNIVERSITY



Table of contents

Volume 909

2017

◀ Previous issue Next issue ▶

International Conference on Science and Applied Science 2017 29 July 2017, Solo, Indonesia

Accepted papers received: 23 October 2017

Published online: 27 November 2017

Open all abstracts

Preface

OPEN ACCESS	011001
International Conference on Science and Applied Science 2017	
+ Open abstract View article PDF	
OPEN ACCESS	011002
International Conference on Science and Applied Science 2017	
+ Open abstract View article PDF	
OPEN ACCESS	011003
International Conference on Science and Applied Science 2017	
+ Open abstract View article PDF	
OPEN ACCESS	011004
Peer review statement	
+ Open abstract View article PDF	

Keynote Speaker

OPEN ACCESS	012001
Examining live cell cultures during apoptosis by digital holographic phase imaging and Raman spectroscopy	
Alexander Khmaladze	
+ Open abstract View article PDF	
OPEN ACCESS	012002
Approximate solution for the minimal length case of Klein Gordon equation for trigonometric cotangent potential using Asymptotic Iteration Method	
C Cari, A Suparmi and Isnaini Lilis Elviyanti	
+ Open abstract View article PDF	

Physics

OPEN ACCESS	012003
Solution of Klein Gordon equation for trigonometric cotangent potential in the presence of a minimal length using Asymptotic Iteration Method	
A Suparmi, C Cari and Isnaini Lilis Elviyanti	
+ Open abstract View article PDF	
OPEN ACCESS	012004
Structural characterization of hydrothermally synthesized MnO ₂ nanorods	
D Q A'yuni, I Alkian, F K Sya'diyah, Kadarisman, A Darari, V Gunawan and A Subagio	
+ Open abstract View article PDF	
OPEN ACCESS	012005
Lagrangian for RLC circuits using analogy with the classical mechanics concepts	
Acerus Hanwansa Paulun and Usan Damank	

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012006

QRS peak detection for heart rate monitoring on Android smartphone

Trio Pambudi Utomo, Nuryani Nuryani and Darmanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012007

dLOGIS: Disaster Logistics Information System

Sorja Koesuma, Rio Riantana, Budi Siswanto, Fendi Aji Purnomo and Sarjoko Lelono

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012008

Optimization of active cell area on the dye-sensitized solar cell efficiency

A W Putri, F Nurosyid and Agus Supriyanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012009

Numerical simulation of dimension effect on critical field of rectangular superconductor

R Rosyida, Fuad Anwar and Darmanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012010

Comparison XRD pattern of CoFe_2O_4 thin films and nanoparticles

E Fitriyanti, Utari and B. Purnama

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012011

Parallel-line number dependence of magneto-impedance effect in multilayer permalloy $[\text{Ni}_{80}\text{Fe}_{20}/\text{Cu}]_N$ films

R H Yohanasari, Utari and B Purnama

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012012

Effect of doping Strontium ions in co-precipitated cobalt ferrite

N Rikamukti, Utari and B. Purnama

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012013

The chemical bonds effect of anthocyanin and chlorophyll dyes on TiO_2 for dye-sensitized solar cell (DSSC)

A H Ahliha, F Nurosyid, A Supriyanto and T Kusumaningsih

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012014

Analysis of bend loss in loaded fiber coil for a circular and an elliptical shape

Ahmad Aftah Syukron, Ahmad Marzuki and Ary Setyawan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012015

Spectral of electrocardiographic RR intervals to indicate atrial fibrillation

Nuryani Nuryani and Anto Satrio Nugroho

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012016

Zero field reversal probability in thermally assisted magnetization reversal

E.B. Prasetya, Utari and B. Purnama

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012017

Numerical study of proximity effect on critical field of rectangular type-II superconductor, see our Privacy and Cookies policy.



M Naufal Indriatmoko, Fuad Anwar and Hery Purwanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012018

A model of a nonlinear DNA-protein interaction system with general Hylleraas potential

Edy Syahroni, Suparmi and Cari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012019

Thermodynamic Functions of a Parabosonic System of Second Order

R Y A Sari and W S B Dwandaru

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012020

Identification of atrial fibrillation using electrocardiographic RR-interval difference

M Eliana and N Nuryani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012021

Study of the Variation of Material layer Composition and Thickness Related Neutron Flux and Gamma Radiation

Yuliana Dian Nirmalasari, Suparmi and Y. Sardjono

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012022

Diffusion processes for planar waveguides fabrication in soda-lime glasses

Muchlas Yulianto, Ahmad Marzuki and Venty Suryanti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012023

Solution of Klein Gordon equation for hyperbolic cotangent potential in the presence of a minimal length using Hypergeometric method

Isnaini Lilis Elviyanti, A Suparmi, C Cari, Dewanta Arya Nugraha and Beta Nur Pratiwi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012024

Nonzero θ_{13} and CP violation from cobimaximal neutrino mixing matrix

Asan Damanik

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012025

Performance improvement of dye-sensitized solar cells (DSSC) by using dyes mixture from chlorophyll and anthocyanin

D D Pratiwi, F Nurosyid, Kusumandari, A Supriyanto and R Suryana

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012026

Influence of electrode spacing on the efficiency of dye-sensitized solar cell

S R Alfidharisti, F Nurosyid, A Supriyanto, R Suryana and Y Iriani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012027

Optimization of process parameters in the RF-DC plasma N_2-H_2 for AISI420 *molds and dies*

Hengky Herdianto, D.J. Djoko, H. Santjojo and Masrurroh

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012028

The construction of partner potential from the general potential Rosen-Morse and Manning Rosen in 4 dimensional Schrodinger system

Kristiana Nathalia Wea, A. Suparmi, C. Cari and Wahyulianti

[+ Open abstract](#) [View article](#) [PDF](#)



Optimization Properties of Environmentally Friendly Paper Coating Based Starch-Polyethylene glycol (PEG) Mixture

012029

Diani Galih Saputri, Khairuddin, Nanik Dwi Nurhayati and Trinh Pham

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012030

Magneto-impedance in Multilayered $[\text{Ni}_{80}\text{Fe}_{20}/\text{Cu}]_4$ with modification of the line-length pattern on Cu printed circuit board

Wahyu Eko Prastyo, F. Maulana, N. Nuryani and B. Purnama

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012031

Seismic microzonation by using microtremor method in Pandan volcano, Bojonegoro, East Java

Samsul Hidayat, Dwa Desa Warnana, Sorja Koesuma and Cari

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012032

Annealing temperature dependence of magnetoimpedance effect in electrodeposited $[\text{Ni}_{80}\text{Fe}_{20}/\text{Cu}]_3$ multilayers

Frengi Maulana, W Eko Prastyo, Nuryani and B Purnama

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012033

Fabrication and Analysis Signal Optical Fiber Sensor Based On Bend Loss for Weight in Motion Applications

Ahmad Aftah Syukron, Ahmad Marzuki and Ary Setyawan

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012034

The solution of 4-dimensional Schrodinger equation for Scarf potential and its partner potential constructed By SUSY QM

Wahyulianti, A. Suparmi, C. Cari and Kristiana N. Wea

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012035

Anealling dependence of structural and magnetic properties in aluminum substituted cobalt-ferrite nano particle

Budi Purnama and Suharyana

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012036

Schrödinger equation solution for q-deformed Scarf II potential plus Pöschl-Teller potential and trigonometric Scarf potential

Fery Widiyanto, A Suparmi, C Cari, Fuad Anwar and Mohtar Yuniarto

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012037

Synthesis and characterization of high-purity gold nanoparticles by laser ablation method using low-energy Nd:YAG laser 1064 nm

Ali Khumaeni, Wahyu Setia Budi and Heri Sutanto

[+ Open abstract](#)
[View article](#)
[PDF](#)

Mathematics

OPEN ACCESS

012038

A simple but accurate explicit finite difference method for the advection-diffusion equation

Febi Sanjaya and Sudi Mungkasi

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012039

On the local metric dimension of a lollipop graph, a web graph, and a friendship graph

A N Cahyabudi and T A Kusmayadi

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012040

Estimating the Value-at-Risk for some stocks at the capital market in Indonesia based on ARMA-FIGARCH models

Sukono, E. Leshana, D. Susanto, H. A. Nurputra and A. P. Pratiyati

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



A simple but accurate explicit finite difference method for the advection-diffusion equation

Febi Sanjaya¹ and Sudi Mungkasi²

¹ Department of Mathematics Education, Faculty of Teacher Training and Education, Sanata Dharma University, Mrican, Tromol Pos 29, Yogyakarta 55002, INDONESIA

² Department of Mathematics, Faculty of Science and Technology, Sanata Dharma University, Mrican, Tromol Pos 29, Yogyakarta 55002, INDONESIA

E-mail: febi@usd.ac.id, sudi@usd.ac.id

Abstract. We consider the advection-diffusion equation in one dimension. The equation is solved using an explicit finite difference method. As the method is explicit, it is simple to implement. We investigate the performance of the method. We obtain that the method is indeed accurate.

1. Introduction

The advection-diffusion equation is a model that can be used for simulation of the spreading of pollutant. It governs the process of advection and diffusion concurrently. A large number of authors (to mention some of them, see [1-15]) have attempted to solve and use this equation in their simulations.

In this paper, we investigate the performance of a finite difference method due to Karahan [4] for solving the advection-diffusion equation of pollutant transports. The finite difference approach is appropriate because the equation is a partial differential equation having the parabolic type. We use the MATLAB software in the implementation of the finite difference method. The iterations are started from a given initial condition using an arbitrary space width and time step.

This paper is organised simply as follows. Sections 2-5 contains the mathematical model, numerical method, numerical results, and conclusion, respectively.

2. Advection-diffusion equation

The mathematical model describing the pollutant transport is the one-dimensional advection-diffusion equation [4]

$$\frac{\partial c}{\partial t} + u \frac{\partial c}{\partial x} = D \frac{\partial^2 c}{\partial x^2}, \quad 0 < x < L, \quad 0 < t \leq T \quad (1)$$

with the initial condition

$$c(x, 0) = f(x), \quad 0 \leq x < L \quad (2)$$

and boundary conditions

$$c(0, t) = g(t), \quad 0 < t \leq T \quad (3)$$

$$c(L, t) = h(t), \quad 0 < t \leq T \quad (4)$$



in a finite space domain of x and a finite time domain of t . The variable $c = c(x, t)$ denotes the concentration of a pollutant. In addition, f , g and h are known functions; u , x , D respectively represent the velocity, the direction, and the dispersion coefficient. Here u and D are assumed to be positive constants. As advection-diffusion equation contains advection and diffusion phenomena, the solution should reveal those two phenomena.

3. Finite difference method

We use the finite difference method due to Karahan [4] to solve the problem. Note that the equation is a partial differential equation of the parabolic type, so finite difference methods should be able to solve the problem. This is because finite difference methods are based on the direct-discretisation of differential equations. Solutions of parabolic partial differential equations are always continuous even when the initial condition is discontinuous.

We discretise the problem by choosing a stepsize Δx as the spatial step in x and stepsize Δt as the temporal step in t . We also approximate the concentration c on a grid of point in the xt -plane. Moreover,

$$x_i = i\Delta x, \quad i = 1, 2, 3, \dots, M, \quad \Delta x = \frac{L}{M} \quad (5)$$

$$t_n = n\Delta t, \quad t = 1, 2, 3, \dots, N, \quad \Delta t = \frac{T}{N} \quad (6)$$

Furthermore, we take the following discretisations

$$\frac{\partial c}{\partial t} = \frac{c(i, n+1) - c(i, n)}{\Delta t} \quad (7)$$

$$u \frac{\partial c}{\partial x} = u \left(\frac{1}{2\Delta x} \right) (c(i, n+1) - c(i-1, n+1) + c(i+1, n) - c(i, n)) \quad (8)$$

$$D \frac{\partial^2 c}{\partial x^2} = D \left[\frac{\theta}{(\Delta x)^2} \right] [c(i-1, n+1) - c(i, n+1) + c(i+1, n) - c(i, n)] + D \left[\frac{1-\theta}{(\Delta x)^2} \right] [c(i-1, n) - 2c(i, n) + c(i+1, n)] \quad (9)$$

where θ is the weighting factor. Here the time integration (7) is forward difference, so it has the first order of accuracy.

Substituting the equations above into equation (1), we have

$$\begin{aligned} \frac{c(i, n+1) - c(i, n)}{\Delta t} + u \left(\frac{1}{2\Delta x} \right) [c(i, n+1) - c(i-1, n+1) + c(i+1, n) - c(i, n)] &= D \left[\frac{\theta}{(\Delta x)^2} \right] \\ [c(i-1, n+1) - c(i, n+1) + c(i+1, n) - c(i, n)] + D \left[\frac{1-\theta}{(\Delta x)^2} \right] [c(i-1, n) - 2c(i, n) + c(i+1, n)] \end{aligned} \quad (10)$$

for $1 \leq i \leq M$ and $1 \leq n \leq N$. Equation (10) is equivalent to

$$\begin{aligned} \left[1 + \frac{Cr}{2} + \theta \left(\frac{Cr}{Pe} \right) \right] c(i, n+1) - \left[\frac{Cr}{2} + \theta \left(\frac{Cr}{Pe} \right) \right] c(i-1, n+1) &= \left[\left(\frac{Cr}{Pe} \right) - \theta \left(\frac{Cr}{Pe} \right) \right] c(i-1, n) \\ + \left[1 + \left(\frac{Cr}{2} \right) - 2 \left(\frac{Cr}{Pe} \right) + \theta \left(\frac{Cr}{Pe} \right) \right] c(i, n) &+ \left[\left(\frac{Cr}{Pe} \right) - \left(\frac{Cr}{2} \right) \right] c(i+1, n) \end{aligned} \quad (11)$$

where the Courant number $Cr = u\Delta t / \Delta x$, and the Peclet number $Pe = u\Delta x / D$. The boundary condition, equation (3), makes the equation is explicit, so we obtain

$$c(i, n+1) = \left\{ \left[\left(\frac{Cr}{Pe} \right) - \theta \left(\frac{Cr}{Pe} \right) \right] c(i-1, n) + \left[1 + \left(\frac{Cr}{2} \right) - 2 \left(\frac{Cr}{Pe} \right) + \theta \left(\frac{Cr}{Pe} \right) \right] c(i, n) + \left[\left(\frac{Cr}{Pe} \right) - \left(\frac{Cr}{2} \right) \right] c(i+1, n) + \left[\frac{Cr}{2} + \theta \left(\frac{Cr}{Pe} \right) \right] c(i-1, n+1) \right\} \left[1 + \frac{Cr}{2} + \theta \left(\frac{Cr}{Pe} \right) \right]^{-1} \quad (12)$$

Equation (12) is the explicit finite difference method due to Karahan [4] for solving the advection-diffusion equation (1).

4. Results and discussion

In this section, we present our numerical results and discuss them. We assume that all quantities are in SI units with the MKS system.

As the numerical test, we consider the following settings. The initial condition is

$$c(x, 0) = \exp \left(-\frac{(x-1)^2}{D} \right). \quad (13)$$

This initial condition is illustrated in Figure 1. Parameters being used are $D = 0.005$ and $u = 0.8$. The spatial step is $\Delta x = 0.025$, and the temporal step is $\Delta t = 0.0125$. We consider the spatial domain $0 \leq x \leq 9$. We seek the solution at time $t = 2.5$ and $t = 5$.




Figure 1. Initial condition ($t = 0$) of an advection-diffusion problem.

The analytical solution for this problem is [4]

$$c(x, t) = \frac{1}{\sqrt{4t+1}} \exp \left(-\frac{(x-1-ut)^2}{D(4t+1)} \right). \quad (14)$$

Note that this problem is chosen, because the analytical solution has been found (see Sankaranarayanan et al. [11]). In general, the analytical solution to the advection-diffusion equation is not available. Therefore, we do need numerical methods to solve the advection-diffusion equation.

Numerical results show that the method is simple to implement, yet gives accurate solutions. This is shown in Figure 2 as representatives of our numerical results. This figure shows the solution at time $t = 2.5$ and $t = 5$, respectively. Notice that our solutions reveal advection and diffusion phenomena at the same time. That is, as time evolves the solution translates to the right (advection phenomenon) and it diffuses from the centre of the concentration position (diffusion phenomenon).




Figure 2. Numerical and analytical solutions using $\Delta x = 0.025$ and $\Delta t = 0.0125$ at time $t = 2.5$ (left figure) and $t = 5.0$ (right figure) respectively. We observe that the numerical solution is very accurate, as the error is quite small with respect to the analytical solution.




Figure 3. Numerical and analytical solutions using $\Delta x = 0.05$ and $\Delta t = 0.0125$ at time $t = 2.5$ (left figure) and $t = 5.0$ (right figure) respectively. We observe that artificial oscillations occur if the spatial step is taken too large.

We should not take the spatial step Δx too large, as it may not be able to cover the accuracy of our numerical discretisation. Taking the spatial step Δx too large may lead to unphysical solutions. That is, artificial oscillations may occur in the numerical solutions if the spatial step Δx is too large. This is shown in Figure 3. This figure shows the solution at time $t = 2.5$ and $t = 5$, respectively using the same numerical settings as before, except the spatial step here is $\Delta x = 0.05$.

5. Conclusion

We have investigated the performance of an explicit finite difference method for solving the advection-diffusion equation. As we use the forward difference for the time derivative, numerical solutions should have the first order of accuracy at best. The general analytical solution to the advection-diffusion equation is not available, so we need the numerical method to solve the advection-diffusion equation for the general case. The proposed method can be extended for solving the advection-diffusion equation with a source term.

Acknowledgment

This research was financially supported by Universitas Sanata Dharma (Sanata Dharma University) and Direktorat Riset dan Pengabdian kepada Masyarakat of Direktorat Jenderal Penguatan Riset dan Pengembangan of Kementerian Riset, Teknologi, dan Pendidikan Tinggi of Republik Indonesia in the financial year 2017 with Research Contract Number 051/HB-LIT/IV/2017 dated 14 April 2017 (under DIPA-042.06-0.1.401516/2017 funds). Both authors are very grateful for the financial support.

References

- [1] Benito M, Charpentier C and Kojouharov H V 2013 An unconditionally positivity preserving scheme for advection-diffusion reaction equations *Mathematical and Computer Modelling* **57** 2177
- [2] Company R, Ponsoda E, Romero J V and Roselló M D 2009 A second order numerical method for solving advection-diffusion models *Mathematical and Computer Modelling* **50** 806
- [3] Karahan H 2007 A third-order upwind scheme for the advection-diffusion equation using spreadsheets *Advances in Engineering Software* **38** 688
- [4] Karahan H 2007 Unconditional stable explicit finite difference technique for the advection-diffusion equation using spreadsheets *Advances in Engineering Software* **38** 80
- [5] Mohebbi A and Dehghan M 2010 High-order compact solution of the one-dimensional heat and advection-diffusion equations *Applied Mathematical Modelling* **34** 3071
- [6] Mojtabi A and Deville M O 2015 One-dimensional linear advection-diffusion equation: Analytical and finite element solutions *Computers & Fluids* **107** 189
- [7] Nazir T, Abbas M, Ismail A I M, Majid A A and Rashid A 2016 The numerical solution of advection-diffusion problems using new cubic trigonometric B-splines approach *Applied Mathematical Modelling* **40** 4586
- [8] Nishikawa H 2014 First, second, and third order finite-volume schemes for advection-diffusion *Journal of Computational Physics* **273** 287
- [9] Prieto F U, Muñoz J J B, Corvinos L G 2011 Application of the generalized finite difference method to solve the advection-diffusion equation *Journal of Computational and Applied Mathematics* **235** 1849
- [10] Ricchiuto M, Villedieu N, Abgrall R, and Deconinck H 2008 On uniformly high-order accurate residual distribution schemes for advection-diffusion *Journal of Computational and Applied Mathematics* **215** 547
- [11] Sankaranarayanan S, Shankar N J and Cheong H F 1998 Three-dimensional finite difference model for transport of conservative pollutants *Ocean Engineering* **25** 425
- [12] Saul'Yev V K 1964 *Integration of Equations of Parabolic Type by the Method of Nets* (Oxford: Pergamon Press)
- [13] Savovic S and Djordjevic A 2012 Finite difference solution of the one-dimensional advection-diffusion equation with variable coefficients in semi-infinite media *International Journal of Heat and Mass Transfer* **55** 4291
- [14] Sousa E 2009 Finite difference approximations for a fractional advection diffusion problem *Journal of Computational Physics* **228** 4038
- [15] Witek M L, Teixeira J and Flatau P J 2008 On stable and explicit numerical methods for the advection-diffusion equation *Mathematics and Computers in Simulation* **79** 561

ICSAS 2017



UNS
SEBELAS MARET
UNIVERSITY

Certificate of Attendance

to

FEBI SANJAYA

as

Speaker

in

*International Conference on Science and
Applied Science 2017*

Surakarta, Indonesia on July 29th, 2017

Chairman,



Prof. Dra. Suparmi, M.A., Ph.D.
NIP 19520915 197603 2 001