

Browser tabs: whats, (12) V, belajar, KOST, SIA, Open, gmail, Inbox, Tulisai, sister, SISTE, doi:10, IOP Issue

URL: <https://iopscience.iop.org/issue/1757-899X/722/1>

IOPscience Journals Books Publishing Support Login

IOP Conference Series: Materials Science and Engineering

PURPOSE-LED PUBLISHING™

Table of contents

Volume 722
January 2020
← Previous issue Next issue →

3rd International Conference on Engineering Technology for Sustainable Development (ICET4SD) 23–24 October 2019, Yogyakarta, Indonesia
Published online: 21 January 2020

JOURNAL LINKS

- [Journal home](#)
- [Journal scope](#)
- [Information for organizers](#)
- [Information for authors](#)
- [Contact us](#)
- [Reprint services from Curran Associates](#)

[Open all abstracts](#)

Preface

OPEN ACCESS	011001
Preface	
Open abstract View article PDF	

OPEN ACCESS	011002
Photographs	
Open abstract View article PDF	



List of Committees

Advisors

Hari Purnomo

Dwi Ana Ratna Wati

Sisdarmanto Adinandra

Conference Chairman

Alvin Sahroni

Deputy Chairman

Harwati

Secretary

Elvira Sukma Wahyuni

Treasurer

Almira Budiyanto

Technical Committee

Annisa Uswatun Khasanah

Muflih Arisa Adnan

Donny Suryawan

Supporting Staff

Slamet Puji Astuti

Risky Falahiya

Ana Yuliani

Scientific Committee:

Tomohiko Igasaki, Kumamoto University, Japan

Norlaili Binti Mat Safri, Universiti Teknologi Malaysia, Malaysia

Nasser Najibi, City University of New York, United States

Radu Godina, Faculty of Science and Technology (FCT), New University of Lisbon, Portugal

Sanjeevikumar Padmanaban, Aalborg University, Denmark

Vladimir Strezov, Macquarie University, Australia

Emmanuel Abdul, Portland State University, United States

Prathamesh Churi, NMIMS University, School of Engineering and Technology Management, India

Mu-Song Chen, Da-Yeh University, Taiwan

Addy Wahyudie, United Arab Emirates University, United Arab Emirates

Moslem Yousefi, Islamic Azad University, Roudehen Branch, Iran
Roman Voliansky, Dniprovsk State Technical University, Ukraine
Giedrė Streckienė, Vilnius Gediminas Technical University, Lithuania
Hasan AL Dabbas, Philadelphia University, Jordan
Leonel E Hernandez, ITSA University Institution, Colombia
Makbul Anwari, King Abdulaziz University, Saudi Arabia
Nelson Martins, Universidade de Aveiro, Portugal
Mohamed Serrhini, University Mohammed Premier Oujda, Morocco
Raoudha Chaabane, Ununiversity of Monastir/ENIM/LESTE, Tunisia
Laura Piedra-MUÑOZ, University of Almeria, España
José António Beleza Carvalho, Instituto Superior de Engenharia do Porto, Portugal
Raman Singh, Monash University, Australia
Darunee Wattanasiriwech, Mae Fah Luang University, Thailand
Bonnin Michele, Politecnico di Torino, Italy
Amelia Kurniawati, Telkom University, Indonesia
Suyitno, Nanobioenergy Laboratory, Universitas Sebelas Maret, Indonesia
Nazaruddin Snaga, Diponegoro University, Indonesia
Boy Arief Fachri, Universitas Jember, Indonesia
Andreas Handojo, Petra Christian University, Indonesia
Nasser Najibi, City University of New York, United States
Safanah M. Raafat, University of technology, Iraq
Sudhanshu Suhas Gonge, Marathwada Mitra Mandal's College of Engineering, Karvenagar, Pune affiliated to Savitribai Phule Pune University, Pune., India
Ipseeta Nanda, NIIT University, India
Yutika Amelia Effendi, Universitas Airlangga, Indonesia
Omar Ibrahim Alsaif, Northern Technical University, Iraq
Qasim Yahya Rahawi, University of Mosul, Iraq
Emmanuel Abdul, Portland State University, United States
Khalil Azha Mohd Annuar, Universiti Teknikal Malaysia Melaka, Malaysia
Natrayan, VIT University, India
Yasser Gaber, Beni-Suef university, Egypt
Nazaruddin Sinaga, Diponegoro University, Indonesia
Erwin B. Daculan, University of San Carlos, Philippines
Yahya, Universidade de Aveiro, Portugal
Adriano Peres, Federal University oficial Santa Catarina, Brasil
Ashok Kaushal, Concordia University, Canada
Bachir ACHOUR, Research Laboratory in Subterranean and Surface Hydraulics (LARHYSS)-University of Biskra, Algeria
Ferry Doringin, Bina Nusantara University, Indonesia
Marcelo Martín Marciszack, National Technological University, Argentina
Abdul Hadi, Universiti Teknologi MARA, Malaysia
Nico F. Declercq, Georgia Institute of Technology, USA-France-Belgium
Pattaraporn Posoknistakul, Mahidol University, Thailand

Subhasis Roy, University of Calcutta, India
Tutun Nugraha, IULI (International University Liaison Indonesia), Indonesia
Suthee Wattanasiriwech, Mae Fah Luang University, Thailand
Kishor Sarkar, University of Calcutta, India
Siti Shawalliah Idris, Universiti Teknologi MARA, Malaysia
Ren-Jieh Kuo, National Taiwan University of Science and Technology, Taiwan
Yalun Arifin, Universitas Prasetiya Mulya, Indonesia
Zahari Taha, Universiti Malaysia Pahang, Malaysia
Mohd Rozi Ahmad, Universiti Teknologi MARA, Malaysia
Shi-Woei Lin, National Taiwan University of Science and Technology, Taiwan
Jamari, Diponegoro University, Indonesia
Soorathep Kheawhom, Chulalongkorn University, Thailand
Agung Sutrisno, Sam Ratulangi University, Indonesia
Siti Shawalliah Idris, Universiti Teknologi MARA, Malaysia
Wahyu Pamungkas, Institut Teknologi Telkom Purwokerto, Indonesia
Seyed Amidedin Mousavi, Islamic Azad University, Zanzan Branch, Iran
Emmanuel Abdul, Portland State University, United States
Qasim Yahya Rahawi, University of Mosul, Iraq
Tan Xiao Jian, University Malaysia Perlis, Malaysia
Arpitha G R, Presidency University Bangalore, India
Shashikant Patil, SVKMs NMIMS Mumbai, India
Yun Li, Go, Heriot-Watt University Malaysia, Malaysia
Alias Mohd Saman, Universiti Teknologi MARA (UiTM), Malaysia
S.Velliangiri, CMR Institute of Technology, Hyderabad, India
Nazaruddin Sinaga, Diponegoro University, Indonesia
Joshua A. Abolarinwa, Federal University of Technology Minna, Nigeria
Nikhil Khanna, Motilal Nehru College, University of Delhi, India
Akeel Abbas Mohammed, Al-Furat Al-Awsat Technical University, Iraq
Adid Adep Dwiattmoko, Indonesian Institute of Sciences (LIPI), Indonesia
Tri Handhika, Gunadarma University, Indonesia
Adid Adep Dwiattmoko, LIPI, Indonesia
Nuno Domingues, ISEL, Portugal
Christiono Utomo, ITS, Indonesia
Nyoman Sutapa, Petra Christian University, Indonesia
Hussien Al-Hmood, University of Thi-Qar, Iraq
dr nor azlan othman, universiti teknologi mara, malaysia
amitava das, NSHM Knowledge Campus Durgapur India, INDIA
F. Punnya Priya, Anna University, India
Agung Ari Wibowo, Politeknik Negeri Malang, Indonesia
Chunhui Guo, San Diego State University, United States
Kittipong Tripetch, Rajamangala University of Technology Suvarnabhumi, Thailand
Siti Akhtar Mahayuddin, Universiti Teknologi MARA, Perak Branch, Malaysia
Qasim Yahya Rahawi, University of Mosul, Iraq

Birinderjit Singh Kalyan , Chandigarh University , India

Muhammad Syafrudin , Dongguk University , Korea

Niloy Sarkar , Maulana Abul Kalam Azad university of technology , India

Nuha , University of Basrah , Iraq

Triwiyanto , Politeknik Kesehatan Kementerian Kesehatan Surabaya , Indonesia

PAPER • OPEN ACCESS

Preface

To cite this article: 2020 *IOP Conf. Ser.: Mater. Sci. Eng.* **722** 011001

View the [article online](#) for updates and enhancements.

You may also like

- [Future ECS Biannual Meetings](#)
- [Computer Simulations in Physics and beyond \(CSP2017\)](#)
- [Future ECS Biannual Meetings](#)

PRIME
PACIFIC RIM MEETING
ON ELECTROCHEMICAL
AND SOLID STATE SCIENCE

HONOLULU, HI
October 6-11, 2024

Joint International Meeting of
The Electrochemical Society of Japan
(ECSJ)
The Korean Electrochemical Society
(KECS)
The Electrochemical Society (ECS)

Early Registration Deadline:
September 3, 2024

**MAKE YOUR PLANS
NOW!**

Message from Conference's Chair

Distinguished guests, respected colleagues, and ladies and gentlemen. On behalf of the 3rd International Conference on Engineering Technology for Sustainable Development (ICET4SD) 2019 Committee, I would like to welcome you to this biannual conference held by the Faculty of Industrial Technology, Universitas Islam Indonesia Yogyakarta. This conference is also a joint event with the 1st International Biomedical Instrumentation and Technology Conference (IBITeC) 2019, a part IEEE conference on biomedical engineering and related field in collaboration with UII IEEE Student Branch and IEEE Indonesia Section.

Both ICET4SD and IBITeC aims to facilitate the research sharing and discussions of engineering disciplines that cover and accommodate the growth of the Internet of Things (IoT) to help and solve the healthcare and welfare problems around the world. This year, ICET4SD and IBITeC 2019 conferences are co-organized with our partners; Kumamoto University, BKSTI, CBIOM3S Diponegoro University, and Universiti Teknologi Malaysia (UTM).

The committee is delighted with the positive response of researchers to this conference. We received more than 200 submissions from Japan, Portugal, Sri Lanka, China, Iraq, Malaysia, Thailand, and our own Indonesia as well. The papers were blindly reviewed by our reviewers that came from several countries to maintain the quality of this conference. The Acceptance rate of the 3rd ICET4SD and 1st IBITeC 2019 are around 70% and 60%, respectively.

The accepted and presented papers of ICET4SD will be published in Proceedings series of IOP, and selected papers will be considered to be published in selected journals (JMES (Q2) and JAMT (Q3)). Whereas the accepted and presented paper of IBITeC 2019 will be forwarded to the IEEE Explore Digital Library for the publication. All of the publication schemes will be submitted for major international indexing databases to ensure the visibility internationally of the articles presented in ICET4SD and IBITeC 2019.

We are grateful for the contributions of our invited speakers. We will have six keynotes total from the two conferences that we believe could spread the new insight for engineering disciplines to follow the industry 4.0 needs.

The organization of a conference is very much a team effort. I want to thank to all committee, editorial team, event-organizer, reviewers, and other parties who have carried a vast and complicated workload.

ICET4SD and IBITeC strive to offer plenty of opportunities, especially networking. Authors and participants have the chance to meet and interact with each other to share and transfer their knowledge in similar fields. We hope that you can take the benefit of this conference during discussions and, most importantly, networking among our peers. We hope that this conference will be unforgettable moments and experiences.

Thank you.

The logo for ICET4SD features the text 'ICET4SD' in a bold, red, sans-serif font. A stylized signature in black ink is written over the letters 'E' and 'T'. The signature appears to be 'Alvin Sahroni'.

Yogyakarta October 2019 Alvin Sahroni, Ph.D.

Conference chair of the 3rd ICET4SD and 1st IBITeC 2019



Conference or Sponsor Logo



CO-ORGANIZED WITH



PAPER • OPEN ACCESS

Peer review statement

To cite this article: 2020 IOP Conf. Ser.: Mater. Sci. Eng. 722 011003

View the [article online](#) for updates and enhancements.

You may also like

- [Peer review declaration](#)
- [Peer review declaration](#)
- [Peer review declaration](#)

PRIME™
PACIFIC RIM MEETING
ON ELECTROCHEMICAL
AND SOLID STATE SCIENCE

HONOLULU, HI
October 6-11, 2024

Joint International Meeting of
The Electrochemical Society of Japan (ECSJ)
The Korean Electrochemical Society (KECS)
The Electrochemical Society (ECS)

Early Registration Deadline:
September 3, 2024

**MAKE YOUR PLANS
NOW!**

Peer review statement

All papers published in this volume of *IOP Conference Series: Materials Science and Engineering* have been peer reviewed through processes administered by the proceedings Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.



[IOP Science home](#)

- [Skip to content](#)
- [Accessibility Help](#)

Search

[Journals](#)

[Books](#)

[Publishing Support](#)

[Login](#)

[IOP Conference Series: Materials Science and Engineering](#)

Table of contents

[Volume 722](#)

January 2020

[Previous issue](#)[Next issue](#)

3rd International Conference on Engineering Technology for Sustainable Development (ICET4SD) 23–24 October 2019, Yogyakarta, Indonesia

Published online: 21 January 2020

[Open all abstracts, in this issue](#)

Preface

011001

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Preface](#)

[Open abstract](#), [Preface](#) [View article](#), [Preface PDF](#), [Preface](#)

011002

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Photographs](#)

[Open abstract](#), [Photographs](#) [View article](#), [Photographs PDF](#), [Photographs](#)

011003

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Peer review statement](#)

[Open abstract](#), [Peer review statement](#) [View article](#), [Peer review statement PDF](#), [Peer review statement](#)

Papers

012001

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Studies on Nickel-based Bimetallic Catalysts for the Hydrodeoxygenation of Stearic Acid](#)

A Rafiani, F Aulia, A A Dwiatmoko, N Rinaldi, Nurhasni and R R Widjaya

[Open abstract](#), [Studies on Nickel-based Bimetallic Catalysts for the Hydrodeoxygenation of Stearic Acid](#) [View article](#), [Studies on Nickel-based Bimetallic Catalysts for the Hydrodeoxygenation of Stearic Acid](#) [PDF](#), [Studies on Nickel-based Bimetallic Catalysts for the Hydrodeoxygenation of Stearic Acid](#)

012002

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The aluminum powder size' effect on rice plant fiber reinforced composite to hardness, wear and coefficient of friction of brake lining](#)

A S Darmawan, P I Purboputro and B W Febriantoko

[Open abstract](#), [The aluminum powder size' effect on rice plant fiber reinforced composite to hardness, wear and coefficient of friction of brake lining](#) [View article](#), [The aluminum powder size' effect on rice plant fiber reinforced composite to hardness, wear and coefficient of friction of brake lining](#) [PDE](#), [The aluminum powder size' effect on rice plant fiber reinforced composite to hardness, wear and coefficient of friction of brake lining](#)

012003

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Blood Collection Strategy: A Lesson Learned from Indonesian Blood Supply Chain](#)

A Mansur, I Vanany and NI Arvitrida

[Open abstract](#), [Blood Collection Strategy: A Lesson Learned from Indonesian Blood Supply Chain](#) [View article](#), [Blood Collection Strategy: A Lesson Learned from Indonesian Blood Supply Chain](#) [PDE](#), [Blood Collection Strategy: A Lesson Learned from Indonesian Blood Supply Chain](#)

012004

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Platelet Inventory Management System Using Monte Carlo Simulation](#)

A Mansur, FI Mar'ah and P Amalia

[Open abstract](#), [Platelet Inventory Management System Using Monte Carlo Simulation](#) [View article](#), [Platelet Inventory Management System Using Monte Carlo Simulation](#) [PDE](#), [Platelet Inventory Management System Using Monte Carlo Simulation](#)

012005

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Concentration of Exopolysaccharides \(EPS\) Produced from Fermentation of Hydrolysate Biomass of Tuni Sagoo \(*Metroxylon sp.*\) Starch by *Lactobacillus plantarum* FU-0811 in Semi Pilot Scale using Nanofiltration](#)

A Susilowati, Aspiyanto, Y Maryati and A Dinoto

[Open abstract](#), [Concentration of Exopolysaccharides \(EPS\) Produced from Fermentation of Hydrolysate Biomass of Tuni Sagoo \(*Metroxylon sp.*\) Starch by *Lactobacillus plantarum* FU-0811 in Semi Pilot Scale using Nanofiltration](#) [View article](#), [Concentration of Exopolysaccharides \(EPS\) Produced from Fermentation of Hydrolysate Biomass of Tuni Sagoo \(*Metroxylon sp.*\) Starch by *Lactobacillus plantarum* FU-0811 in Semi Pilot Scale using Nanofiltration](#) [PDE](#), [Concentration of Exopolysaccharides \(EPS\) Produced from Fermentation of Hydrolysate Biomass of Tuni Sagoo \(*Metroxylon sp.*\) Starch by *Lactobacillus plantarum* FU-0811 in Semi Pilot Scale using Nanofiltration](#)

012006

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Evaluation of the Centralized HVAC Chilled Water Pumps of Suranaree University of Technology Hospital Main Building](#)

A Prasetyadi and A Koonsrisuk

[Open abstract](#), [Evaluation of the Centralized HVAC Chilled Water Pumps of Suranaree University of Technology Hospital Main Building](#) [View article](#), [Evaluation of the Centralized HVAC Chilled Water Pumps of Suranaree University of Technology Hospital Main Building](#) [PDF](#), [Evaluation of the Centralized HVAC Chilled Water Pumps of Suranaree University of Technology Hospital Main Building](#)

012007

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Categorization of Reliability Performance Indicators of Humanitarian Response Supply Chain](#)

A Sutrisno, D Handayani, W Caesarendra and I Gunawan

[Open abstract](#), [Categorization of Reliability Performance Indicators of Humanitarian Response Supply Chain](#) [View article](#), [Categorization of Reliability Performance Indicators of Humanitarian Response Supply Chain](#) [PDF](#), [Categorization of Reliability Performance Indicators of Humanitarian Response Supply Chain](#)

012008

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The mental workload analysis of gojek drivers](#)

A D Prabaswari, A N Hamid and H Purnomo

[Open abstract](#), [The mental workload analysis of gojek drivers](#) [View article](#), [The mental workload analysis of gojek drivers](#) [PDF](#), [The mental workload analysis of gojek drivers](#)

012009

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Lighting Quality Improving Work Thoroughness of Sorting Operators](#)

Anizar, I Siregar, E Putri, I Maududi and W Habibi

[Open abstract](#), [Lighting Quality Improving Work Thoroughness of Sorting Operators](#) [View article](#), [Lighting Quality Improving Work Thoroughness of Sorting Operators](#) [PDF](#), [Lighting Quality Improving Work Thoroughness of Sorting Operators](#)

012010

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Modelling the continuance intention towards the use of mobile hospital appointment system](#)

A R Taufiq, A Widyanti, K Muslim, T Wijayanto, F Trapsilawati, H M Arini and A D Wibawa

[Open abstract](#), [Modelling the continuance intention towards the use of mobile hospital appointment system](#) [View article](#), [Modelling the continuance intention towards the use of mobile hospital appointment system](#) [PDF](#), [Modelling the continuance intention towards the use of mobile hospital appointment system](#)

012011

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The Smart Village Model for Rural Area \(Case Study: Banyuwangi Regency\)](#)

A A Aziiza and T D Susanto

[Open abstract](#), The Smart Village Model for Rural Area (Case Study: Banyuwangi Regency) [View article](#), The Smart Village Model for Rural Area (Case Study: Banyuwangi Regency) [PDF](#), The Smart Village Model for Rural Area (Case Study: Banyuwangi Regency)

012012

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Comparison Clustering Performance Based on Moodle Log Mining](#)

C Pradana, S S Kusumawardani and A E Permanasari

[Open abstract](#), [Comparison Clustering Performance Based on Moodle Log Mining](#) [View article](#), [Comparison Clustering Performance Based on Moodle Log Mining](#) [PDF](#), [Comparison Clustering Performance Based on Moodle Log Mining](#)

012013

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Effect of listening to Quran recitation on workload and driving performance: A car simulator study](#)

H Purnomo and D Setiawan

[Open abstract](#), [Effect of listening to Quran recitation on workload and driving performance: A car simulator study](#) [View article](#), [Effect of listening to Quran recitation on workload and driving performance: A car simulator study](#) [PDF](#), [Effect of listening to Quran recitation on workload and driving performance: A car simulator study](#)

012014

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Modified EOQ Model for Refrigerated Display's Shelf-Space Allocation Problem](#)

D Satiti, A Rusdiansyah and R S Dewi

[Open abstract](#), [Modified EOQ Model for Refrigerated Display's Shelf-Space Allocation Problem](#) [View article](#), [Modified EOQ Model for Refrigerated Display's Shelf-Space Allocation Problem](#) [PDF](#), [Modified EOQ Model for Refrigerated Display's Shelf-Space Allocation Problem](#)

012015

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Risk mitigation on product distribution and delay delivery : A case study in an Indonesian manufacturing company](#)

E Kusrini, E Sugito, Z M Rahman, T N Setiawan and R P Hasibuan

[Open abstract](#), [Risk mitigation on product distribution and delay delivery : A case study in an Indonesian manufacturing company](#) [View article](#), [Risk mitigation on product distribution and delay delivery : A case study in an Indonesian manufacturing company](#) [PDF](#), [Risk mitigation on product distribution and delay delivery : A case study in an Indonesian manufacturing company](#)

012016

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Redesign of wudhu facility for disabilities using integrated kansei method](#)

A D Prabaswari, M A Fernanda, N P Jati, S Indrawati and R A Aldhiza

[Open abstract](#), [Redesign of wudhu facility for disabilities using integrated kansei method](#) [View article](#), [Redesign of wudhu facility for disabilities using integrated kansei method](#) [PDF](#), [Redesign of wudhu facility for disabilities using integrated kansei method](#)

012017

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Spare part requirement and inventory policy for Rovema's 1 machine using Reliability Centered Spare \(RCS\) and Min-Max stock methods](#)

C F Angelina, F T D Atmaji and B Santosa

[Open abstract](#), Spare part requirement and inventory policy for Rovema's 1 machine using Reliability Centered Spare (RCS) and Min-Max stock methods [View article](#), Spare part requirement and inventory policy for Rovema's 1 machine using Reliability Centered Spare (RCS) and Min-Max stock methods [PDE](#), Spare part requirement and inventory policy for Rovema's 1 machine using Reliability Centered Spare (RCS) and Min-Max stock methods

012018

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Observing knowledge of ergonomic product in Indonesia](#)

G B Pratama, N Nurfitriyani and A Widyanti

[Open abstract](#), Observing knowledge of ergonomic product in Indonesia [View article](#), Observing knowledge of ergonomic product in Indonesia [PDE](#), Observing knowledge of ergonomic product in Indonesia

012019

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Extraction optimization for antioxidant phenolic compounds in black grass jelly \(Mesona palustris BL\) using response surface methodology](#)

H Hendratama, K Harismah and A M Fuadi

[Open abstract](#), Extraction optimization for antioxidant phenolic compounds in black grass jelly (Mesona palustris BL) using response surface methodology [View article](#), Extraction optimization for antioxidant phenolic compounds in black grass jelly (Mesona palustris BL) using response surface methodology [PDE](#), Extraction optimization for antioxidant phenolic compounds in black grass jelly (Mesona palustris BL) using response surface methodology

012020

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Usability Analysis of an Academic Faculty Website: A Case Study of the Selected University](#)

H Soewardi and M H Ramadhan

[Open abstract](#), Usability Analysis of an Academic Faculty Website: A Case Study of the Selected University [View article](#), Usability Analysis of an Academic Faculty Website: A Case Study of the Selected University [PDE](#), Usability Analysis of an Academic Faculty Website: A Case Study of the Selected University

012021

THE FOLLOWING ARTICLE IS OPEN ACCESS

[NCTF Control Performance Analysis on Rehabilitation Robot](#)

Herianto, A F Riyadi and H Mastriswadi

[Open abstract](#), NCTF Control Performance Analysis on Rehabilitation Robot [View article](#), NCTF Control Performance Analysis on Rehabilitation Robot [PDE](#), NCTF Control Performance Analysis on Rehabilitation Robot

012022

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Recycled Polypropylene Filament for 3D Printer: Extrusion Process Parameter Optimization](#)

Herianto, S I Atsani and H Mastriswadi

[Open abstract](#), Recycled Polypropylene Filament for 3D Printer: Extrusion Process Parameter Optimization [View article](#), Recycled Polypropylene Filament for 3D Printer: Extrusion Process Parameter Optimization [PDF](#), Recycled Polypropylene Filament for 3D Printer: Extrusion Process Parameter Optimization

012023

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Measurement of magnetic fields on electric train](#)

H W Nugroho, M I Sudrajat, A N Bakti, Yudhistira and R H Arjadi

[Open abstract](#), Measurement of magnetic fields on electric train [View article](#), Measurement of magnetic fields on electric train [PDF](#), Measurement of magnetic fields on electric train

012024

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Applying the Theory of Planned Behavior in Functional Food Purchasing: a Young Consumers Perception](#)

I G M Y Bakti, S Sumaedi, N J Astrini, T Rakhmawati, M Yarmen and S Damayanti

[Open abstract](#), Applying the Theory of Planned Behavior in Functional Food Purchasing: a Young Consumers Perception [View article](#), Applying the Theory of Planned Behavior in Functional Food Purchasing: a Young Consumers Perception [PDF](#), Applying the Theory of Planned Behavior in Functional Food Purchasing: a Young Consumers Perception

012025

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Modified fuzzy Delphi to determine the consensus of government facility governance](#)

I N Sutapa and M Wullur

[Open abstract](#), Modified fuzzy Delphi to determine the consensus of government facility governance [View article](#), Modified fuzzy Delphi to determine the consensus of government facility governance [PDF](#), Modified fuzzy Delphi to determine the consensus of government facility governance

012026

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Job Safety Analysis in Production Floor of PT BD Based on Semi Quantitative AS/NZS4360 Method](#)

I D Widodo and N R A Dwinanda

[Open abstract](#), Job Safety Analysis in Production Floor of PT BD Based on Semi Quantitative AS/NZS4360 Method [View article](#), Job Safety Analysis in Production Floor of PT BD Based on Semi Quantitative AS/NZS4360 Method [PDF](#), Job Safety Analysis in Production Floor of PT BD Based on Semi Quantitative AS/NZS4360 Method

012027

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Characteristics of Brake Lining Cessna Caravan Type 208B](#)

I Suroso

[Open abstract](#), Characteristics of Brake Lining Cessna Caravan Type 208B [View article](#), Characteristics of Brake Lining Cessna Caravan Type 208B [PDF](#), Characteristics of Brake Lining Cessna Caravan Type 208B

012028

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Adoption of 3D Printing in Indonesia and Prediction of Its Application in 2025](#)

Ismianti and Herianto

[Open abstract](#), Adoption of 3D Printing in Indonesia and Prediction of Its Application in 2025 [View article](#), Adoption of 3D Printing in Indonesia and Prediction of Its Application in 2025 [PDF](#), Adoption of 3D Printing in Indonesia and Prediction of Its Application in 2025

012029

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Application of ZnO nanoparticles for Producing Antibacterial Batik](#)

I N Eskani, A Haerudin, J Setiawan, D W Lestari, Isnaini and W Astuti

[Open abstract](#), Application of ZnO nanoparticles for Producing Antibacterial Batik [View article](#), Application of ZnO nanoparticles for Producing Antibacterial Batik [PDF](#), Application of ZnO nanoparticles for Producing Antibacterial Batik

012030

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Development of Chitosan/TiO₂ Nanocomposite for Multifunctional Sunscreen Application](#)

J Petrick, M Ibadurrohman and Slamet

[Open abstract](#), Development of Chitosan/TiO₂ Nanocomposite for Multifunctional Sunscreen Application [View article](#), Development of Chitosan/TiO₂ Nanocomposite for Multifunctional Sunscreen Application [PDF](#), Development of Chitosan/TiO₂ Nanocomposite for Multifunctional Sunscreen Application

012031

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Design of SCADA for Protection System of Uncoiled DC Motor's Temperature using PLC ABB AC 800PEC Based on Wonderware Intouch](#)

J T Putra, A Diantoro, U Yusmaniar Oktiawati, A Surriani, A B Pradana and L Subekti

[Open abstract](#), Design of SCADA for Protection System of Uncoiled DC Motor's Temperature using PLC ABB AC 800PEC Based on Wonderware Intouch [View article](#), Design of SCADA for Protection System of Uncoiled DC Motor's Temperature using PLC ABB AC 800PEC Based on Wonderware Intouch [PDF](#), Design of SCADA for Protection System of Uncoiled DC Motor's Temperature using PLC ABB AC 800PEC Based on Wonderware Intouch

012032

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Textile Wastewater Treatment using Advanced Oxidation Process \(AOP\)](#)

S S Hutagalung, I Muchlis and K Khotimah

[Open abstract](#), Textile Wastewater Treatment using Advanced Oxidation Process (AOP) [View article](#), Textile Wastewater Treatment using Advanced Oxidation Process (AOP) [PDF](#), Textile Wastewater Treatment using Advanced Oxidation Process (AOP)

012033

THE FOLLOWING ARTICLE IS OPEN ACCESS

[An Anthropometric Study of Head for Designing Ergonomic Helmet for Acehnese Adults](#)

M Andriani, A Widyanti, Yassierli, R Pramanda and Suheri

[Open abstract](#), An Anthropometric Study of Head for Designing Ergonomic Helmet for Acehnese Adults [View article](#), An Anthropometric Study of Head for Designing Ergonomic Helmet for Acehnese Adults [PDF](#), An Anthropometric Study of Head for Designing Ergonomic Helmet for Acehnese Adults

012034

THE FOLLOWING ARTICLE IS OPEN ACCESS

[A literature review on reducing carbon emission from supply chain system: drivers, barriers, performance indicators, and practices](#)

M F Ibrahim, M M Putri and D M Utama

[Open abstract](#), A literature review on reducing carbon emission from supply chain system: drivers, barriers, performance indicators, and practices [View article](#), A literature review on reducing carbon emission from supply chain system: drivers, barriers, performance indicators, and practices [PDF](#), A literature review on reducing carbon emission from supply chain system: drivers, barriers, performance indicators, and practices

012035

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Corn husk Fibers Reinforced Polyester Composites: Tensile Strength Properties, Water Absorption Behavior, and Morphology](#)

N H Sari and S Suteja

[Open abstract](#), Corn husk Fibers Reinforced Polyester Composites: Tensile Strength Properties, Water Absorption Behavior, and Morphology [View article](#), Corn husk Fibers Reinforced Polyester Composites: Tensile Strength Properties, Water Absorption Behavior, and Morphology [PDF](#), Corn husk Fibers Reinforced Polyester Composites: Tensile Strength Properties, Water Absorption Behavior, and Morphology

012036

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Online Consumer Segmentation Study Based on Factors Affecting E-Commerce Selection](#)

N B Puspitasari, S N Widyono Pramono, D I Rinawati and F Fidiyanti

[Open abstract](#), Online Consumer Segmentation Study Based on Factors Affecting E-Commerce Selection [View article](#), Online Consumer Segmentation Study Based on Factors Affecting E-Commerce Selection [PDF](#), Online Consumer Segmentation Study Based on Factors Affecting E-Commerce Selection

012037

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Innovativeness, Proactiveness, and Risk-taking: Corporate Entrepreneurship of Indonesian SMEs](#)

N J Astrini, T Rakhmawati, S Sumaedi, I G M Y Bakti, M Yarmen and S Damayanti

[Open abstract](#), Innovativeness, Proactiveness, and Risk-taking: Corporate Entrepreneurship of Indonesian SMEs [View article](#), Innovativeness, Proactiveness, and Risk-taking: Corporate Entrepreneurship of Indonesian SMEs [PDF](#), Innovativeness, Proactiveness, and Risk-taking: Corporate Entrepreneurship of Indonesian SMEs

012038

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Applying eye tracker technology for analyzing user interface design of online transportation applications \(case study: grab application\)](#)

D S Dewi, N Ilmi and R S Dewi

[Open abstract](#), Applying eye tracker technology for analyzing user interface design of online transportation applications (case study: grab application) [View article](#), Applying eye tracker technology for analyzing user interface design of online transportation applications (case study: grab application) [PDF](#), Applying eye tracker technology for analyzing user interface design of online transportation applications (case study: grab application)

012039

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Increasing performance of straight pattern of rubber tyre on asphalt track due to sulfur composition](#)

P I Purboputro, A S Darmawan and M A Hendrawan

[Open abstract](#), [Increasing performance of straight pattern of rubber tyre on asphalt track due to sulfur composition](#) [View article](#), [Increasing performance of straight pattern of rubber tyre on asphalt track due to sulfur composition](#) [PDE](#), [Increasing performance of straight pattern of rubber tyre on asphalt track due to sulfur composition](#)

012040

THE FOLLOWING ARTICLE IS OPEN ACCESS

[RTS Threshold Variation Study on Contention-based IEEE 802.11n EDCA for Real-time Services](#)

I A Herdiniamy, E F Cahyadi, E S Nugraha, P Yuliantoro and M S Hwang

[Open abstract](#), [RTS Threshold Variation Study on Contention-based IEEE 802.11n EDCA for Real-time Services](#) [View article](#), [RTS Threshold Variation Study on Contention-based IEEE 802.11n EDCA for Real-time Services](#) [PDE](#), [RTS Threshold Variation Study on Contention-based IEEE 802.11n EDCA for Real-time Services](#)

012041

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Applying Kaizen in Quality for Reducing Dent Defect per Unit](#)

P A Wicaksono and R Rozaq

[Open abstract](#), [Applying Kaizen in Quality for Reducing Dent Defect per Unit](#) [View article](#), [Applying Kaizen in Quality for Reducing Dent Defect per Unit](#) [PDE](#), [Applying Kaizen in Quality for Reducing Dent Defect per Unit](#)

012042

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The Influence of Blue Light in Maintaining Alertness in Tropical Country: A Preliminary Study](#)

K T Rahma, S A Salma, A Widyanti and Suprijanto

[Open abstract](#), [The Influence of Blue Light in Maintaining Alertness in Tropical Country: A Preliminary Study](#) [View article](#), [The Influence of Blue Light in Maintaining Alertness in Tropical Country: A Preliminary Study](#) [PDE](#), [The Influence of Blue Light in Maintaining Alertness in Tropical Country: A Preliminary Study](#)

012043

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Identify the Relevant Pages of Book to be Indexed Using Naive Bayes Classification Method](#)

S Christina and D Ronaldo

[Open abstract](#), [Identify the Relevant Pages of Book to be Indexed Using Naive Bayes Classification Method](#) [View article](#), [Identify the Relevant Pages of Book to be Indexed Using Naive Bayes Classification Method](#) [PDE](#), [Identify the Relevant Pages of Book to be Indexed Using Naive Bayes Classification Method](#)

012044

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Lean Concept Development in Fast Food Industry Using Integration of Six Sigma and TRIZ Method](#)

S Indrawati, A 'Azzam, E Adrianto, S Miranda and A D Prabaswari

[Open abstract](#), Lean Concept Development in Fast Food Industry Using Integration of Six Sigma and TRIZ Method [View article](#), Lean Concept Development in Fast Food Industry Using Integration of Six Sigma and TRIZ Method [PDF](#), Lean Concept Development in Fast Food Industry Using Integration of Six Sigma and TRIZ Method

012045

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Performance Improvement in Aerospace Production Through Lean Manufacturing Implementation](#)

A Az Zahra, S Indrawati and J Sulistio

[Open abstract](#), Performance Improvement in Aerospace Production Through Lean Manufacturing Implementation [View article](#), Performance Improvement in Aerospace Production Through Lean Manufacturing Implementation [PDF](#), Performance Improvement in Aerospace Production Through Lean Manufacturing Implementation

012046

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Production Capacity Optimization with Rough Cut Capacity Planning \(RCCP\)](#)

M Sugarindra and R Nurdiansyah

[Open abstract](#), Production Capacity Optimization with Rough Cut Capacity Planning (RCCP) [View article](#), Production Capacity Optimization with Rough Cut Capacity Planning (RCCP) [PDF](#), Production Capacity Optimization with Rough Cut Capacity Planning (RCCP)

012047

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Escalation proposal of supply chain management performance of oil and gas upstream industry in PT. XYZ by using SCOR model approach](#)

T Immawan and I Nugraha

[Open abstract](#), Escalation proposal of supply chain management performance of oil and gas upstream industry in PT. XYZ by using SCOR model approach [View article](#), Escalation proposal of supply chain management performance of oil and gas upstream industry in PT. XYZ by using SCOR model approach [PDF](#), Escalation proposal of supply chain management performance of oil and gas upstream industry in PT. XYZ by using SCOR model approach

012048

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The important level of washing machine quality dimensions in 4.0 industrial era based on the perception of a laundry business: A preliminary investigation](#)

T Rakhmawati, S Sumaedi, N J Astrini, I G M Y Bakti, M Yarmen and S Damayanti

[Open abstract](#), The important level of washing machine quality dimensions in 4.0 industrial era based on the perception of a laundry business: A preliminary investigation [View article](#), The important level of washing machine quality dimensions in 4.0 industrial era based on the perception of a laundry business: A preliminary investigation [PDF](#), The important level of washing machine quality dimensions in 4.0 industrial era based on the perception of a laundry business: A preliminary investigation

012049

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Sequential optimization of a water-based polygeneration system in ethylene glycol production](#)

T Prihatin, S Mahadzir and M I Abdul Mutalib

[Open abstract](#), Sequential optimization of a water-based polygeneration system in ethylene glycol production [View article](#), Sequential optimization of a water-based polygeneration system in ethylene glycol production [PDE](#), Sequential optimization of a water-based polygeneration system in ethylene glycol production

012050

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Rap-Tourism Method to Assess Tourism Objects Sustainability](#)

R Purwaningsih, H Santoso and U Khasanah

[Open abstract](#), Rap-Tourism Method to Assess Tourism Objects Sustainability [View article](#), Rap-Tourism Method to Assess Tourism Objects Sustainability [PDE](#), Rap-Tourism Method to Assess Tourism Objects Sustainability

012051

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Cost and Emission Optimization in Power Plant Using the Single Echelon Economic Dispatch Model \(SEED\)](#)

Wahyuda, Muslimin and S U Widodo

[Open abstract](#), Cost and Emission Optimization in Power Plant Using the Single Echelon Economic Dispatch Model (SEED) [View article](#), Cost and Emission Optimization in Power Plant Using the Single Echelon Economic Dispatch Model (SEED) [PDE](#), Cost and Emission Optimization in Power Plant Using the Single Echelon Economic Dispatch Model (SEED)

012052

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Research on a Project Schedule of Factory Renovation for Manufacturing Plants in Bandung](#)

W Tripiawan and S Miranda

[Open abstract](#), Research on a Project Schedule of Factory Renovation for Manufacturing Plants in Bandung [View article](#), Research on a Project Schedule of Factory Renovation for Manufacturing Plants in Bandung [PDE](#), Research on a Project Schedule of Factory Renovation for Manufacturing Plants in Bandung

012053

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Integration of pyrolysis – tar decomposition over porous low grade iron ore](#)

D R Wicakso, D Nurandini, A Mirwan and M D Putra

[Open abstract](#), Integration of pyrolysis – tar decomposition over porous low grade iron ore [View article](#), Integration of pyrolysis – tar decomposition over porous low grade iron ore [PDE](#), Integration of pyrolysis – tar decomposition over porous low grade iron ore

012054

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Rheological and kinetic studies of low density polyethylene \(LDPE\) – chitosan biocomposite film](#)

Y Kusumastuti, D Timotius, N R E Putri, M W Syabani and Rochmadi

[Open abstract](#), Rheological and kinetic studies of low density polyethylene (LDPE) – chitosan biocomposite film [View article](#), Rheological and kinetic studies of low density polyethylene (LDPE) – chitosan biocomposite film [PDE](#), Rheological and kinetic studies of low density polyethylene (LDPE) – chitosan biocomposite film

012055

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Conceptualizing DFSS an analysis of 107 studies](#)

Y D Nurcahyanie, M L Singgih and D S Dewi

[Open abstract](#), [Conceptualizing DFSS an analysis of 107 studies](#) [View article](#), [Conceptualizing DFSS an analysis of 107 studies](#) [PDF](#), [Conceptualizing DFSS an analysis of 107 studies](#)

012056

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Design improvement of multifunctional seatbelt by using integrated kano model and quality function deployment](#)

Z U Rizqi

[Open abstract](#), [Design improvement of multifunctional seatbelt by using integrated kano model and quality function deployment](#) [View article](#), [Design improvement of multifunctional seatbelt by using integrated kano model and quality function deployment](#) [PDF](#), [Design improvement of multifunctional seatbelt by using integrated kano model and quality function deployment](#)

012057

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Determination of Criteria and Sub-criteria in Urban Solid Waste Processing Technology](#)

A Ishak and N Hidayati

[Open abstract](#), [Determination of Criteria and Sub-criteria in Urban Solid Waste Processing Technology](#) [View article](#), [Determination of Criteria and Sub-criteria in Urban Solid Waste Processing Technology](#) [PDF](#), [Determination of Criteria and Sub-criteria in Urban Solid Waste Processing Technology](#)

012058

THE FOLLOWING ARTICLE IS OPEN ACCESS

[A Prototype of Effective Online Teaching Tools with Adaptive Navigation Support](#)

A Hamzah

[Open abstract](#), [A Prototype of Effective Online Teaching Tools with Adaptive Navigation Support](#) [View article](#), [A Prototype of Effective Online Teaching Tools with Adaptive Navigation Support](#) [PDF](#), [A Prototype of Effective Online Teaching Tools with Adaptive Navigation Support](#)

012059

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Analysis of crude oil inventory using the material requirement planning method](#)

W Sutrisno and H N P Airlangga

[Open abstract](#), [Analysis of crude oil inventory using the material requirement planning method](#) [View article](#), [Analysis of crude oil inventory using the material requirement planning method](#) [PDF](#), [Analysis of crude oil inventory using the material requirement planning method](#)

012060

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Integration of deterministic and probabilistic inventory methods to optimize the balance between overstock and stockout](#)

Z U Rizqi and A Khairunisa

[Open abstract](#), [Integration of deterministic and probabilistic inventory methods to optimize the balance between overstock and stockout](#) [View article](#), [Integration of deterministic and probabilistic inventory methods to optimize the balance between overstock and stockout](#) [PDF](#), [Integration of deterministic and probabilistic inventory methods to optimize the balance between overstock and stockout](#)

012061

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Occupational Health and Safety Effects on Productivity in a Garment Factory Using Structural Equation Modeling](#)

M R Suryoputro, A D Sari, A A Puji, C Basumerda and H Purnomo

[Open abstract](#), [Occupational Health and Safety Effects on Productivity in a Garment Factory Using Structural Equation Modeling](#) [View article](#), [Occupational Health and Safety Effects on Productivity in a Garment Factory Using Structural Equation Modeling](#) [PDF](#), [Occupational Health and Safety Effects on Productivity in a Garment Factory Using Structural Equation Modeling](#)

012062

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Analysis of E-Service Quality Influence Through E-Satisfaction on Online Purchasing Decisions \(Consumer Survey of PT. X\)](#)

W Sutrisno and A D Setyawan

[Open abstract](#), [Analysis of E-Service Quality Influence Through E-Satisfaction on Online Purchasing Decisions \(Consumer Survey of PT. X\)](#) [View article](#), [Analysis of E-Service Quality Influence Through E-Satisfaction on Online Purchasing Decisions \(Consumer Survey of PT. X\)](#) [PDF](#), [Analysis of E-Service Quality Influence Through E-Satisfaction on Online Purchasing Decisions \(Consumer Survey of PT. X\)](#)

012063

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Clustering Storage Method for Digital Evidence Storage Using Software Defined Storage](#)

Afif Mohammad Faruq, Setiawan Mukhammad Andri and Prayudi Yudi

[Open abstract](#), [Clustering Storage Method for Digital Evidence Storage Using Software Defined Storage](#) [View article](#), [Clustering Storage Method for Digital Evidence Storage Using Software Defined Storage](#) [PDF](#), [Clustering Storage Method for Digital Evidence Storage Using Software Defined Storage](#)

012064

THE FOLLOWING ARTICLE IS OPEN ACCESS

[DNS tunneling Detection Using Elasticsearch](#)

A F Sani and M A Setiawan

[Open abstract](#), [DNS tunneling Detection Using Elasticsearch](#) [View article](#), [DNS tunneling Detection Using Elasticsearch](#) [PDF](#), [DNS tunneling Detection Using Elasticsearch](#)

012065

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Identifying Morphology of The Rat Flea Arthropod as a Vector of Plague Disease Based Microscopic Image](#)

I Muhimmah, N Lusiayana and Fatmawati

[Open abstract](#), [Identifying Morphology of The Rat Flea Arthropod as a Vector of Plague Disease Based Microscopic Image](#) [View article](#), [Identifying Morphology of The Rat Flea Arthropod as a Vector of Plague Disease Based Microscopic Image](#) [PDF](#), [Identifying Morphology of The Rat Flea Arthropod as a Vector of Plague Disease Based Microscopic Image](#)

012066

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Sustainable risk mitigation in manufacturing company](#)

E Kusriani and S Handayani

[Open abstract](#), Sustainable risk mitigation in manufacturing company [View article](#), Sustainable risk mitigation in manufacturing company [PDE](#), Sustainable risk mitigation in manufacturing company

012067

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Solution-Based Learning Implementation in Design Course](#)

Risdiyono

[Open abstract](#), Solution-Based Learning Implementation in Design Course [View article](#), Solution-Based Learning Implementation in Design Course [PDE](#), Solution-Based Learning Implementation in Design Course

012068

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Implementation of Market Basket Analysis based on Overall Variability of Association Rule \(OCVR\) on Product Marketing Strategy](#)

Alfiqra and A U Khasanah

[Open abstract](#), Implementation of Market Basket Analysis based on Overall Variability of Association Rule (OCVR) on Product Marketing Strategy [View article](#), Implementation of Market Basket Analysis based on Overall Variability of Association Rule (OCVR) on Product Marketing Strategy [PDE](#), Implementation of Market Basket Analysis based on Overall Variability of Association Rule (OCVR) on Product Marketing Strategy

012069

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Design of Power Monitoring Application](#)

A Surriani, A B Pradana, M Arrofiq, J T Putra, M Budiyanto and L Subekti

[Open abstract](#), Design of Power Monitoring Application [View article](#), Design of Power Monitoring Application [PDE](#), Design of Power Monitoring Application

012070

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Practical Application Of Reinforcement Of Remazol Dyes Substance On The Quality Of Cotton Material Using Fixation Waterglass](#)

Ab D Khaliq, A Chafidz, F I Rahmillah, W. N. Dahliani and Y N Iffah

[Open abstract](#), Practical Application Of Reinforcement Of Remazol Dyes Substance On The Quality Of Cotton Material Using Fixation Waterglass [View article](#), Practical Application Of Reinforcement Of Remazol Dyes Substance On The Quality Of Cotton Material Using Fixation Waterglass [PDE](#), Practical Application Of Reinforcement Of Remazol Dyes Substance On The Quality Of Cotton Material Using Fixation Waterglass

012071

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Proposing a More Efficient Maintenance Scheduling for an Overhaul Maintenance Project in Engineering Asset Management](#)

W N Cahyo, F W Hasibuan and A P Hendradewa

[Open abstract](#), Proposing a More Efficient Maintenance Scheduling for an Overhaul Maintenance Project in Engineering Asset Management [View article](#), Proposing a More Efficient Maintenance Scheduling for an Overhaul Maintenance Project in Engineering Asset Management [PDE](#), Proposing a More Efficient Maintenance Scheduling for an Overhaul Maintenance Project in Engineering Asset Management

012072

THE FOLLOWING ARTICLE IS OPEN ACCESS

[5S Implementation of SME Readiness in Meeting Environmental Management System Standards based on ISO 14001:2015 \(Study Case: PT. ABC\)](#)

D F Viranda, A D Sari, M R Suryoputro and N Setiawan

[Open abstract](#), [5S Implementation of SME Readiness in Meeting Environmental Management System Standards based on ISO 14001:2015 \(Study Case: PT. ABC\)](#) [View article](#), [5S Implementation of SME Readiness in Meeting Environmental Management System Standards based on ISO 14001:2015 \(Study Case: PT. ABC\)](#) [PDF](#), [5S Implementation of SME Readiness in Meeting Environmental Management System Standards based on ISO 14001:2015 \(Study Case: PT. ABC\)](#)

012073

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Impact Modeling of Bio-Textile Composite from Agave and Pineapple Leaf Fibers with Sandwich Structure](#)

A Subagyo and T M Amin

[Open abstract](#), [Impact Modeling of Bio-Textile Composite from Agave and Pineapple Leaf Fibers with Sandwich Structure](#) [View article](#), [Impact Modeling of Bio-Textile Composite from Agave and Pineapple Leaf Fibers with Sandwich Structure](#) [PDF](#), [Impact Modeling of Bio-Textile Composite from Agave and Pineapple Leaf Fibers with Sandwich Structure](#)

012074

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Development of fermented vegetables in their ability to inhibit pancreatic lipase as antidyslipidemic agent](#)

Y Maryati, A Susilowati and Aspiyanto

[Open abstract](#), [Development of fermented vegetables in their ability to inhibit pancreatic lipase as antidyslipidemic agent](#) [View article](#), [Development of fermented vegetables in their ability to inhibit pancreatic lipase as antidyslipidemic agent](#) [PDF](#), [Development of fermented vegetables in their ability to inhibit pancreatic lipase as antidyslipidemic agent](#)

012075

THE FOLLOWING ARTICLE IS OPEN ACCESS

[An ergonomic, mobile and portable design of porang cutting and drying machine on motorcycle](#)

E Nurmianto, A Anzip and D E Kusri

[Open abstract](#), [An ergonomic, mobile and portable design of porang cutting and drying machine on motorcycle](#) [View article](#), [An ergonomic, mobile and portable design of porang cutting and drying machine on motorcycle](#) [PDF](#), [An ergonomic, mobile and portable design of porang cutting and drying machine on motorcycle](#)

012076

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Ni Metal Extraction with Surfactant Variation on Double Surfactant Emulsion Liquid Membrane Technology](#)

Yuliusman, A R Nafish, C S Salsabila, M P Ayu and M Isa

[Open abstract](#), [Ni Metal Extraction with Surfactant Variation on Double Surfactant Emulsion Liquid Membrane Technology](#) [View article](#), [Ni Metal Extraction with Surfactant Variation on Double Surfactant Emulsion Liquid Membrane Technology](#) [PDF](#), [Ni Metal Extraction with Surfactant Variation on Double Surfactant Emulsion Liquid Membrane Technology](#)

012077

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Platinum Recovery from Spent CCR Platforming Catalyst with Oxalic Acid and Aqua Regia Leaching](#)

Yuliusman, L P D I Prawira, A R Nafisah, K S Amananti, M P Ayu and M Isa

[Open abstract](#), [Platinum Recovery from Spent CCR Platforming Catalyst with Oxalic Acid and Aqua Regia Leaching](#) [View article](#), [Platinum Recovery from Spent CCR Platforming Catalyst with Oxalic Acid and Aqua Regia Leaching](#) [PDE](#), [Platinum Recovery from Spent CCR Platforming Catalyst with Oxalic Acid and Aqua Regia Leaching](#)

012078

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Proposed Reaction Mechanism of Chitosan-graft-Maleic from Chitosan and Maleic Anhydride](#)

D Timotius, Y Kusumastuti, N R E Putri and Rochmadi

[Open abstract](#), [Proposed Reaction Mechanism of Chitosan-graft-Maleic from Chitosan and Maleic Anhydride](#) [View article](#), [Proposed Reaction Mechanism of Chitosan-graft-Maleic from Chitosan and Maleic Anhydride](#) [PDE](#), [Proposed Reaction Mechanism of Chitosan-graft-Maleic from Chitosan and Maleic Anhydride](#)

012079

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Study of Energy Saving Performance Contracts Application for Electrical Energy Efficiency in Industrial and Commercial Sectors](#)

F S Sanvia, I Garniwa, G Alvianingsih and D R Aryani

[Open abstract](#), [Study of Energy Saving Performance Contracts Application for Electrical Energy Efficiency in Industrial and Commercial Sectors](#) [View article](#), [Study of Energy Saving Performance Contracts Application for Electrical Energy Efficiency in Industrial and Commercial Sectors](#) [PDE](#), [Study of Energy Saving Performance Contracts Application for Electrical Energy Efficiency in Industrial and Commercial Sectors](#)

012080

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Making of bioethanol banana weevil as renewable energy](#)

Ab D Khaliq, A Chafidz, M A Lukman and I Kholil

[Open abstract](#), [Making of bioethanol banana weevil as renewable energy](#) [View article](#), [Making of bioethanol banana weevil as renewable energy](#) [PDE](#), [Making of bioethanol banana weevil as renewable energy](#)

012081

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Influence of Transglutaminase Enzyme Incorporated into Protein based Edible Coating for Preservation of Spanish Mackerel Fish \(Scomberomorus commersoni\)](#)

S Karina and Setiadi

[Open abstract](#), [Influence of Transglutaminase Enzyme Incorporated into Protein based Edible Coating for Preservation of Spanish Mackerel Fish \(Scomberomorus commersoni\)](#) [View article](#), [Influence of Transglutaminase Enzyme Incorporated into Protein based Edible Coating for Preservation of Spanish Mackerel Fish \(Scomberomorus commersoni\)](#) [PDE](#), [Influence of Transglutaminase Enzyme Incorporated into Protein based Edible Coating for Preservation of Spanish Mackerel Fish \(Scomberomorus commersoni\)](#)

PAPER • OPEN ACCESS

Evaluation of the Centralized HVAC Chilled Water Pumps of Suranaree University of Technology Hospital Main Building

To cite this article: A Prasetyadi and A Koonsrisuk 2020 *IOP Conf. Ser.: Mater. Sci. Eng.* **722** 012006

View the [article online](#) for updates and enhancements.



LIVE AWARDS AND SPECIAL EVENTS

PLENARY LECTURE:
"Perovskite Solar Cells: Past 10 Years and Next 10 Years" with *Nam-Gyu Park*

LEGENDS OF BATTERY SCIENCE:
A Celebration with *M. Stanley Whittingham* and *Akira Yoshino*

PRiME 2020 • October 4-9, 2020
Hosted daily: 2000h ET & 0900h JST/KST

PRIME™
PACIFIC RIM MEETING
ON ELECTROCHEMICAL
AND SOLID STATE SCIENCE
2020

**ATTENDEES
REGISTER FOR FREE ▶**

The banner features several logos and portraits: a green 'e' logo, a circular portrait of Nam-Gyu Park, a circular portrait of M. Stanley Whittingham, a circular portrait of Akira Yoshino, and the Electrochemical Society logo.

Evaluation of the Centralized HVAC Chilled Water Pumps of Suranaree University of Technology Hospital Main Building

A Prasetyadi^{1,2} and A Koonsrisuk¹

¹ School of Mechanical Engineering, Suranaree University of Technology, Nakhon Ratchasima 30000, Thailand

² Department of Mechanical Engineering, Universitas Sanata Dharma, Yogyakarta 55281, Indonesia

E-mail: pras@usd.ac.id

Abstract. Pumps are the main issue of the chilled water distribution in a centralized system. In purpose of evaluating the chiller pump system of the centralized HVAC for Suranaree University of Technology Hospital (SUTH) main building, a model comprised evaporator, pump and pipe network was proposed. An analysis of energy rate losses due to pressure losses was applied in a model composed of vertical and horizontal distribution pipes. Pressure loss in pipes was assumed to follow Darcy-Weisbach equation. The resistance of the systems were also calculated. The results show that distribution of losses in vertical shaft and stories were unequal. The pressure loss and energy rate loss were function of flow-rate. But the resistance was an inverse function of the flow-rate. The difference distribution emphasized the need of reconfiguring chilled water pump for accommodating flexibility usage.

1. Introduction

Centralized HVAC is a common method for large building as it has high cooling load. The centralized HVAC works more efficiently than split system when the system needs high heat rejection at the same time. A centralized system works with less moving parts, higher heat working fluid capacity and higher COP [1]. Less moving parts mean less maintenance. Higher heat working fluid capacity can handle more heat rejection load. The COP tells energy consumption over heat rejection. Therefore, the centralized HVAC system is preferable for large system. However, the high capacity system has vulnerability of load variation range.

Variation of load in a HVAC system can degrade the efficiency of the system. Out of designed working point, the efficiency of the system mostly decreases. Because the centralized HVAC depends on pumps for transferring heat among the components, increasing load above the designed load forces the pumps to increase the flow rate of working fluid. It implies higher flow rate and less efficient motor. When the load is less than it designed, the pump can work better, but the motor might work at less efficient condition.

Variable speed motor is proposed for variable load system. Variable speed motor can work over long range speed with high efficiency [2]. Therefore, load variation does not affect the performance of motor. When the load increases, the motor can adjust the speed to provide higher pressure and vice versa. To set at high performance, control system of the motor is important. Unfortunately, the



variable speed motor is still has problem of the high range variety and the price could be very high for a high capacity motor and its controller.

Constructal law emphasizes a design to follow the nature design in order to get high efficiency. Combination of few larges and many smalls is considered the best design as the nature shows in many nature flows [3]. It has been studied in many engineering area such as cooling system [4]–[6], heat storage [7], and energy harnessing [8]. These studies focused on design base and not for retrofitting the established system.

The objective of the study is to evaluate the chilled water pumps of HVAC system in a multi-story building, the main building of Suranaree University of Technology Hospital (SUTH). Evaluation of centralized HVAC system pump can be considered as the compromise between high variety of load and large system [1]. Moreover, it is also a new field of constructal law area to be more practical in established system. In order to evaluate the HVAC system in large building with high load variety in term of constructal study, a case of SUTH main building is proposed.

The structure of the article is mainly composed of introduction, methodology, result and discussion, and conclusion. At the introduction, the state of the problem is presented to show the research gap of the proposed topic. The methodology part consists of description of the HVAC system of SUTH main building and its performance records. In this part, the model of the system will be presented for evaluating the performance. Result will have some data that show analysis of the performance at the current condition. Conclusion will close the paper with some main trend found.

2. Methodology

2.1. Centralized HVAC of SUTH main building

Rattanjapevat is the operational main building of Suranaree University of Technology Hospital. It has 12 floors which has been functioned as the administration building, OPD clinics, wards, operation rooms, emergency, pharmacy, laboratories and some support systems. The clinics areas are distributed in 1st, 2nd, and 3rd floors. The administration office is centered at 4th floor. The operation rooms are located in 5th floor. The 6th floor is dedicated for delivery, while the 7th floor is the place for intensive care units. Hemodialysis machines and its recovery rooms are located in 8th floors. The rest floors; they are 9th – 11th, are wards for women, men, and VIP, respectively. The ground floor is the place for some support systems, they are engineering, CCDS, pharmacy stocks, securities, and morgue.

Total HVAC system capacity of the building is 750 TR which consists of 3 chillers with 250 TR each. The system is also supported by 3 x 30 kW CDPs, 3 x 37 kW CHPs and 3 x 3.8 million BTU/hr. The coil units capacity of the building is 7.2 million BTU/hr. The chilled water flow-rate capacity of the building is 83.9 l/s. The chilled water is designed to work at 7-13.5°C. The chilled water output pressure is set to be 65 psi. The condenser water pumps have to manage 40 psi pressure head loss compensation.

The chilled water is distributed to the building by 3 x 37 kW pumps operated alternately. Every time, only two of the three pumps work. These pumps are connected to vertical main shaft of 10" pipe. The shaft is connected to distribution pipes in every floor. Different sizes of pipes are applied for the distribution pipes. Some floors have equal size of the supply and return pipes. Some of them have different sizes for the reason of price. The size of the pipes for the HVAC and the chilled water flow-rate of the system are provided in table 1. The designation of the stories follows the building condition. The 0 and 12 are used for the basement and rooftop, respectively. This chilled water flow-rates also show the cooling capacity in respective floors.

The chilled water is assumed to be distributed in proportional velocity at steady state condition. The valves are set to provide proportional water flowing at every floor according the capacity of the cooling system. The relationship of the chilled water flow-rate and pressure difference at the evaporator is determined by equation (1) as provided by the provider company [9]. The pressure difference is in psi and the flow-rate is in gallon per minute. The model of the chiller system is

provided at figure 1. As the input of the pump is set to be 65 psi, the pressure loss of the pipes network follows equation (2).

$$Q_{chw} = -0.0226\Delta p_{ev}^2 + 8.9826\Delta p_{ev} + 136.65 \quad (1)$$

$$\Delta p_n = -3 \times 10^{-10} Q^4 + 4 \times 10^{-7} Q^3 + 1 \times 10^{-4} Q^2 + 0.0309Q + 0.6721 \quad (2)$$

Table 1. Story, chilled water flow-rate, and pipe sizes.

Name	Story		Water (l/min)	Inhabitant (day equivalent)	pipe size	
	Designation				S (inch)	R (inch)
Ground	0		77.84	18	3	3
1	1		236.10	55	4	4
2	2		203.43	23	4	4
3	3		137.43	23	2	3
4	4		110.60	7	2	3
5	5		120.34	13	2	3
6	6		123.26	5	2	3
7	7		100.65	14	2	3
8	8		86.66	17	2	3
9	9		22.10	25	2	3
10	10		22.10	29	2	3
11	11		74.36	17	2	3
R	12		15.00	1	2	3




Figure 1. Model of the chilled water loop of the HVAC.

2.2. The evaluation of the chilled water pump configuration

There are two questions of the configuration in chilled water distribution problem. The first question is distributing cooling water as load needed. The second question is minimum energy to flow the chilled water to the load which has horizontal and vertical part. The first question can be considered as sufficiency problem of the chilled water. Assuming load as proportional to number of people and its density is proportional to the area, it can be inferred that the scale of the load is L^2 . L is length scale. At the same time the chilled water flow-rate expresses the cooling capacity of the network in a story. Higher water flow-rate means higher cooling capacity and vice versa.

To evaluate the chilled water pump, distribution of chilled water is mapped. To simplify the system, a model as shown in figure 2 is proposed. The model consists of evaporator, pump, and pipe networks which their flow rates and pressure difference. The pipes network is composed of shafts (main pipes), and story distribution pipes. The story pipe line is described as a single equal diameter

line connecting inlet main shaft and outlet main shaft. It is assumed to be a single segment which has pressure difference between its inlet and outlet. Every main shaft segment connecting two adjacent stories is assumed to be a single segment. In the model, the segment has its own pressure difference and flow rate.




Figure 2. The model of chilled water loop and its pressure and flow-rate.

The pressure of the loop can be shown in equation (3) with η as the total efficiency of pump and motor. As the figure 2 shows, the Δp_n is the pressure of the network and the Δp_{ev} is the pressure difference of evaporator inlet-outlet.

$$\Delta p_n + \Delta p_{ev} = \eta \Delta p_{pump} \tag{3}$$

The pressure of network is composed of pressure of main pipes (Δp_s and Δp_r) and pressure of a story load (Δp_L), that generally can be formed as equation (4).

$$\Delta p_n = \Delta p_s + \Delta p_r + \Delta p_L \tag{4}$$

The total load pressure is equal to load pressure at ground Δp_{L0} and accumulation of other load pressure added by pressure loss at shaft between the ground and the 1st floor. Equations (5) and (6) show the relationship of the pressures.

$$\Delta p_L = \Delta p_{s1} + \Delta p_{r1} + \Delta p_{n1} \tag{5}$$

$$\Delta p_L = \Delta p_{L0} \tag{6}$$

At the branches, equations (7) and (8) take place.

$$Q_{Li} + Q_{S(i+1)} = Q_{Si} \tag{7}$$

$$\Delta p_{Li} = \Delta p_{si} + \Delta p_{ri} + \Delta p_{ni} \tag{8}$$

It can be inferred, that equation (4) can be formed as equation (9).

$$\Delta p_n = \sum_i \Delta p_{si} + \sum_i \Delta p_{ri} + \Delta p_{L12} \tag{9}$$

The flow-rate can be also shown as equation (10).

$$Q_s = \sum_i Q_{Li} \quad (10)$$

According the Darcy Weisbach equation for the pipe, $\Delta p = f_D \rho 8LQ^2 / \pi^2 D^5$, therefore it can be formed equations (11) and (12) that resembles the electricity equation with the current as volume flow-rate rather than mass flow-rate as Bejan did [10] for the reason of incompressibility of the fluid.

$$\dot{E} = \frac{f_D \rho 8LQ^3}{\pi^2 D^5} \quad (11)$$

$$R = \frac{f_D \rho 8LQ}{\pi^2 D^5} \quad (12)$$

The pressure head difference of the adjacent stories can be inferred as equation (13). The first term is the height effect and the second is length effect.

$$\Delta p_{si} = \rho g \Delta h_i + \frac{f_D \rho 8 \Delta h_i Q_i^2}{\pi^2 D^5} \quad (13)$$

The equation (13) emphasizes that the pressure difference of the shaft is proportional to the acceleration of the fluid flow along the vertical shaft. It also happens in horizontal pipes. While at the vertical shaft the potential part is in opposite direction between supply and return, therefore this part collapses in calculation.

Derivation of the pumping power against the pressure different can be shown as in equation (14).

$$\frac{d\dot{E}}{d\Delta p} = 3C_1 \Delta p^{\frac{1}{2}} \quad (14)$$

Equation (14) implies that power of pump is a function of pressure difference by power of 3/2. The derivation of power against flow-rate gives equation (15). The derivation of flow-rate against pressure difference is shown in equation (16).

$$\frac{d\dot{E}}{dQ} = C_2 Q^2 = 3\Delta p \quad (15)$$

$$\frac{dQ}{dp} = C_1 \Delta p^{\frac{1}{2}} \quad (16)$$

For vertical pipe in multistory building, the flow-rate of the vertical main pipe between two adjacent stories can be assumed as iterative function as equation (17).

$$Q_{si} = \sum_{j=i}^n Q_j \quad (17)$$

Equation (13) implies that the pressure difference of vertical pipe is proportional to the height difference and the acceleration. Therefore, it can be formed into equation (18).

$$\frac{d\dot{E}}{dQ} = C_2 Q^2 + C_4 \quad (18)$$

The first term comes from the pressure different of the kinetic and the second from the potential.

3. Result and Discussion

At current operational condition the power of pumping is the function of the total flow-rate. The total flow-rate is determined from equation (1). The total flow-rate is quadratic function of the pressure difference at evaporator. Therefore a pressure difference at evaporator determines power of the pump for distributing the chilled water. Applying single primary pump only for the system, the power of the pump for distributing the chilled water according the flow-rate is shown in figure 3. The function of the pump can determined from equations (1), (2) and (3).




Figure 3. Pump power as function of chilled water flow-rate. The power is scaled into C1.




Figure 4. The distribution of energy loss in vertical shaft.




Figure 5. The distribution of energy loss in story.

The energy loss at vertical shaft and at the stories can be traced from equations (13) and (15). Assuming the proportions of the flow rate are equal to the maximum capacity, the energy lost at vertical shaft can be shown in figure 4. Transferring chilled water from the evaporator to the ground story chilled water network is the place where most of the vertical energy loss happened, while transferring chilled water to the roof-top is the least energy consumer.

The energy loss at vertical shaft depends on flow-rate and the height. The distribution of the energy loss according the story shows that vertical effect is far less than energy loss at the story. The pressure loss at vertical shaft for the ground story is ranging from 0.0% - 0.25% of the total pressure loss. Flow rate is more dominant in determining energy loss in distribution of the chilled water than the height.

The maximum delta pressure of the story took place at the ground floor, but the minimum delta pressure happened at the rooftop. Range of the delta pressure between the inlet and outlet at the story is 565.1 – 568.1 kPa at 50 liter/second flow rate of the chilled water. The resistance of the flow at the equal chilled water flow-rate shows different trend. The range of the resistance is 64.39 kPa s/m³ at the 1st story until 1012.68 kPa s/m³ at the rooftop. It is clear that the chilled water flow-rate at the 1st story is the highest and the lowest took place at roof-top. The complete pressure difference among inlet and outlet of the stories, flow-rates of the chilled water at the stories, and the respective resistance are shown in table 2.

The pressure loss at stories is function of the chilled water flow-rate. Figure 6 shows the relation of the pressure loss and the flow-rate as a linear function. Increasing the chilled water flow-rate increases

the pressure loss at the stories linearly. The normalization of the system shows that the increasing takes place proportionally according to the flow-rate.

Horizontal energy rate loss does not depend on the story position. But it depends on the flow-rates and diameter of the pipes as shown in table 1 and table 2. The relation of the energy rate loss and the flow-rate of chilled water is also presented in figure 7. The resistance of the story is also a function of flow-rate as shown in figure 8. Considering relation of equation (13), it shows that the coefficient is a function of flow-rate which is confirming figure 6. This condition emphasizes necessity of considering the constructal configuration at the story as mentioned by Xia [11].

Table 2. The pressure, flow-rate, and resistance of the stories at 50 liter/second flow-rate.

Story	Δp_{Li} (Pa sec/m ³)	Q_{Li} (liter/sec)	R_{Li} (Pa sec/m ³)
0	5.66 10 ⁵	2.90 10 ⁰	1.95 10 ⁵
1	5.66 10 ⁵	8.78 10 ⁰	6.44 10 ⁴
2	5.65 10 ⁵	7.57 10 ⁰	7.47 10 ⁴
3	5.65 10 ⁵	5.11 10 ⁰	1.11 10 ⁵
4	5.65 10 ⁵	4.11 10 ⁰	1.37 10 ⁵
5	5.65 10 ⁵	4.48 10 ⁰	1.26 10 ⁵
6	5.65 10 ⁵	4.59 10 ⁰	1.23 10 ⁵
7	5.65 10 ⁵	3.74 10 ⁰	1.51 10 ⁵
8	5.65 10 ⁵	3.22 10 ⁰	1.75 10 ⁵
9	5.65 10 ⁵	8.22 10 ⁻⁰	6.87 10 ⁵
10	5.65 10 ⁵	8.22 10 ⁻⁰	6.87 10 ⁵
11	5.65 10 ⁵	2.77 10 ⁰	2.04 10 ⁵
12	5.65 10 ⁵	5.58 10 ⁻⁰	1.01 10 ⁶

Unequal distribution of the vertical and story energy loss shows the importance of reconfiguring the pumps of the chilled water in order to minimize the effect of loss. Controlling single primary pump as the current operational condition assumed equal distribution of the vertical and story losses. Increasing power of the pump will increase the water flow-rate proportionally according to the valves setting. At this condition, losses at stories are assumed in accordance with the position. Adjustment of valves should be conducted to allow the change of flow rates. Optimum condition is hardly achieved as the reason of the distribution. In this case, flexibility is important due to interrelation as shown in figure 6, figure 7, and figure 8. Secondary pumps in stories are suggested [2].




Figure 6. Pressure loss at stories as function of flow-rate.




Figure 7. The energy rate loss as function of flow-rate.




Figure 8. Resistance of the stories as function of normalized flow-rate.

4. Conclusion

The evaluation of the centralized HVAC system at SUTH main building was conducted in order to consider retrofitting the pump configuration. The work shows that distribution of losses at vertical shaft and stories are unequal. The energy losses and pressure losses at the stories are linear function of flow-rate in normalized way. The resistances of stories are inverse function of normalized flow-rate. Simple configuration using single primary pump for the system has drawback of losses at some stories which do not need it. It is suggested applying secondary pumps in every story.

Acknowledgement

The authors would like to express gratitude to SUT for providing the Postgraduate Scholarships for Foreign Students to the first author and Yayasan Sanata Dharma for the support attending the conference. The authors also express their sincere thanks to the SUTH director, Dr. Niwatchai Namvichaisirikul, and the staff of the Engineering and Maintenance Department at SUTH, particularly Mr. Watcharin Singtana, Mr. Songkrit Jitpakdeebordin, Mr Chaleomkiat Kaewkurn, Mr. Prashya Suranachit, and Ms. Naphatthira Decheerawas.

References

- [1] Perez-Lombard L, Ortiz J and Maestre I R 2011 *Appl. Energy* **88** 5020–31
- [2] Tirmizi S A, Gandhidasan P and Zubair S M 2012 *Appl. Energy* **100** 238–48
- [3] Bejan A and Lorente S 2011 *Phys. Life Rev* **8** 209–40
- [4] Ghodoossi L and Eğrican N 2004 *Energy Convers. Manag.* **45** 811–828
- [5] Adewumi O O, Bello-Ochende T and Meyer J P 2013 *Int. J. Heat Mass Transf* **66** 315–23
- [6] Kalbasi R and Salimpour M R 2015 *Appl. Therm. Eng.* **84** 339–49
- [7] Miguel A F 2008 *Energy Build.* **40** 1020–30
- [8] Lorente S, Koonsrisuk A and Bejan A 2010 *Int. J. Green Energy* **7** 577–92
- [9] TRANE 2012 *Installation, Operation and Maintenance Series R[®] Rotary Liquid Chillers Water-Cooled and Compressor-Chillers* (Ingersoll Rand) p 215
- [10] Bejan A and Lorente S 2008 *Design with Constructal Theory* (New Jersey: John Wiley and Son) p 517
- [11] Xia L, Lorente S and Bejan A 2011 *Int. J. Energy Res.* **35** 806–12