



Forthcoming

Taxonomic notes on two endemic species of Oberonia Lindl. from Western Ghats, India

K Kiruthika, M Sulaiman, C Murugan

PDF
CHECK FOR UPDATES

Strategies of NHX antiporters to deal with salt stress

Mostapha Maach, Mustapha Akodad, María Pilar Rodríguez-Rosal, Kees Venema, Ali Skalli, Hanane Ait Hmeid, Hamza El haddaji, Hicham Gueddari, Mourad Baghour

PDF
CHECK FOR UPDATES

Bio-efficacies of essential oils against food-borne bacteria

Deepika Beniwal, Sarika Gupta

PDF
CHECK FOR UPDATES

In silico molecular docking, antimicrobial and anti-inflammatory activities of bioactive fractions of Citrus sinensis (L.) Osbeck. peel against oral pathogens in dental caries

Satyaprakash Dehury, Priyanka Priyadarsini, Ashirbad Nanda, Debasmita Dubey, Sandeep Kumar Swain, Biswajit Samantaray, Barsha Tripathy, Satish Kanhar

PDF
CHECK FOR UPDATES

Physicochemical characterization of commercially available Dhanwantharam Mezhpakam - An Ayurvedic oil formulation

Mansee Thakur , Amita Kirar, Tejaswini Tajne, kapil Singh Thakur, Mini Mol, Himanshu Gupta

PDF
CHECK FOR UPDATES

Variation in oxidative defense system and physiological traits in Maize under drought stress

Monireh Shahimoghadam, Ali Asghari, Sajjad Moharramnejad, Zahra Dehghanian, Sandeep Kumar Singh, Krishna Moorthy Sivalingam, Senapathy Marisennayya

PDF
CHECK FOR UPDATES

Phryma leptostachya L. (Phrymaceae): an addition to the flora of Western Himalayas, India

Naresh Kumar, Konickal Mambetta Prabhukumar, Dhani Arya, Tikam Singh Rana

PDF
CHECK FOR UPDATES

Kigelia africana (Lam.) Benth. fruit inhibits iron-induced lipid peroxidation and ?-amylase enzyme activity

Esther Oremeyi Faboro, Akingbolabo Daniel Ogunlakin, Peluola Olujide Ayeni, Oluwatunmise Deborah Opaleye, Oluwafemi Adeleke Ojo, Omolola Adenike Ajayi-Odoko, Damilare IyinKristi Ayokunle, Mubo Adeola Sonibare, Abdullah Rajaa Alanzi

PDF
CHECK FOR UPDATES

Studies in the seed ecology and seedling Phenology of Andrographis paniculata (Brum. f.) Wall. ex Ness in West Bengal, India

Arijit Kundu, Sourabh Bisui, Ujjwal Layek, Prakash Karmakar

PDF
CHECK FOR UPDATES

Pilih Bahasa

MAKE A SUBMISSION

ANNOUNCEMENTS

New Special Issue: International conference on Multidisciplinary Approaches to SDGs: Life Sciences Perception

5 February 2024

The special issue aims to make a comprehensive compilation of papers presented during the International conference on Multidisciplinary Approaches to SDGs: Life Sciences Perception.

CALL FOR PAPERS for Special Issue: Recent advances in ethnobotanical research

13 November 2023

The special issue aims to make a comprehensive compilation of articles on ethnobotany.

Plant Science Today Receives Its First Journal Impact Factor!

16 July 2023

The journal has received an impressive impact factor of 0.9 as given in the latest Journal Citation Reports.

TWEETS BY @PST

CURRENT ISSUE

Lectotypification of two names in Urochloa P.Beauv (Poaceae: Paniceae)

Shubham Jaiswal, Dileshwar Prasad, Rekha Yadav, Sangam Sharma, Virendra K. Madhukar, Priyanka Agnihotri

 [PDF](#)  [CHECK FOR UPDATES](#)

 1.0

 2.0

 1.0

Effects of electromagnetic waves on parameters, hydration and in vitro antimicrobial activity of the Brassica oleracea L. var. italica Plenck. and water

Ignat Ignatov, Fabio Huether, Teodora P. Popova, Alexander I. Ignatov, Mario T. Iliev, Chavdar Stoyanov

 [PDF](#)  [CHECK FOR UPDATES](#)

Marker assisted breeding of Sub1 introgressed rice (Oryza sativa L.) lines and identification of stable variety MTU 1232 suitable for flood prone ecosystem

Girija Rani Merugumala, Satyanarayana P. V, Venkata Ramana Rao P, Suryanarayana Y, Singh N. K, Kodayya K, Kasturi T, Ravi Kumar B.N.V.S.R, Chamundeswari N, Srinivas T, Suneetha Y

 [CHECK FOR UPDATES](#)  [PDF](#)

Nutrient management through organic amendments to ensure sustainable and economic cultivation of radish

Shekhar Suman; Shailesh Kumar Singh; Dashrath Bhati

 [PDF](#)  [CHECK FOR UPDATES](#)

Biotoxicity and repellency of Vitex negundo (L.) oil nanoemulsion towards Rhyzopertha dominica (F.) on stored rice

Prajna Prakash Mishra, P R Mishra, Totan Adak, Basana Gowda G, Guru Pirasanna Pandi G, Prasanthi Golive, P C Rath, Susanta Kumar Das, Naveenkumar B. Patil

 [PDF](#)  [CHECK FOR UPDATES](#)

Ecological factors and morphological traits of Coffea Liberia Hiern in Kalipuro District, Banyuwangi Regency

Naila Izzatul Mukhoyyaroh, Rodiyati Azrianingsih, Luchman Hakim

 [PDF](#)  [CHECK FOR UPDATES](#)

Effects of concentration and time of brassinosteroid treatment on growth and yield of soybean under drought stress conditions

Van Hai Phan, Thuong Thi Hoai Le, Duy Minh Pham, Lieu Thi Thuy Nguyen, Kiet Cao Nguyen, Tri Minh Bui

 [PDF](#)  [CHECK FOR UPDATES](#)

A comprehensive review of physiological and phytochemical adaptations in German chamomile (Matricaria chamomilla L.) in response to abiotic stress and factors

Subhdara, Kamla Dhyani Jakhmola, Divyansh Panthari

 [PDF](#)  [CHECK FOR UPDATES](#)

Evaluation of saline water effects on use efficiency and soil nutrient availability of maize (Zea mays L.) under drip fertigation

Divya Sree Govada, Anny Mrudhula.K , Sunil Kumar, Medida, Ramesh G, Kishore Babu, G, Siddartha Naik, B

 [PDF](#)  [CHECK FOR UPDATES](#)

Secondary Metabolite Profile in Mature and Old Leaves of Four Piper Species: Forest Betel (Piper aduncum L.), Red Betel (Piper crocatum Ruiz & Pav.), Javanese Chili Betel (Piper retrofractum Vahl.), and Green Betel (Piper betle L.)

Yustina Sri Hartini, Utaminingsih, Jeffry Julianus, Christine Patramurti, Laurentius Hartanto Nugroho

 [PDF](#)  [CHECK FOR UPDATES](#)

**A Comprehensive study of wheat genotypes for combining ability and heritability in drought tolerance**

Sandeep Kaur, Anupam Kumar

 [PDF](#)

 [SUPPLEMENTARY FILE](#)

 [CHECK FOR UPDATES](#)

**Assessment of heavy metal accumulation and its effect on phytochemical profiling in *Jacobaea maritima* (L.) Pelser & Meijden**

William Joseph Kamal Satuluri, Jobi Xavier

 [PDF](#)

 [CHECK FOR UPDATES](#)

**Identification of potential morpho-biochemical determinants conferring salt tolerance in wheat (*Triticum aestivum* L.) through seedling- and -reproductive stage phenotyping**

Shahnaj Akter, Shafiul Islam, Noushin Chowdhury, Sheikh Mahfuja Khatun, Md. Motiar Rohman, Lutful Hassan, Mohammad Anwar Hossain

 [PDF](#)

 [CHECK FOR UPDATES](#)

---

Platform &  
workflow by  
**OJS / PKP**



[HOME](#) / Editorial Team

## Editorial Team

### EDITOR-IN-CHIEF

#### [Dr. K K Sabu](#)

Biotechnology and Bioinformatics Division  
Jawaharlal Nehru Tropical Botanic Garden and Research Institute  
India  
Expertise: Plant Molecular Biology, Functional Genomics, Quantitative Genetics  
[sabu@jntbgri.res.in](mailto:sabu@jntbgri.res.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

### ASSOCIATE EDITORS

#### [Dr. Afroz Alam](#)

Department of Bioscience and Biotechnology  
Banasthali Vidyapith  
India  
Expertise: Bryophytes, Plant Systematics, Plant Physiology, Ecology, Ethnobotany, Biodiversity  
[aafroj@banasthali.in](mailto:aafroj@banasthali.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

#### [Dr. Ajar Nath Yadav](#)

Department of Biotechnology  
Eternal University  
India  
Expertise: Microbial Biotechnology, Plant Microbe Interaction  
[ajar@eternaluniversity.edu.in](mailto:ajar@eternaluniversity.edu.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

#### [Prof. Josef Maroušek](#)

Department of Faculty of Technology  
Institute of Technology and Business  
Czech Republic  
Expertise: Biochar, soil organic matter, nutrient bioavailability, biowaste, biofuels  
[marousek@vste.cz](mailto:marousek@vste.cz) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

#### [Prof. Fatima Lamchouri](#)

Department of Biology  
Polydisciplinary Faculty of Taza, Sidi Mohamed Ben Abdellah University of Fez  
Morocco  
Expertise: Ethnopharmacology & Ethnobotany; Natural Substances; Phytochemistry & Biochemistry Pharmacology; Environment; Molecular modelling; Responsible science  
[fatima.lamchouri@usmba.ac.ma](mailto:fatima.lamchouri@usmba.ac.ma) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

#### [Dr. Deepu Sivadas](#)

Forest Ecology Department, Division of Forest Ecology and Biodiversity Conservation  
Kerala Forest Research Institute  
India  
Expertise: Plant Population Structure & Dynamics, Systematics, Nomenclature, Nature-based Solutions, Ecosystem Dynamics, Landscape Ecology  
[deepu@kfri.res.in](mailto:deepu@kfri.res.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

#### [Prof. Denilson de Oliveira Guilherme](#)

Department of Agronomy

Pilih Bahasa ▾

### MAKE A SUBMISSION

### ANNOUNCEMENTS

[New Special Issue: International conference on Multidisciplinary Approaches to SDGs: Life Sciences Perception](#)

**5 February 2024**  
The special issue aims to make a comprehensive compilation of papers presented during the International conference on Multidisciplinary Approaches to SDGs: Life Sciences Perception.

[CALL FOR PAPERS for Special Issue: Recent advances in ethnobotanical research](#)

**13 November 2023**  
The special issue aims to make a comprehensive compilation of articles on ethnobotany.

[Plant Science Today Receives Its First Journal Impact Factor!](#)

**16 July 2023**  
The journal has received an impressive impact factor of 0.9 as given in the latest Journal Citation Reports.

### TWEETS BY @PST

### CURRENT ISSUE

Catholic University Dom Bosco  
Brasil  
Expertise: Plant propagation, fruticulture, Organic Management, native fruticulture  
[denilsond@gmail.com](mailto:denilsond@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

ATOM 1.0

RSS 2.0

RSS 1.0

SECTION EDITORS

Agriculture

- [Prof. Arshad Javaid](#)  
Department of Plant Pathology  
University of the Punjab  
Pakistan  
Expertise: Plant Pathology, Biological Control of Plant Pathogens, Natural pesticides  
[arshad.iags@pu.edu.pk](mailto:arshad.iags@pu.edu.pk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- [Prof. Khim Phin Chong](#)  
Faculty of Science and Natural Resources  
Universiti Malaysia Sabah  
Malaysia  
Expertise: Plant Pathology, Biochemistry, Metabolomics, Plant-microbe interaction  
[chongkp@ums.edu.my](mailto:chongkp@ums.edu.my) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- [Prof. Mohammad Anwar Hossain](#)  
Department of Genetics and Plant Breeding  
Bangladesh Agricultural University  
Bangladesh  
Expertise: Plant abiotic stress tolerance, oxidative stress, plant breeding  
[anwargpb@bau.edu.bd](mailto:anwargpb@bau.edu.bd) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- [Dr. Nese Okut](#)  
Department of Field Crops, Agriculture Faculty  
Yuzuncu Yil University  
Turkey  
Expertise: Medicinal Plants  
[neseokut@gmail.com](mailto:neseokut@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- [Prof. Renying Zhuo](#)  
Research Institute of Subtropical Forestry  
Chinese Academy of Forestry  
China  
Expertise: Molecular Biology, Physiology, Abiotic Stress, bamboo gene transformation, Transgenic Plants  
[zhuory@caf.ac.cn](mailto:zhuory@caf.ac.cn) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- [Prof. Vo Quang Minh](#)  
Can Tho University  
Vietnam  
Expertise: GIS, Remote Sensing, Soil  
[vqminh@ctu.edu.vn](mailto:vqminh@ctu.edu.vn) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- [Dr. Shabir Hussain Wani](#)  
Sher-e-Kashmir University of Agricultural Sciences and Technology  
India  
Expertise: Plant Breeding and Genetics, Plant Tissue Culture, Plant Molecular Breeding , Biotic and Abiotic Stress  
[shabirhussainwani@gmail.com](mailto:shabirhussainwani@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- [Dr. Umair Ashraf](#)  
University of Education, Lahore  
Pakistan  
Expertise: Plant Stress Physiology, Nanotechnology, Plant Nutrition, Heavy Metal Pollution  
[umair.ashraf@ue.edu.pk](mailto:umair.ashraf@ue.edu.pk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- [Dr. ABDUL SHAKOOR](#)  
PARC-National Agricultural Research Center  
Pakistan  
Expertise: Stress Agronomy, Nutrition, Physiology, Cotton, Wheat  
[shakoor7015@parc.gov.pk](mailto:shakoor7015@parc.gov.pk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- [Dr. Rana Khalid Iqbal](#)  
Department of Biology, University of Padova

Italy

Expertise: Molecular Biology, Genetics, Plant Stress Physiology

[ranakhalid.iqbal@unipd.it](mailto:ranakhalid.iqbal@unipd.it) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Akshay I Patel](#)**

Navsari Agricultural University, Navsari, Gujarat

India

Expertise: Crop Improvement In Vegetables and Fruits

[akshay742000@yahoo.co.in](mailto:akshay742000@yahoo.co.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Essam Fathy Mohamed El-Hashash](#)**

Faculty of Agricultural, Al-Azhar University, Cairo

Egypt

Expertise: Plant Breeding, Biodiversity and Biotechnology

[dressamelhashash@azhar.edu.eg](mailto:dressamelhashash@azhar.edu.eg) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Giuseppe Parrella](#)**

Institute for Sustainable Plant Protection of the National Research Council in Italy

Italy

Expertise: Plant Virology, Plant Esistance To Viruses

[giuseppe.parrella@ipspp.cnr.it](mailto:giuseppe.parrella@ipspp.cnr.it) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Diriba Shiferaw Geleta](#)**

Arsi University

Ethiopia

Expertise: Agriculture, Horticulture, Plant Nutrition, Agronomy

[dsphd2010@gmail.com](mailto:dsphd2010@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Mehdi Rahimi](#)**

Graduate University of Advanced Technology, Kerman

Iran

Expertise: Plant Breeding, Plant Biotechnology, Molecular Markers, Genetic Diversity,

Gene Expression, Biometrics, Quantitative Genetics, Population Genetics, Abiotic and

Biotic Stress

[mehdi83ra@yahoo.com](mailto:mehdi83ra@yahoo.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Khaled Abdeldaiem Abdelaal](#)**

EPCRS Excellence Center, Plant Pathology and Biotechnology Laboratory, Kafrelsheikh

University

Egypt

Expertise: Drought, Salinity, Plant Production, Organic Fertilizer, Biotic and Abiotic Stress

[khaled\\_elhaies@yahoo.com](mailto:khaled_elhaies@yahoo.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Slimane Mokrani](#)**

Department of Biology

University of Mascara

Algeria

Expertise: Microbial Biotechnology, Plant Microbe Interaction, Biological Control,

Cryptogamic Plants and Fungi

[slimane.mokrani@univ-mascara.dz](mailto:slimane.mokrani@univ-mascara.dz) . [Profile link](#) . [Google Scholar](#) . [ResearchGate](#) .

[Curriculum Vitae](#)

- **[Dr. Swapan Kumar Roy](#)**

IUBAT - International University of Business Agriculture and Technology

Bangladesh

Expertise: Phytoremediation, Environmental Stresses, Environmental Proteomics,

Biostimulant, Molecular Tolerance Mechanism

[swapan.kumar@iubat.edu](mailto:swapan.kumar@iubat.edu) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Md Imam Hossain](#)**

Bangladesh Sugarcrop Research Institute

Bangladesh

Expertise: Molecular Plant Pathology, Seed Technology

[imam@bsri.gov.bd](mailto:imam@bsri.gov.bd) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Azher Hameed Al-Taie](#)**

Plant Protection Department, College of Agriculture, Wasit University

Iraq

Expertise: Plant Pathology, Mycology, Biological Control, Plant-Microbe Interaction, Soil

Microbiology

[aaltaie@uowasit.edu.iq](mailto:aaltaie@uowasit.edu.iq) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Jiban Shrestha](#)**

Nepal Agricultural Research Council

National Plant Breeding and Genetics Research Centre  
Nepal  
Expertise: Plant Breeding, plant Genetics, Crop production  
[jibshrestha@gmail.com](mailto:jibshrestha@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Maduraimuthu Djanaguiraman](#)**

Department of Crop Physiology  
Tamil Nadu Agricultural University  
India  
Expertise: Abiotic Stress Physiology  
[jani@tnau.ac.in](mailto:jani@tnau.ac.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

## Biophysics/Theoretical and Systems Biology/Bioinformatics

- **[Dr. S. Aruna](#)**

Department of Computer Science  
Agurchand Manmull Jain College  
India  
Expertise: data mining, expert systems, algorithms  
[aruna.s@amjaincollege.edu.in](mailto:aruna.s@amjaincollege.edu.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Babak Sokouti](#)**

Tabriz University of Medical Sciences  
Iran  
Expertise: Systems Biomedicine, Systems Biology, Bioinformatics, Image Processing, Artificial Intelligence, Parallel Processing & Computing, Computational Biology, Machine Learning, Deep Learning Algorithms  
[sokoutib@tbzmed.ac.ir](mailto:sokoutib@tbzmed.ac.ir) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Tri Rini Nuringtyas](#)**

Tropical Biology Department, Universitas Gadjah Mada  
Indonesia  
Expertise: Bioinformatics, Metabolomics, Proteomics, Transcriptomics  
[tririni@ugm.ac.id](mailto:tririni@ugm.ac.id) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Sushil Kumar Middha](#)**

Maharani Lakshmi Ammanni College For Women, Bangalore  
India  
Expertise: Diabetes, Pomegranate, Computer Aided Drug Designing  
[drsushilmiddha@mlacw.edu.in](mailto:drsushilmiddha@mlacw.edu.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Asheesh Shanker](#)**

Department of Bioinformatics  
Central University of South Bihar  
India  
Expertise: Sequence and Phylogenetic Analysis, Structural Evolutionary Analysis, Database and Server Development  
[ashomics@gmail.com](mailto:ashomics@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

## Biotechnology/Food Science/Nanotechnology

- **[Dr. Gia-Buu Tran](#)**

Faculty of Pharmacy  
Ton Duc Thang University  
Vietnam  
Expertise: Pharmaceutical science, Molecular Medicine, Bioactive Compounds, Biotechnology, Food Science  
[trangiabuu@tdtu.edu.vn](mailto:trangiabuu@tdtu.edu.vn) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Kareem A. Mosa](#)**

Department of Applied Biology  
University of Sharjah  
United Arab Emirates  
Expertise: Plant Biotechnology, Environmental stress, Molecular Biology, Phytotoxicity, Nanobiotechnology  
[kmosa@sharjah.ac.ae](mailto:kmosa@sharjah.ac.ae) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Balamuralikrishnan Balasubramanian](#)**

Department of Food Science and Biotechnology, College of Life Science  
Sejong University  
South Korea  
Expertise: Food Science and Microbiology, Mycotoxin Research, Bio-active compounds

from natural products

[geneticismurali@gmail.com](mailto:geneticismurali@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Liana Claudia Salanta](#)**

Faculty of Food Science and Technology

University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca

Romania

Expertise: Food science, Plants bioactive compounds, Functional food

[liana.salanta@usamvcluj.ro](mailto:liana.salanta@usamvcluj.ro) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Pedro Aguilar-Zarate](#)**

Tecnológico Nacional de México campus Ciudad Valles

Mexico

Expertise: Food Biotechnology

[pedro.aguilar@tecvalles.mx](mailto:pedro.aguilar@tecvalles.mx) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Phetole Mangena](#)**

School of Molecular and Life Sciences

University of Limpopo

South Africa

Expertise: Micropropagation, Genetic Manipulation, Plant Tolerance to Abiotic Stress

[phetole.mangena@ul.ac.za](mailto:phetole.mangena@ul.ac.za) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Raul Rodriguez-Herrera](#)**

Food Science and Technology Department

Universidad Autónoma de Coahuila

Mexico

Expertise: Agronomy, Statistics, Molecular Biology, Genetics, Microbiology, Food

Technology

[raul.rodriguez@uadec.edu.mx](mailto:raul.rodriguez@uadec.edu.mx) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Yosra A Soltan](#)**

Faculty of Agriculture

Alexandria University

Egypt

Expertise: Agriculture, Animal Nutrition

[yosra.soltan@alexu.edu.eg](mailto:yosra.soltan@alexu.edu.eg) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Archana Singh](#)**

Hansraj College, University of Delhi

India

Expertise: Genomics and Bioinformatics

[archanasingh@hrc.du.ac.in](mailto:archanasingh@hrc.du.ac.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Lekshmi K. Edison](#)**

University of Florida

United States of America

Expertise: Microbial Biotechnology, Molecular Biology and bioinformatics

[edison.le@ufl.edu](mailto:edison.le@ufl.edu) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Divjot Kour](#)**

Eternal University

India

Expertise: Plant-Microbe Interactions, Plant Microbiomes, Biotic Stress, Biodiversity,

Bioremediation

[kourdivjot@gmail.com](mailto:kourdivjot@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Vinay Yadav](#)**

Central University of Punjab, Bathinda

India

Expertise: Plant Genetic and Metabolic Engineering

[vinayihbt@gmail.com](mailto:vinayihbt@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Lluvia de Abril Alexandra Soriano Melgar](#)**

Autonomous University of Coahuila/Universidad Autónoma de Coahuila

Mexico

Expertise: Plant Tissue Culture, Postharvest, Plant Biotechnology, Nanoparticles,

Biostimulants, Oxidative Stress

[lluviasoriano\\_fcq@uadec.edu.mx](mailto:lluviasoriano_fcq@uadec.edu.mx) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Hatem Boubakri](#)**

Laboratoire des Légumineuses

Centre of Biotechnology of Borj-Cédria

Tunisia

Expertise: Biotechnology, Plant molecular signalling, Molecular Biology, Biocontrol, plant immunity priming

[hatem.boubkri@cbbc.rnrt.tn](mailto:hatem.boubkri@cbbc.rnrt.tn) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

## Cryptogamic Botany

- **[Prof. Amrik Singh Ahluwalia](#)**  
Eternal University Baru Sahib  
India  
Expertise: Phycology  
[amrik.s511@gmail.com](mailto:amrik.s511@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Arun Kumar Dutta](#)**  
Department of Botany  
Gauhati University  
India  
Expertise: Mycology  
[arun.botany@gmail.com](mailto:arun.botany@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Mohammad Rozaimi](#)**  
Department of Earth Sciences and Environment  
Universiti Kebangsaan Malaysia  
Malaysia  
Expertise: Seagrass, biogeochemistry, ecology, sediment, mangrove, macroalgae  
[mdrozaimi@ukm.edu.my](mailto:mdrozaimi@ukm.edu.my) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Sachin Patil](#)**  
Department of Botany  
Shivaji University  
India  
Expertise: Taxonomy of cryptogamic botany  
[sach2010d@gmail.com](mailto:sach2010d@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Sami Ullah Khan](#)**  
Department of Botany, Women University of Azad Jammu and Kashmir  
Pakistan  
Expertise: Plant microbial interaction, molecular microbiology  
[samijami@hotmail.com](mailto:samijami@hotmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Sanjeeva Nayaka](#)**  
Lichenology Laboratory  
CSIR - National Botanical Research Institute  
India  
Expertise: Lichenology  
[nayaka.sanjeeva@gmail.com](mailto:nayaka.sanjeeva@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

## Ecology/Environmental and Conservation Biology

- **[Dr. Claudio Cameselle](#)**  
Department of Chemical Engineering  
University of Vigo  
Spain  
Expertise: Phytoremediation, soil remediation, heavy metals  
[claudio@uvigo.es](mailto:claudio@uvigo.es) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Neelam Yadav](#)**  
VBSPU · Gopi Nath PG College  
Veer Bahadur Singh Purvanchal University  
India  
Expertise: Plant Microbiome, Plant Health, Human Health  
[neelamanyadav@gmail.com](mailto:neelamanyadav@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Ozodbek Abduraimov](#)**  
Laboratory Population Biology and Ecology of Plants  
Institute of Botany, Academy of Sciences  
Uzbekistan  
Expertise: Population of plants, flora and geobotany  
[ozodbek88@bk.ru](mailto:ozodbek88@bk.ru) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Wahid Hussain](#)**  
Gov't Post Graduate College Parachinar  
Higher Education Department  
Pakistan

Expertise: Taxonomy, ethnobotany, vegetation ecology, conservation  
[wahidhussain@hed.gkp.pk](mailto:wahidhussain@hed.gkp.pk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Muhammad Shuaib](#)**

Yunnan University, Kunming

China

Expertise: Aquatic Ecology, Aquatic Toxicology, Plant Physiology, Transcriptomic, Hormone, Biotic Stress

[zeyadz44@yahoo.com](mailto:zeyadz44@yahoo.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Isnri Arliyani](#)**

Institut Teknologi Sepuluh Nopember

Indonesia

Expertise: Phytotechnology

[isniarliyani@its.ac.id](mailto:isniarliyani@its.ac.id) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Mahaad Issa Shammass](#)**

Dhofar University

Oman

Expertise: Environmental Engineering, Water Resources Engineering, Environmental Sciences, Ecology

[mahaadshammass@gmail.com](mailto:mahaadshammass@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Asghar Ali](#)**

Govt Post Graduate Jahanzeb College Saidu Sharif Swat, Khyber Pakhtunkhwa

Pakistan

Expertise: Ecology, Conservation Biology, Ethnobotany, Phycology

[asghartk@gmail.com](mailto:asghartk@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Sandeep Kaushik](#)**

Indira Gandhi National Tribal University

India

Expertise: Ecology, Environmental and Conservation Biology

[sskaushik2002@igntu.ac.in](mailto:sskaushik2002@igntu.ac.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Ujjwal Layek](#)**

Department of Botany

Rampurhat College, West Bengal

India

Expertise: Palynology, Pollination Biology, Plant-Pollinator Interactions

[layekujjwal@yahoo.co.in](mailto:layekujjwal@yahoo.co.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Carmelo Maria MUSARELLA](#)**

Mediterranean University of Reggio Calabria

Italy

Expertise: Flora, Vegetation, Habitat, Ethnobotany, Alien Species

[carmelo.musarella@unirc.it](mailto:carmelo.musarella@unirc.it) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

## Genetics/Developmental Biology

- **[Dr. Robert Thangjam](#)**

Manipur University

India

Expertise: Plant Biotechnology, Molecular Biology, Tissue Culture, Bioinformatics

[robertthangjam@manipuruniv.ac.in](mailto:robertthangjam@manipuruniv.ac.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Md. Nurealam Siddiqui](#)**

Department of Biochemistry and Molecular Biology, Bangabandhu Sheikh Mujibur

Rahman Agricultural University

Bangladesh

Expertise: Plant Genetics and Genomics, Plant Nutrition, Abiotic Stress Physiology,

Molecular Breeding

[nuralambmb@bsmrau.edu.bd](mailto:nuralambmb@bsmrau.edu.bd) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. P. Manikantan](#)**

Department of Life Sciences

School of Sciences

CHRIST University, Karnataka, India

Expertise: Genetics, Toxicology, Developmental Biology, Cell and Molecular Biology

[manikantan.p@christuniversity.in](mailto:manikantan.p@christuniversity.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Ashok Yadav](#)**

Department of Botany

Banaras Hindu University  
India  
Expertise: Ecology and Plant taxonomy  
[ashokyadav97.bhu@gmail.com](mailto:ashokyadav97.bhu@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

## Morphology/Anatomy/Structural Biology

- **[Dr. Fazal Ullah](#)**  
State Key Laboratory of Herbage Improvement and Grassland Agro-ecosystems, College of Ecology, Lanzhou University, Lanzhou  
China  
Expertise: Ecology, Environmental and Conservation Biology  
[fazalbotanist@gmail.com](mailto:fazalbotanist@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Prof. A K M Golam Sarwar](#)**  
Bangladesh Agricultural University  
Bangladesh  
Expertise: Plant and Pollen Morphology, Plant Anatomy, Plant Systematics  
[drsarwar@bau.edu.bd](mailto:drsarwar@bau.edu.bd) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Yansen](#)**  
Department of Forestry, University of Bengkulu  
Indonesia  
Expertise: Plant Morphology and Anatomy, Plant Ecology  
[yansen@unib.ac.id](mailto:yansen@unib.ac.id) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Goli Penchala Pratap](#)**  
National Research Institute of Unani Medicine for Skin Disorders (NRIUMSD), Hyderabad  
India  
Expertise: Pharmacognosy, Ethnobotany, Pharmacology  
[penchalapratap.goli@gmail.com](mailto:penchalapratap.goli@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Shiddamallayya](#)**  
Central Council for Research in Ayurvedic Sciences  
India  
Expertise: Medico Ethno Botanical Survey, Documentation and Validation Of Local Health Traditions and Ethno Medical Practices  
[snmathapati@gmail.com](mailto:snmathapati@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Khamraeva Dilovar Tolibdjonovna](#)**  
Tashkent Botanical Garden  
Academy of Science of the Republic of Uzbekistan  
Uzbekistan  
Expertise: Plant Morphology, Anatomy, Carpology, Reproductive Biology  
[botgarden@academy.uz](mailto:botgarden@academy.uz) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. N. Praveen Kumar](#)**  
St. Joseph's University, Bengaluru  
India  
Expertise: Wood Deacy, Wood Pathology, Mycology, Fungal Systematics, Fungal Biotechnology  
[praveen.kumar@sju.edu.in](mailto:praveen.kumar@sju.edu.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Fahim Ullah Khan](#)**  
Department of Agriculture, Hazara University Mansehra Pakistan  
Pakistan  
Expertise: Wheat Breeding, Cereal Genetics, Cereal Pathology  
[fahimbiotech@hu.edu.pk](mailto:fahimbiotech@hu.edu.pk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Sharipova Vasila](#)**  
Institute of Botany Academy of Sciences Republic of Uzbekistan  
Uzbekistan  
Expertise: Plant Morphology and Anatomy  
[vasila\\_82@mail.ru](mailto:vasila_82@mail.ru) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)
- **[Dr. Mohd Syahmi Salleh](#)**  
Department of Plant Science  
Kulliyah of Science  
International Islamic University Malaysia (IIUM)  
Malaysia  
Expertise: Plant Breeding and Genetics, Plant Physiology and Morphology  
[msyahmi@iium.edu.my](mailto:msyahmi@iium.edu.my) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. R. Sakthivel](#)**

DMI - St. Eugene University

Zambia

Expertise: Microalgae, Biodiesel

[sakthirabi@gmail.com](mailto:sakthirabi@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

## Pharmacology/Ethnomedicine/Phytochemistry

- **[Prof. Magdy M. D. Mohammed](#)**

Pharmacognosy Department, Pharmaceutical and Drug Industries Research Institute,

National Research Centre

Egypt

Expertise: Natural Product Chemistry, Spectroscopy, Computer Aided Drug Design

[melhenawy111@gmail.com](mailto:melhenawy111@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Luís Manuel Lopes Rodrigues da Silva](#)**

Politécnico da Guarda and CICS/UBI

Universidade da Beira Interior

Portugal

Expertise: Bioactive compounds, Bioactivity, Microbiology, Chronic diseases,

Pharmacognosy

[LUISFARMACOGNOSIA@GMAIL.COM](mailto:LUISFARMACOGNOSIA@GMAIL.COM) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Avijit Mazumder](#)**

Noida Institute of Engineering and Technology (Pharmacy Institute)

India

Expertise: Microbiology, Pharmacy and Pharmacology

[avijitmazum@yahoo.com](mailto:avijitmazum@yahoo.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Bindu R Nair](#)**

Department of Botany

University of Kerala

India

Expertise: Cytology, phytochemistry, molecular biology, biosystematics

[bindunair\\_r@yahoo.co.in](mailto:bindunair_r@yahoo.co.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Darinka Gjorgieva Ackova](#)**

Department of Pharmacy

Faculty of Medical Sciences, University Goce Delcev

Republic of North Macedonia

Expertise: Pharmacy, toxicological chemistry, toxins, genotoxicity, bioactive compounds,

nanoparticles

[darinka.gjorgieva@ugd.edu.mk](mailto:darinka.gjorgieva@ugd.edu.mk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Ghulam Mujtaba Shah](#)**

Botany Department

Hazara University

Pakistan

Expertise: Ethnobotany, Plant Taxonomy, Biodiversity, Plant conservation and Ecology

[gmujtabashah72@yahoo.com](mailto:gmujtabashah72@yahoo.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Marwan M. Merkhan](#)**

College of Pharmacy

University of Mosul

Iraq

Expertise: Pharmacy, Biomedicine

[marwanmerkhan@uomosul.edu.iq](mailto:marwanmerkhan@uomosul.edu.iq) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Neeraj Kumar Sethiya](#)**

Faculty of Pharmacy,

DIT University, Dehradun

India

Expertise: Phytochemistry, Herbal Drug Technology and Pharmacology

[drnspharma@gmail.com](mailto:drnspharma@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Vinay Bharadwaj Tatipamula](#)**

Duy Tan University

Vietnam

Expertise: Natural Products Chemistry, Pharmacology, Pharmacokinetic studies

[vinaybharadwajatatipamula@duytan.edu.vn](mailto:vinaybharadwajatatipamula@duytan.edu.vn) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Wajid Zaman](#)**

Department of Plant Sciences  
Quaid-i-Azam University, Islamabad  
Pakistan  
Expertise: Plant Sciences, Taxonomy, Ethnobotany, Phytochemicals  
[shangla123@gmail.com](mailto:shangla123@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. J. M. Sasikumar](#)**  
Haramaya University  
Ethiopia  
Expertise: Ethnomedicine, Phytochemistry, Antioxidants, Nanoparticles  
[jmsashikumar@gmail.com](mailto:jmsashikumar@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Karim Houali](#)**  
Mouloud Mammeri University  
Algeria  
Expertise: Cancer Research, Plant Metabolites, Biomarkers, Microbiology  
[houlitizi@yahoo.fr](mailto:houlitizi@yahoo.fr) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **Dr. Dwaipayan Sinha**  
Government General Degree College  
Mohanpur, West Bengal, India  
Expertise: Gymnosperm biology, phytochemistry, medicinal plants, pharmacognosy, natural products, molecular biology related to the mentioned disciplines, Stress physiology, Abiotic stress and xenobiotics  
[dwaipayansinha@hotmail.com](mailto:dwaipayansinha@hotmail.com) . [Google Scholar](#) . [Research Gate](#) . [Curriculum Vitae](#)

#### Physiology/Biochemistry/Molecular and Cellular Biology

- **[Dr. Maimoona Sabir](#)**  
Department of Microbiology  
University of Haripur  
Pakistan  
Expertise: Molecular oncology, Virology  
[monasabir@uoh.edu.pk](mailto:monasabir@uoh.edu.pk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Arpna Kumari](#)**  
Department of Applied Biological Chemistry  
The University of Tokyo  
Japan  
Expertise: Plant Nutrition and Physiology  
[arpnakumari.gndu@gmail.com](mailto:arpnakumari.gndu@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Bechan Sharma](#)**  
Department of Biochemistry, Faculty of Science  
University of Allahabad  
India  
Expertise: Protein chemistry, enzyme technology, toxicology  
[bechan@allduniv.ac.in](mailto:bechan@allduniv.ac.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Khalid Y. Al-Sharafa](#)**  
Faculty of Science, Biological Sciences Department  
Mu'tah University  
Jordan  
Expertise: Plant Physiology  
[k.sharafa@mutah.edu.jo](mailto:k.sharafa@mutah.edu.jo) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Marcelo Pedrosa Gomes](#)**  
Universidade Federal do Paraná  
Brazil  
Expertise: Heavy metals, phytoremediation, soil contamination  
[marcelo.gomes@ufpr.br](mailto:marcelo.gomes@ufpr.br) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Mourad Baghour](#)**  
Mohammed First University, Oujda  
Morocco  
Expertise: Plant Biology, Environment, Sustainable Agriculture, Plant Biotechnology, Plant Molecular Biology, Agricultural Biotechnology  
[m.baghour@ump.ac.ma](mailto:m.baghour@ump.ac.ma) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Sauren Das](#)**  
Indian Statistical Institute, Kolkata  
India  
Expertise: Plant Stress Biology, Mangrove Biology, Tea Biology

[drsarendas@gmail.com](mailto:drsarendas@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Prof. Matin Md Nurul](#)**

Yeungnam University

South Korea

Expertise: Agriculture, Functional Genomics, Biotechnology

[nmatin@ru.ac.bd](mailto:nmatin@ru.ac.bd) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Ulugbek](#)**

Institute of Bioorganic chemistry named after academician A.S. Sadykov, Academy of

Sciences of Uzbekistan

Uzbekistan

Expertise: Human and Animal Physiology, Biophysics, Bioorganic Chemistry, Biochemistry

[gayibov.ulugbek@gmail.com](mailto:gayibov.ulugbek@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Vinay Kumar](#)**

Modern College, Savitribai Phule Pune University, Pune

India

Expertise: Plant Stress Biology, Mirnaomics, Epigenetics, Plant Molecular Biology,

Nanobiotechnology

[vinay.kumar@moderncollegegk.org](mailto:vinay.kumar@moderncollegegk.org) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Sami Ullah](#)**

Department of Botany, University of Peshawar

Pakistan

Expertise: Plant Physiology

[samibotany@uop.edu.pk](mailto:samibotany@uop.edu.pk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Toan Le Thanh](#)**

School of Agriculture

Can Tho university

Vietnam

Expertise: Plant Pathology

[lttoan@ctu.edu.vn](mailto:lttoan@ctu.edu.vn) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

## Taxonomy/Phylogenetics/Evolutionary Biology/Nomenclature

- **[Dr. Sayed AFzal Shah](#)**

National University of Medical Sciences

Pakistan

Expertise: Plant Taxonomy, Systematics, Medicinal Botany, Herbarium curation

[afzal.shah@numspak.edu.pk](mailto:afzal.shah@numspak.edu.pk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

,

- **[Prof. Padma Raj Gajurel](#)**

Department of Forestry

North Eastern Regional Institute of Science and Technology

India

Expertise: Plant Systematic, Ethnobotany & Medicinal Plants

[prg@nerist.ac.in](mailto:prg@nerist.ac.in) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. E S Santhosh Kumar](#)**

Plant Genetic Resources Division

Jawaharlal Nehru Tropical Botanic Garden and Research Institute

India

Expertise: Plant systematics

[santhoshkumares@gmail.com](mailto:santhoshkumares@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Tapas Chakrabarty](#)**

Department of Industrial Section, Indian Museum, Kolkata

Botanical Survey of India

India

Expertise: Taxonomy of Angiosperms, Nomenclature, Euphorbiaceae, Phyllanthaceae,

Flora of Andaman & Nicobar Islands, Ethnobotany

[tchakrab@gmail.com](mailto:tchakrab@gmail.com) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Muhammad Arif](#)**

Sakarya University of Applied Sciences, Sakarya

Turkey

Expertise: Virology, Plant Virology, Begomoviruses, Phylogeny, Cap-Snatching

Mechanism, Evolution

[muhammadarif@subu.edu.tr](mailto:muhammadarif@subu.edu.tr) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

- **[Dr. Raees Khan](#)**

University of Adelaide

Australia

Expertise: Plant systematics, Plant morphology, Paleobotany, Conservation Biology,

Evolutionary biology

[raeeskhan@bs.qau.edu.pk](mailto:raeeskhan@bs.qau.edu.pk) . [Google Scholar](#) . [ResearchGate](#) . [Curriculum Vitae](#)

**MANAGING EDITOR:** [Thripathi Krishna Mohan](#)

**EDITORIAL ASSISTANTS:** [Dr. Sakthipriya](#) | [Athira](#) | [Aiswarya](#) | [Rithika](#)

**Graphics Designer:** [Shivani Sabu](#)

**See** [Editorial Team of previous years](#)

---

Platform &  
workflow by  
**OJS / PKP**





## RESEARCH ARTICLE

# Secondary metabolite profile in mature and old leaves of four *piper* species: Forest Betel (*Piper aduncum* L.), Red Betel (*Piper crocatum* Ruiz & Pav.), Javanese Chili Betel (*Piper retrofractum* Vahl.), and Green Betel (*Piper betle* L.)

Yustina Sri Hartini<sup>1\*</sup>, Utaminingsih<sup>2</sup>, Jeffry Julianus<sup>1</sup>, Christine Patramurti<sup>1</sup> & Laurentius Hartanto Nugroho<sup>2\*</sup>

<sup>1</sup>Faculty of Pharmacy, Sanata Dharma University, Maguwoharjo, Depok, Sleman 55282, Yogyakarta, Indonesia.

<sup>2</sup>Department of Tropical Biology Universitas Gadjah Mada, Teknika Selatan Street, Sekip Utara, Sleman 55281, Yogyakarta, Indonesia.

\*Email: hartantonugroho2005@ugm.ac.id, yustinahartini@usd.ac.id



## ARTICLE HISTORY

Received: 04 November 2023

Accepted: 13 February 2024

Available online

Version 1.0 : 29 April 2024



## Additional information

**Peer review:** Publisher thanks Sectional Editor and the other anonymous reviewers for their contribution to the peer review of this work.

**Reprints & permissions information** is available at [https://horizonepublishing.com/journals/index.php/PST/open\\_access\\_policy](https://horizonepublishing.com/journals/index.php/PST/open_access_policy)

**Publisher's Note:** Horizon e-Publishing Group remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

**Indexing:** Plant Science Today, published by Horizon e-Publishing Group, is covered by Scopus, Web of Science, BIOSIS Previews, Clarivate Analytics, NAAS, UGC Care, etc See [https://horizonepublishing.com/journals/index.php/PST/indexing\\_abstracting](https://horizonepublishing.com/journals/index.php/PST/indexing_abstracting)

**Copyright:** © The Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited (<https://creativecommons.org/licenses/by/4.0/>)

## CITE THIS ARTICLE

Hartini YS, Utaminingsih, Julianus J, Patramurti C, Nugroho LH. Secondary metabolite profile in mature and old leaves of four *piper* species: Forest Betel (*Piper aduncum* L.), Red Betel (*Piper crocatum* Ruiz & Pav.), Javanese Chili Betel (*Piper retrofractum* Vahl.), and Green Betel (*Piper betle* L.). Plant Science Today (Early Access). <https://doi.org/10.14719/pst.3070>

## Abstract

*Piper* species is a potential medicinal plant, empirically known for its effectiveness in curing various diseases, particularly in Indonesia. Therefore, this research aimed to evaluate the similarities and differences in the profile of secondary metabolite compounds in mature and old leaves of four *Piper* species using Gas Chromatography-Mass Spectrometry (GC-MS). The analysis was also carried out to identify the specific compounds found in each species at different leaf development stages. Samples used were mature and old leaves from four species of *Piper*, namely forest betel (*Piper aduncum* L.) (PA), red betel (*Piper crocatum* Ruiz & Pav.) (PC), Javanese chili betel (*Piper retrofractum* Vahl.) (PR), and green betel (*Piper betle* L.) (PB). Subsequently, samples were extracted using ethanol solvent and secondary metabolite profile was detected through GC-MS. A total of 40 secondary metabolite compounds were found in mature and old leaves of four species. The results showed that alkaloid content contributed 25% of the total compounds detected, while fatty acids yielded the largest portion (27.5%). Based on PCA score plot analysis, a significant grouping of secondary metabolite compounds was observed in all species, where PC was categorized separately on the right, and the other species were on the left. Several specific compounds were also found only in one species and not in others. Similar to mature and old leaves, some compounds were discovered in one of the developmental phases. Dillapiol and hexadecane were only found in PA, both in mature and old leaves; germacrene A, eugenol, and chavicol were found in mature and old leaves of PB, but beta-selinene, delta-guaiene, and linoleic acid were only found in mature leaves. In PC, there were specific compounds namely benzofuran, myrcene, and 1,6,10-dodecatrien that were found in mature and old leaves. Besides that, trans-cimene and alpha-bisabolol were only found in old leaves of PC. In PR, only tetracosane was found in mature leaves, while piperidine, octanodecanoic acid, and benzylmalonic acid were found in old leaves.

## Keywords

GC-MS; mature leaves; old leaves; *Piper*; profile; secondary metabolite

## Introduction

The *Piper* plant is used for many different things all around the world. It can be used in herbal medicines, culinary applications, decorative displays, and

customary rites. It has substantial botanical diversity, with about 700 species recognized globally (1) and an estimated 1400–2000 variants arising from various nations. The Java Island in Indonesia alone is home to about 23 different species of *Piper* known to science. Most species are found to be able to survive at elevations between sea level and 2500 m, while very few can reach elevations over 3000 m (2). In particular, Indonesia uses the betel plant in traditional medicine. The well-known effects of *Piper* as an antidiabetic, immunomodulator, platelet inhibitor, antioxidant, and anticancer agent make it stand out (3).

Red betel (*Piper crocatum* Ruiz & Pav.) (PC) originated in Peru and has since spread to several countries, including Indonesia. The leaves are elliptical, acuminate, sub-acute at the base with a tapered top, flat edges, shiny or hairless, with a length of 9–12 cm and width of 4–5 cm. Pinnatus leaf veins are found in the lower half, comprising 4–5 pairs, forming a bullulatus-lacunosa pattern. The top leaves display a dark green with silver markings along the veins, while the lower sections exhibit a purple coloration, having a slightly slimy texture and a bitter taste, along with a less distinct aroma (4). Red betel leaves are widely used to get rid of body odor, vaginal discharge, ulcers, fatigue, muscle aches, and to smoothen the skin, as well as for itching, red eye cleansers, and canker sores. Red betel leaves decoction is also believed to be able to eliminate bad breath in the mouth if used as a mouthwash (5).

The forest betel, also known as *Piper aduncum* L. (PA), is a shrub or small tree that can grow to a height of 7 m with a stem diameter of 10 cm or more. It has medium-hard, brittle wood, short silt roots, and aromatic foliage and twigs. The leaves are oval, distichous, and alternating, measuring 12 to 22 cm in length. *P. aduncum* contains an essential oil that is reportedly able to prevent bites of the *Aedes albopictus* mosquito (6).

Based on its morphology, the Javanese chili betel (*Piper retrofractum* Vahl.) (PR) is a climbing plant, characterized by round leaves, lanceolate, and wide with green to dark green coloration. The stem is round and large, has a diameter of  $\pm$  5–7 mm, length of the main stem is 2.93–9.82 cm, with significantly varying color from black, and brown to blackish brown. The main chemical constituents that have been isolated and identified from *P. retrofractum* are amides, alkaloids, phenylpropanoids, alkyl glycosides, and lignans. This plant possesses antioxidant, hepatoprotective, cytotoxic, larvicidal, antiproliferative, antitubercular, antileishmanial, antiphotaging, and antiobesity properties. *P. retrofractum* has the potential for the treatment of several diseases and disorders (7).

Green betel (*Piper betle* L.) (PB) is a perennial dioecious climber, with large leaves, 15–20 cm long, broadly ovate, slightly cordate, shortly acuminate, acute, entire, glabrous, yellowish or bright green, shining on both sides (8). Betel leaf has many properties such as anti-fungal, anti-septic, anti-microbial, anti-cancer, anti-diabetic, anti-allergic, anti-fertility, anti-filarial, wound healing and anti-dermatophytic. It also prevents gastrointestinal infections due to its immunomodulatory

effect. It may be useful in the treatment of diabetes by maintaining blood sugar levels (9).

Piperaceae species are widely recognized for their rich content of essential oils, alkaloids, and phenols (10). Alkaloids and phenols, which are common components of the Piperaceae family, are significant physiological ingredients that aid in controlling plant growth and providing defense against diseases and insect pests (11). These compounds have also been extensively used as natural plant products, mainly applied in the pharmaceutical and food industries (12–14). Currently, the research on plant metabolomics has gained significant attention due to its potential for diagnosing metabolite changes in low molecular weight metabolite and the underlying biochemical mechanisms (15). This shows that the use of plant metabolomic research to investigate the distribution and profile of secondary metabolite in plant organs is an important step in identifying the medicinal properties of various plant parts.

The part of the *Piper* plant that is used in traditional medicine, especially in Indonesia, is the leaves. Based on previous investigations, there is no research that has explored and comprehensively compared secondary metabolite profile in mature and old leaves of four *Piper* species, namely forest betel (*P. aduncum* L.) (PA), red betel (*P. crocatum* Ruiz & Pav.) (PC), Javanese chili betel (*P. retrofractum* Vahl.) (PR), and green betel (*P. betle* L.) (PB). Consequently, this research aimed to evaluate the similarities and differences of secondary metabolite profile in mature and old leaves of four *Piper* species using GC-MS. The specific compounds found in each species at different ages of leaves were also explored because it is an important step in identifying medicinal properties of various plants in different stage of development.

## Materials and Methods

### Chemical and Plant Materials

Chemicals for extraction were carried out using Merck Sigma Aldrich's absolute ethanol and liquid nitrogen. Samples used were mature (M) and old leaves (O) from PA, PC, PR, and PB, with three replications for each age and species. Leaves samples were collected from Sleman Regency, Yogyakarta Special Province, Indonesia.

### Metabolite Profile

#### Extraction of Secondary Metabolite

Sample extraction used the maceration method reported in previous research (16) with modifications. A sample of 20 g leaves was added with liquid nitrogen and crushed using a mortar to obtain a powder form. Subsequently, the powder was transferred to an Erlenmeyer flask, 15 mL ethanol was added, and stirred. Samples were incubated at room temperature for 72 hrs, filtered, and the extract was evaporated in a petri dish for analysis using GC-MS.

### GC-MS Analysis

GC-MS analysis was conducted using Shimadzu GCMS-QP2010S equipped with an Agilent DB-5MS column. The column specifications included a length of 30 m, 0.25 mm ID, 0.25  $\mu$ m film, Helium carrier gas, and EI 70Ev ionizer. GC-2010 specifications were column oven temperature of 70.0°C, injection temperature of 300.00°C, splitless injection mode, sampling time of 1.00 min, flow control mode pressure, pressure 30.0 kPa, total flow 35.6 mL/min, column flow 0.65 mL/min, linear velocity 29.6 cm/sec, purge flow 3.0 mL/min, split ratio 49. Furthermore, the ion source temperature was 250°C, the interface temperature of 305°C, the solvent cut time was 5 min, and the detector gain relative mode. Total GC running time was 80 min and the relative percentage amount of each component was calculated by comparing its average peak area to the total areas.

### Data Processing and Statistics

The data from GC-MS analysis was summarized based on the Similarity Index (SI) value > 80%. Compound names, chemical formula, and retention time values were tabulated and analyzed with the MetaboAnalyst program (<https://www.metaboanalyst.ca/MetaboAnalyst/>). The distribution and sample grouping were visualized using principal component analysis (PCA), an unsupervised approach that lowered the dimension of the data sets. The threshold for identifying possible outliers in the dataset was set at a 95% confidence interval in the PCA score plot.


## Results and Discussion

### Metabolomic Profile of Samples

The results of GC-MS analysis showed that 40 secondary metabolite compounds were detected in mature and old leaves of all *Piper* species. These compounds were divided into 12 groups, namely monoterpenes (5%), sesquiterpenoids (15%), terpenes (2.5%), fatty acids (25%), alkanes (22.5%), phytosterols (2.5%), benzene (5%), terpenoids (5%), phenols (2.5%), phenylpropanoids (2.5%), tocopherols (5%), and azacycloalkane (2.5%), as presented in Fig. 1. *Piper* species has been widely explored and the phytochemical investigations globally led to the isolation of several physiologically active compounds, including alkaloids, amides, propenyl phenols, lignanes, neolignanes, terpenes, steroids, kawapyrone, piperoids, chalcones, dihydrochalcones, and flavones. Biological activities of different species have special emphasis, indicating a wide spectrum of pharmacological activities (17). Furthermore, the 40 compounds detected were analyzed with MetaboAnalyst to determine the grouping of specific compounds in each species with different ages of leaves.


### Grouping Compounds

In order to make it easier to see the similarities and differences across the data sets, PCA was utilized to categorize metabolite phenotypes and find the differential metabolite. Every point of a PCA score represented a single sample, and the score plot displayed the distribution of samples. This demonstrated that whilst distinct



**Fig. 1.** Classification of 40 secondary metabolite compounds in mature and old leaves of forest betel (*Piper aduncum* L.), red betel (*Piper crocatum* Ruiz & Pav.), Javanese chili betel (*Piper retrofractum* Vahl.), and green betel (*Piper betle* L.).

metabolomic activities were distributed, similar metabolomic processes were clustered (18). As seen in Fig. 2, PCA was used to find variations in metabolite profiles across eight datasets that included two leaf development stages and four *Piper* species.




**Fig. 2.** PCA score plot of forest betel (*Piper aduncum* L.) (PA), red betel (*Piper crocatum* Ruiz & Pav.) (PC), Javanese chili betel (*Piper retrofractum* Vahl.) (PR), and green betel (*Piper betle* L.) (PB) in mature (M) and old (O) leaves.

In this research, PCA was carried out on 40 secondary metabolite compounds resulting from GC-MS analysis. The score plot showed that samples from the same *Piper* species were closely clustered, while those from different species were separated from each other. PCA results of all detected compounds identified four groups, where secondary metabolite compounds in PC were grouped separately on the right. Meanwhile, PA, PR, and PB were categorized on the left, as presented in Fig. 2. PC1 and PC2 accounted for 29% and 17.5% of the variance in the data, respectively, showing specific secondary metabolite compounds found in each *Piper* species. However, there were no differences in the grouping of compounds in mature and old leaves of each species.

The results of PCA analysis showed that PC had a different group of compounds compared to other species. Morphologically, PC had the most different characters compared to others, namely in the morphological characters of leaves. The upper leaves are dark green with a silvery appearance around the veins, while the lower parts are purple (4). These leaves are slimy and have a bitter taste with a less specific odor compared to other species. PC leaves are found to include flavonoids, polyphenolic chemicals, tannins, and essential oils, according to chromatography analysis (19).

Heatmap analysis was carried out on the 40 detected compounds to determine the grouping and profile of specific compounds in each sample, as shown in Fig. 3. Based on heatmap analysis, the profile of secondary metabolite-specific compounds for each species was identified at different ages. In PC, specific compounds were found in mature leaves (PCM), namely Benzofuran, 2,3-dihydro (benzene), Myrcene (Monoterpenes), and 1,6,10-Dodecatrien (Terpenoids), while old leaves (PCO) contained Trans-Ocimene (Monoterpenes), and alpha Bisabolol (sesquiterpenes). The extract from PC leaves contained alkaloids, carbohydrates, water, tannins, phenols, flavonoids, and essential oils, as per an earlier study (19). According to the results of (20), certain compounds were found in PC leaves, such as flavonoids with groups like quercetin and aurone, and essential oils with monoterpene components like  $\alpha$ -thujene,  $\alpha$ -pinene, sabinene,  $\beta$ -myrcene,  $\alpha$ -terpinene,  $\beta$ -phellandrene,  $\gamma$ -terpinene,  $\alpha$ -terpineol, terpinolene, and copaene. Neo-lignans, including 1-allyl-3,5-dimethoxy-7-methyl-oxo-6-(3,4,5-trimethoxyphenyl) bicyclo[3,2,1]oct-2-en-8-yl acetate, and sesquiterpenes including caryophyllene,  $\alpha$ -caryophyllene, and germacrene D, were also found. Additionally, compounds such as alkaloids, tannins-polyphenols, steroids-terpenoids, and saponins were also



**Fig. 3.** Heatmap clustering among forest betel (*Piper aduncum* L.) (PA), red betel (*Piper crocatum* Ruiz & Pav.) (PC), Javanese chili betel (*Piper retrofractum* Vahl.) (PR), and green betel (*Piper betle* L.) (PB) in mature (M) and old (O) leaves.

discovered. PC leaves have been shown to have anti-inflammatory, antibacterial, antifungal, antihyperglycemic, and anti-proliferative qualities in a number of investigations into their pharmacological characteristics.

In PR, specific compounds were detected in mature (PRM) and old leaves (PRO), including Piperidine (azacycloalkane), Octadecanoic acid (fatty acids), and Benzylmalonic acid (malonates). Additionally, high concentrations of tetracosane compounds (alkalenes) were detected in PRM. The main chemical constituents that were isolated and identified from PR included amides, alkaloids, phenylpropanoids, alkyl glycosides, and lignans (4), while Piperidine was found in leaves (19). Tetracosane is a straight-chain alkane containing 24 carbon atoms, playing a role as a plant metabolite and a volatile oil component. Tetracosane is a natural product found in *Cryptotermes brevis*, *Erucaria microcarpa*, and other organisms (20, 21), which has been explored in the pharmaceutical field. According to previous research (22), tetracosane is a potential bioactive compound, providing a rationale for its traditional use in peptic ulcer treatment.

*Piper betle* L. has the highest number of secondary metabolite compounds compared to other species, with 23 in total. Specific compounds had been found in PB, both in mature (PBM) and old leaves (PBO) (Table 1), including germacrene A (sesquiterpenoids), eugenol (terpenoids), and chaviol (phenols). These compounds were responsible for the distinctive aroma of PB, (23) which occurred due to the presence of oils, including terpenes and phenols. In this research, it was also discovered that the compounds beta-selinene (sesquiterpenoids), delta-Guaiene (sesquiterpenoids), and Linolelaidic acid (fatty acids) were only found in PBM at high concentrations, producing more essential oil compared to PBO. The main constituent of leaves is oil with a chemical composition depending on the location observed, namely asbetle oil. Leaves produce compounds such as hydroxychavicol acetate, allylpyrocatechol, chavibetol, piperbetol, methylpiperbetol, piperol A and B. Hydroxychavicol and eugenol, including phenolic compounds, consist of monocyclic fragrant ring with an alcoholic, aldehydic, or carboxylic group, which are essential in PB leaves, contributing to several bioactivities. Chavibetol is the main com-

**Table 1.** Secondary metabolite compound in mature (M) and old (O) leaves of four *Piper* species: *Piper aduncum* L. (PA), *Piper crocatum* Ruiz & Pav. (PC), *Piper retrofractum* Vahl. (PR), and *Piper betle* L. (PB).

| No. | Compound Name                                         | PCM | PCO | PBM | PBO | PAM | PAO | PRM | PRO |
|-----|-------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| 1   | Myrcene                                               | ✓   | ✓   |     | ✓   |     |     |     |     |
| 2   | Trans-Ocimene                                         |     | ✓   |     | ✓   |     |     |     |     |
| 3   | Benzofuran, 2,3-Dihydro-                              | ✓   | ✓   |     | ✓   |     |     |     |     |
| 4   | Benzene, 1,2-Dimethyl-                                |     | ✓   |     | ✓   |     | ✓   |     |     |
| 5   | Beta.-Caryophyllene                                   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |     |     |
| 6   | Germacrene D                                          | ✓   | ✓   |     | ✓   | ✓   | ✓   |     |     |
| 7   | Germacrene A                                          |     |     | ✓   | ✓   |     |     |     |     |
| 8   | Alpha.-Bisabolol                                      |     | ✓   |     | ✓   |     |     |     |     |
| 9   | Beta.-Selinene                                        |     |     | ✓   | ✓   |     |     |     |     |
| 10  | Delta.-Guaiene                                        |     |     | ✓   |     |     |     |     |     |
| 11  | 1,6,10-Dodecatrien-3-Ol, 3,7,11-Trimethyl-, S-(Z) -   | ✓   | ✓   |     |     |     |     |     |     |
| 12  | Phytol                                                | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |
| 13  | Eugenol                                               |     |     | ✓   | ✓   |     |     |     |     |
| 14  | Chavicol                                              |     |     | ✓   | ✓   |     |     |     |     |
| 15  | 1-Octadecyne                                          |     |     | ✓   | ✓   | ✓   |     | ✓   |     |
| 16  | Octadecanoic Acid, Methyl Ester                       |     |     |     |     |     |     |     | ✓   |
| 17  | Octadecanoic Acid                                     | ✓   | ✓   | ✓   |     | ✓   | ✓   | ✓   |     |
| 18  | Hexadecanoic Acid                                     | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |
| 19  | 9,12,15-Octadecatrienoic Acid, Methyl Ester, (Z,Z,Z)- | ✓   | ✓   | ✓   | ✓   |     |     |     |     |
| 20  | 8,11,14-Eicosatrienoic Acid, (Z,Z,Z)-                 |     |     |     | ✓   | ✓   | ✓   | ✓   | ✓   |
| 21  | 9-Octadecenoic Acid (Z)-, Methyl Ester                |     |     |     |     | ✓   | ✓   |     | ✓   |
| 22  | Hexadecanoic Acid, Ethyl Ester                        |     |     | ✓   | ✓   |     |     | ✓   |     |
| 23  | Linolelaidic Acid, Methyl Ester                       |     |     |     |     |     |     |     |     |
| 24  | 9,12-Octadecadienoic Acid, Methyl Ester, (E,E)-       |     |     |     | ✓   |     |     | ✓   | ✓   |
| 25  | 9,12,15-Octadecatrien-1-Ol                            |     |     |     | ✓   | ✓   |     |     |     |
| 26  | Diethyl Phthalate                                     |     |     | ✓   |     | ✓   |     | ✓   |     |

|    |                                      |   |   |   |   |   |   |
|----|--------------------------------------|---|---|---|---|---|---|
| 27 | Heptacosane                          | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 28 | Tetratetracontane                    | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 29 | Hexatriacontane                      |   | ✓ | ✓ | ✓ | ✓ | ✓ |
| 30 | Dotriacontane                        |   | ✓ | ✓ | ✓ | ✓ | ✓ |
| 31 | Octacosane                           |   | ✓ | ✓ |   | ✓ | ✓ |
| 32 | Pentatriacontane                     |   | ✓ |   | ✓ |   | ✓ |
| 33 | Dillapiole                           |   |   | ✓ | ✓ |   |   |
| 34 | Hexadecane                           |   |   | ✓ | ✓ |   |   |
| 35 | Tetracosane                          |   |   |   |   | ✓ |   |
| 36 | Delta.-Tocopherol                    |   | ✓ | ✓ | ✓ | ✓ | ✓ |
| 37 | Alpha.-Tocopherol                    | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 38 | Trans-Stigmasta-5,22-Dien-3.Beta.-Ol |   | ✓ | ✓ | ✓ | ✓ | ✓ |
| 39 | Piperidine                           |   |   |   |   |   | ✓ |
| 40 | Benzylmalonic Acid                   |   |   |   |   |   | ✓ |

ponent of the essential oil, characterized by a highly spiced odor. Hydroxychavicol has also shown beneficial bioactivities like anticarcinogenic and antimutagenic activities (23).

In PA, specific compounds were detected, namely Dilapiole and Hexadecane, which belong to the alkanes group. According to previous research (24), PA leaves and fruit contains 0.30% and 0.33% of essential oil, respectively. Apiol was the most abundant chemical compound obtained in the essential oil of leaves and fruit, with concentrations of 57.10% and 66.31%, respectively. This essential oil successfully inhibited the growth of *Aspergillus niger* and *Cladosporium* sp. but was unable to inhibit *Fusarium oxysporum* and *Fusarium solani*. In this research, Germacene D, a class of sesquiterpenes compounds, was also detected. Similarly, it was discovered (25) that based on gas chromatography analysis, 17.16% of Germacene D was detected in leaves. This compound also suppressed the growth of lung cancer and leukemia cells *in vitro*.

Apart from specific compounds that are found in one species, 8,11,14-Eicosatrie, Trans-stigmasta-5, Dotriacontane, Tetratetracontane, Hexatriacontane, Delta-tochopherol, and Hexadecanoic acid, were also found in all species (Table 1). These compounds were only found in PA, PC, and PB, due to a separate grouping in PR compared to the other three *Piper* species.

## Conclusion

In conclusion, based on the GC-MS results, a total of 40 secondary metabolite compounds were detected in four *Piper* species. Alkaloid content contributed 25% of the total compounds detected, while fatty acids had the largest portion of 27.5%. PCA score plot analysis showed that there was a significant grouping of the compounds, where PC was grouped separately on the right, while other species were on the left. Furthermore, there were several specific compounds found in one species and not in others. Similar to mature and old leaves, some com-

pounds were only found in one of these developmental phases. Dillapiole and hexadecane were only found in *Piper aduncum* L., both in mature and old leaves; germacrene A, eugenol, and chavicol were found in mature and old leaves of *Piper betle* L., but beta-selinene, delta-guaiene, and linolelaidic acid were only found in mature leaves. In *Piper crocatum* Ruiz & Pav., there were specific compounds namely benzofuran, myrcene, and 1,6,10-dodecatrien that were found in mature and old leaves. Besides that, trans-ocimene and alpha-bisabolol were only found in old leaves of *P. crocatum* Ruiz & Pav. In *Piper retrofractum* Vahl., only tetracosane was found in mature leaves, while piperidine, octanodecanoic acid, and benzylmalonic acid were found in old leaves. The isolation and identification of active molecules with pharmacological properties should be the main focus of future research. In addition, most pharmacological research has been done on leaves; nevertheless, further research is required to look at the bioactivity of other plant parts.

## Acknowledgements

This research received support from the Directorate of Research, Technology, and Community Services within the Directorate General of Higher Education, Research, and Technology, under the Indonesian Ministry of Education, Culture, Research, and Technology, with project numbers 122/E5/PG.02.00.PL/2023; 3174/UN1/DITLIT/Dit-Lit/PT.01.03/2023.

## Authors' contributions

YSH contributed to the design of the research, wrote the manuscript, and coordinated. U participated in PCA analysis and wrote the manuscript. JJ was involved in collecting materials and compiling data. CP was involved in collecting the references, samples, and extraction. LHN participated in GC-MS analysis, final review of manuscript and coordination. All authors read and approved the final manuscript.

## Compliance with ethical standards

**Conflict of interest:** Authors do not have any conflict of interests to declare.

**Ethical issues:** None.

## Supplementary data

Supplementary Fig. 1. Results of GC-MS analysis.

Supplementary Fig. 2. Determination results for each *Piper* species.

Supplementary Fig. 3. Secondary metabolite data that was submitted in MetaboAnalyst.

## References

- Potzernheim M, Bizzo HR, Agostini-Costa, Vieira RF, Carvalho-Cilva M, Gracindo LBAM *et al.* Chemical characterization of seven *Piper* species (Piperaceae) from Federal district, Brazil, based on volatile oil constituents. *Rev Bras Plantas Med.* 2006;8:10-12. [https://www.semanticscholar.org/paper/Chemical-characterization-of-seven-Piper-species-\(-Potzernheim-Carvalho-Cilva/2b0ac47b31c6659222023ec12c330237e107f84f?sort=is-influential&pdf=true](https://www.semanticscholar.org/paper/Chemical-characterization-of-seven-Piper-species-(-Potzernheim-Carvalho-Cilva/2b0ac47b31c6659222023ec12c330237e107f84f?sort=is-influential&pdf=true)
- Quijano-Abril MA, Callejas-Posada R, Miranda-Esquivel DR. Areas of endemism and distribution patterns for Neotropical *Piper* species (Piperaceae). *J Biogeogr.* 2006;33(7):1266-78. <https://doi.org/10.1111/j.1365-2699.2006.01501.x>
- Bhalerao SA, Verma DR, Gavankar RV, Teli NC, Rane YY, Didwana VS *et al.* Phytochemistry, pharmacological profile and therapeutic uses of *Piper betle* Linn. – An overview. *J Pharmacogn Phytochem.* 2013;1(2):10-19. <https://www.semanticscholar.org/paper/Phytochemistry%2C-Pharmacological-Profile-and-Uses-of-Bhalerao-Verma/368143edb166e99990be878d2ce23894fb8de1b8>
- Macbride JF. *Flora of Peru*. Field Museum Press, Chicago. 1893;Vol. XIII.
- Suri MA, Azizah Z, Ridho AR. A review: Traditional use, phytochemical and pharmacological review of red betel leaves (*Piper crocatum* Ruiz & Pav). *Asian Journal of Pharmaceutical Research and Development.* 2021;9(1):159-63. <https://doi.org/10.22270/ajprd.v9i1.926>
- Misni N, Sulaiman S, Othman H, Umar B. Repellency of essential oil of *Piper aduncum* against *Aedes albopictus* in the laboratory. *Journal of the American Mosquito Control Association.* 2009;25(4):442-47. <https://doi.org/10.2987/09-0006.1>
- Salleh WMNH, Ahmad F. Phytopharmacological investigations of *Piper retrofractum* Vahl. A review. *Agric Conspec Sci.* 2020;85(3):193-202. <http://acs.agr.hr/acs/index.php/acs/article/view/177>
- Kale RN, Patil RY. High performance thin layer chromatography fingerprinting analysis of *Piper betle* L. leaves. *J Pharm Res Int.* 2020;32(48):8-15. <https://doi.org/10.9734/jpri/2020/v32i4831120>
- Pandit A, Joshi A. A short overview on significance of betel leaf (*Piper betle*) and its applications. *International Journal of Health Sciences and Research.* 2022;12(11):251-54. <https://doi.org/10.52403/ijhsr.20221132>
- Durant-Archibold AA, Santana AI, Gupta MP. Ethnomedical uses and pharmacological activities of most prevalent species of genus *Piper* in Panama: A review. *J Ethnopharmacol.* Jan 2018;217:63-82. <https://doi.org/10.1016/j.jep.2018.02.008>
- Vermerris W, Ralph N. Phenolic compound biochemistry. In: Springer, Dordrecht. 1994. p. 211-34. <https://doi.org/10.1007/978-1-4020-5164-7>
- Barbosa-Filho JM, Moural MD, Silva MS, Karla, Lima VB. Anti-inflammatory activity of alkaloids: A twenty-century review. *Brazilian J Pharmacogn.* 2006;16(1):109-39. <https://doi.org/10.1590/S0102-695X2006000100020>
- Cai YZ, Mei S, Jie X, Luo Q, Corke H. Structure-radical scavenging activity relationships of phenolic compounds from traditional Chinese medicinal plants. *Life Sci.* 2006;78(25):2872-88. <https://doi.org/10.1016/j.lfs.2005.11.004>
- Othman L, Sleiman A, Abdel-Massih RM. Antimicrobial activity of polyphenols and alkaloids in middle Eastern plants. *Front Microbiol.* 2019;10:911. <https://doi.org/10.3389/fmicb.2019.00911>
- Ernst M, Silva DB, Silva RR, Vêncio RZN, Lopes NP. Mass spectrometry in plant metabolomics strategies: From analytical platforms to data acquisition and processing. *Nat Prod Rep.* 2014;31(6):784-806. <https://doi.org/10.1039/c3np70086k>
- Junairiah, Nurhariyati T, Marisan M, Suhargo L, Zuraidassanaaz NI. Extraction, isolation and characterization of bioactive compounds from ethanol and chloroform extracts of *Piper sarmentosum* Roxb. leaves. *Asian J Plant Sci.* 2023;22(2):290-94. <https://doi.org/10.3923/ajps.2023.290.294>
- Salehi B, Zakaria ZA, Gyawali R, Ibrahim SA, Rajkovic J, Shinwari ZK *et al.* *Piper* species: A comprehensive review on their phytochemistry, biological activities and applications. *Molecules.* 2019;24(7). <https://doi.org/10.3390/molecules24071364>
- Saccenti E, Hoefsloot HCJ, Smilde AK, Westerhuis JA, Hendriks MMWB. Reflections on univariate and multivariate analysis of metabolomics data. *Metabolomics.* 2014;10(3):361-74. <https://doi.org/10.1007/s11306-013-0598-6>
- Luyen BTT, Tai BH, Thao NP, Yang SY, Cuong NM, Kwon YI *et al.* A new phenylpropanoid and an alkylglycoside from *Piper retrofractum* leaves with their antioxidant and  $\alpha$ -glucosidase inhibitory activity. *Bioorganic Med Chem Lett.* 2014;24(17):4120-24. <https://doi.org/10.1016/j.bmcl.2014.07.057>
- Woodrow RJ, Grace JK, Nelson LJ, Haverly MI. Modification of cuticular hydrocarbons of *Cryptotermes brevis* (Isoptera: Kalotermitidae) in response to temperature and relative humidity. *Environ Entomol.* 2000;29(6):1100-07. <https://doi.org/10.1603/0046-225X-29.6.1100>
- Hashem F, Saleh MM. Antimicrobial components of some Cruciferae plants (*Diplotaxis harra* Forsk. and *Erucaria microcarpa* Boiss.). *Phytotherapy Research.* 1999;13(4):329-32. [https://doi.org/10.1002/\(sici\)1099-1573\(199906\)13:4%3C329::aid-ptr458%3E3.0.co;2-u](https://doi.org/10.1002/(sici)1099-1573(199906)13:4%3C329::aid-ptr458%3E3.0.co;2-u)
- Uddin SJ, Grice D, Tiralongo E. Evaluation of cytotoxic activity of patriscabratine, tetracosane and various flavonoids isolated from the Bangladeshi medicinal plant *Acrostichum aureum*. *Pharm Biol.* 2012;50(10):1276-80. <https://doi.org/10.3109/13880209.2012.673628>
- Nerkar VK, Lal PI, Chaudhary PH, Ruikar DB. A comprehensive review on *Piper betel* Linn. *International Journal of Pharmaceutical Research and Applications.* 2023;8(2):1726-34. <https://doi.org/10.35629/7781-080217261734>
- Wibawa IPAH, Saraswaty V, Kuswantoro F, Andila PS, Wardhani PK, Tirta IG. A study of essential oil from an invasive *Piper aduncum* L. *J Biol Udayana.* 2019;23(2):50-58. <https://doi.org/10.24843/JBIOUNUD.2019.v23.i02.p02>
- Mayanga-Herrera A, Tapia-Rojas S, Fukusaki-Yoshizawa A, Marcelo-Rodríguez Á, Amiel-Pérez J. Actividad citotóxica de la fracción clorofórmica de *Piper aduncum* y su efecto en el ciclo celular en líneas celulares de cáncer gástrico. *Rev Peru Med Exp Salud Publica.* 2020;37(3):471-77. <http://dx.doi.org/10.17843/rpmesp.2020.373.5157>